DENTAL-MEDIKA

КАТАЛОГ НА РЕЗЕРВНИ ДЕЛОВИ

За турбини, колењаци и насадници

Продажба и сервис на стоматолошка опрема

+389 70 219 560

dentalmedika@gmail.com

www.dentalmedika.com.mk

Компатибилноста и достапноста се потврдуваат пред нарачка.

Технички каталог: издание 2021.3 / ноември 2021.

Дистрибутерски каталог на компатибилни резервни делови.

Исправноста на Вашата опрема е наша грижа.

01 **HIGH SPEED ROTORS** **20**

compatible SIEMENS ® & SIRONA ® 24
compatible KAVO ® 27
compatible W&H ® 30
compatible BIEN AIR ® 33
compatible NSK ® 34
compatible CASTELLINI ®, ANTHOS ® , STERN WEBER ® 37
compatible MK-DENT ® 38
compatible FARO ® 39
compatible B.A. INTERNATIONAL ® 40
compatible CHIRANA ® 42
compatible TKD ® 43
compatible BEYES ®, FONA ®, LARES ® 44
compatible MORITA ®, OSADA ®, PLANMECA ® 45
compatible SCI-CAN ®, STAR ® 46
compatible DENSIM ® 47

02 **SPECIAL PARTS FOR TURBINES** **48**

compatible SIRONA ®, KAVO ®, BIEN AIR ® 50

03 **TURBINE BEARINGS** **52**

04 **TURBINE BACKCAPS** **60**

compatible SIEMENS ®, SIRONA 62
compatible KAVO ® 64
compatible W&H ® 66
compatible BIEN AIR ® 68
compatible NSK ® 69
compatible CASTELLINI ® 71
compatible B.A. INTERNATIONAL ®, BEYES ®, FARO ® 72
compatible MORITA ®, STAR ® 73

05 **TURBINE REPAIR TOOLS** **74**

compatible SIEMENS ®, SIRONA ® 76
compatible KAVO ® 77
compatible W&H ® 80
compatible BIEN AIR ® 82
compatible NSK ® 83
compatible CASTELLINI ® 84
compatible STAR ® , FARO ®, MORITA ®, B.A. INTERNATIONAL ® 85
compatible BEYES ® 86

06 **O-RINGS & WASHERS** **88**

compatible SIRONA ® 90
compatible KAVO ® 92
compatible W&H ® 96
compatible BIEN AIR ® 98
compatible NSK ® 100
compatible CASTELLINI ®, CHIRANA ®, STAR ® 102
Spacers 103

07 **COUPLINGS** **104**

compatible KAVO ® 106

08 **CONTRA-ANGLE PARTS** **108**

compatible SIRONA ® 110
compatible KAVO ® 119
compatible W&H ® 130
compatible BIEN AIR ® 139
compatible NSK ® 143
compatible CASTELLINI ® 155
compatible B.A. INTERNATIONAL ® 158

09 **NON TURBINE BEARINGS** **162**

compatible W&H ® 172
compatible BIEN AIR ® 175
compatible SIRONA ® 177
compatible NSK ® 179
compatible MK-DENT ® 181
compatible SCHICK ® 182
compatible SAESHIN ®, MARATHON ® 184
compatible OTHER BRANDS 185

10 **PARTS FOR MICRO MOTORS** **186**

compatible KAVO ® 188
compatible BIEN AIR ® 190
compatible SIRONA ® 191
Carbon brushes 192
Chucks 193

11 **BULBS** **194**

compatible SIRONA ®, KAVO ® 196
compatible W&H ®, BIEN AIR ® 197
compatible BIEN AIR ® ,NSK ® 198
compatible NSK ® 199

HIGH SPEED ROTORS

WARRANTY: check next page under warranty

01



PRODUCT LEGEND & INFORMATION

Model informations

Tag for new products

Reference models (we try to suplly the most accurate information)

Supplied with mentioned parts

NEW



GRW XTRA

Bearing brand

Model

Compatible products

Document Nr. for special technical inforamtion

⊕ Washer: **2x OW120**

Key: **A235**

Tech info 100100

Turbine high speed rotors compatible with SIEMENS ® & SIRONA ®

	Models	Compatible parts
	Series 3000 T23 4000S GRWXTRA **P/N** Radial: **A100C** (F:136RX R:136RX)	⊕ O-ring: **2x O700** Backcap: **A300** Key: **A800**
	4000SL/T1 TS1/TS2 GRWXTRA **P/N** Radial: **A110C** (F:125RX R:125RX) / Angular: **A110X** (F:125X R:125X) Original 5953054	⊕ O-ring: **2x O700** Backcap: **A300** Key: **A800**
	4000ML/MS TM1 mini GRWXTRA **P/N** Radial: **A120C** (F:136RX R:136RX) Original 5951595	⊕ O-ring: **2x O700** Backcap: **A300** Key: **A800**
	T1 Control SN < 65 000 TC 3 SN < 65 000 GRWXTRA **NOTE:** Use rotor A140C for SN > 502 000. **P/N** Radial: **A130C** (F:125RX R:125RX) / Angular: **A130X** (F:125X R:125X) Original 4175217	⊕ O-ring: **2x O1001** Backcap: **A330** Key: **A815** Spray ring set: **A700**
	T1 Control SN > 600 000 T1 Control SN > 700 000 GRWXTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A131C** (F:115RX R:115RX) / Angular: **A131X** (F:115X R:115RX) Original 6432608	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A331/A342** Key: **A831** **Tech info** 0101
	T1 Control SN ≥ 800 000 GRWXTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A132C** (F:115RX R:115RX) / Angular: **A132X** (F:115X R:115X) Original 6710367	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A343** Key: **A843** **Tech info** 0101
	T1 mini SN < 65 000 GRWXTRA **NOTE:** Use rotor A145C for SN > 502 000. **P/N** Radial: **A135C** (F:135RX R:135RX) Original 4178591	⊕ O-ring: **2x O1001** Backcap: **A335** Key: **A835** Spray ring set: **A700**
	T1 mini SN > 600 000 GRWXTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A136C** (F:115RX R:115RX) / Angular: **A136X** (F:115X R:115X) Original 6432640	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A336** Key: **A836** **Tech info** 0101
	T1 mini CBM SN ≥ 700 000 GRWXTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A137C** (F:115RX R:115RX) / Angular: **A137X** (F:115X R:115X) Original 6548106	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A337** Key: **A836** **Tech info** 0101
	T1 mini SN ≥ 800 000 GRWXTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A138C** (F:115RX R:115RX) / Angular: **A138X** (F:115X R:115X) Original 6710417	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A338** Key: **A838** **Tech info** 0101

	Models	Compatible parts
	T2 Control SN < 600 000 T1 Control SN > 502 000 GRW XTRA **P/N** Radial: **A140C** (F:105RX R:105RX) / Angular: **A140X** (F:105X R:105X) Original 5868299 / 5957126	⊕ O-ring: **2x O900** Backcap: **A310** Key: **A810** Spray ring set: **A700**
	SiroPure P Control GRW XTRA **NOTE:** Bearings are with oil. We strongly rec-comend lubrication. **P/N** Radial: **A141C** (F:105RX R:105RX) / Angular: **A141X** (F:105X R:105X) Original 6084979	⊕ O-ring: **2x O900** Backcap: **A310** Key: **A810** Spray ring set: **A700**
	T2 Control SN > 600 000 T2 Control SN > 700 000 GRW XTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A142C** (F:115RX R:115RX) / Angular: **A142X** (F:115X R:115X) Original 6432590	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A331/A342** Key: **A831** **Tech info** 0101
	T2 Control SN ≥ 800 000 GRW XTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A143C** (F:115RX R:115RX) / Angular: **A143X** (F:115X R:115X) Original 6710425	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A343** Key: **A843** **Tech info** 0101
	T2 mini SN < 600 000 T3 mini SN < 600 000 T1 mini SN > 502 000 GRW XTRA **P/N** Radial: **A145C** (F:105RX R:105RX) / Angular: **A145X** (F:105X R:105X) Original 5868315 / 5868331	⊕ O-ring: **2x O900** Backcap: **A345** Key: **A845** Spray ring set: **A700**
	T2 mini SN ≥ 600 000 T3 mini SN ≥ 600 000 GRW XTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A146C** (F:105RX R:105RX) / Angular: **A146X** (F:105X R:105X) Original 6432632	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A336** Key: **A836** **Tech info** 0101
	T2 mini CBM SN ≥ 700 000 T3 mini CBM SN ≥ 700 000 GRW XTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A147C** (F:115RX R:115RX) / Angular: **A147X** (F:115X R:115X) Original 6548130	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A337** Key: **A836** **Tech info** 0101
	T2 mini SN ≥ 800 000 T3 mini SN ≥ 800 000 GRW XTRA **NOTE:** Installation manual in Tech info. **P/N** Radial: **A148C** (F:115RX R:115RX) / Angular: **A148X** (F:115X R:115X) Original 6710441	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A338** Key: **A838** **Tech info** 0101
	T2 Racer T3 Racer GRW XTRA **P/N** Radial: **A150C** (F:105RX R:105RX) / Angular: **A150X** (F:105X R:105X) Original 5868307 / 5868323	⊕ O-ring: **2x O900** Backcap: **A350** Key: **A810** Spray ring set: **A700**
	T4 Racer GRW XTRA **P/N** Radial: **A151C** (F:105RX R:105RX) / Angular: **A151X** (F:105X R:105X)	⊕ O-ring: **2x O900** Backcap: **A350** Key: **A810**

Turbine high speed rotors compatible with SIEMENS ® & SIRONA ®

	Models	Compatible parts
	SiroPure P Racer **NOTE:** Bearings are with oil. We strongly rec-comend lubrication. **P/N** Radial: **A152C** (F:105RX R:105RX) / Angular: **A152X** (F:105X R:105X) Original 6084987	⊕ O-ring: **2x O900** Spray ring set: **A700**
	T3 Racer SN > 600 000 T4 Racer SN > 600 000 **P/N** Radial: **A153C** (F:115RX R:115RX) / Angular: **A153X** (F:115X R:115X) Original 6486240	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW160** Backcap: **A353** Key: **A860**
	SiroBoost **P/N** Radial: **A155C** (F:105RX R:105RX) / Angular: **A155X** (F:105X R:105X) Original 6334598	⊕ O-ring: **2x O1001** Backcap: **A355** Key: **A845** Spray ring set: **A700**
	T1 Boost SN ≥ 600 000 **NOTE:** Installation manual in Tech info. **P/N** Radial: **A160C** (F:115RX R:115RX) / Angular: **A160X** (F:115X R:115X) Original 6432624	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A360** Key: **A860** **Tech info** 0101
	T1 Boost CBM SN ≥ 700 000 **NOTE:** Installation manual in Tech info. **P/N** Radial: **A161C** (F:115RX R:115RX) / Angular: **A161X** (F:115X R:115X) Original 6547694	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A361** Key: **A860** **Tech info** 0101
	T1 Boost SN ≥ 800 000 **NOTE:** Installation manual in Tech info. **P/N** Radial: **A162C** (F:115RX R:115RX) / Angular: **A162X** (F:115X R:115X) Original 6710409	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A362** Key: **A862** **Tech info** 0101
	T2 Boost SN ≥ 600 000 T3 Boost SN ≥ 600 000 **NOTE:** Installation manual in Tech info. **P/N** Radial: **A170C** (F:115RX R:115RX) / Angular: **A170X** (F:115X R:115X) Original 6432616	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A360** Key: **A860** **Tech info** 0101
	T2 Boost CBM SN ≥ 700 000 T3 Boost CBM SN ≥ 700 000 **NOTE:** Installation manual in Tech info. **P/N** Radial: **A171C** (F:115RX R:115RX) / Angular: **A171X** (F:115X R:115X) Original 6548122	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A361** Key: **A860** **Tech info** 0101
	T2 Boost SN ≥ 800 000 T3 Boost SN ≥ 800 000 **NOTE:** Installation manual in Tech info. **P/N** Radial: **A172C** (F:115RX R:115RX) / Angular: **A172X** (F:115X R:115X) Original 6710433	⊕ O-ring: **2x O1001** ⊕ Washer: **2x OW170** ⊕ Spacer: **2x OW175** Backcap: **A362** Key: **A862** **Tech info** 0101

Turbine high speed rotors compatible with KAVO ®

	Models	Compatible parts
	SUPERtorque® 630 SUPERtorque® 640 **NOTE:** Converting from friction grip to push button 624/625/625C/625D/627/630/630A/640 Use backcap B300/B310 for conversion. **P/N** Radial: **B100C** (F:125RX R:125RX) / Angular: **B100X** (F:125X R:125X) Original 0.553.5851 / 0.553.5881	⊕ O-ring: **2x O700** Backcap: **B300/B310** Key: **B800** Fibre optic: **BF100** Coupling: **CK100-300**
	Companion® 634 **P/N** Radial: **B110C** (F:125RX R:125RX) / Angular: **B110X** (F:125X R:125X) Original 0.553.8141	⊕ O-ring: **2x O700** Coupling: **CK100-300**
	CONTACTair® 632 BELLAtorque® 633 BELLAtorque® 639 BELLAtorque® 642 BELLAtorque® 645 **P/N** Radial: **B120C** (F:125RX R:125RX) / Angular: **B120X** (F:125X R:115X) Original 0.553.6911	⊕ O-ring: **2x O700** Backcap: **B320/B370** Key: **B800** Fibre optic: **BF190** Coupling: **CK100-300**
	SUPERtorque® 650 **P/N** Radial: **B130C** (F:125RX R:125RX) / Angular: **B130X** (F:125X R:115X) Original 0.553.8231/0.553.8051	⊕ O-ring: **2x O700** Backcap: **B330** Key: **B830** Fibre optic: **BF130** Coupling: **CK100-300**
	MIRAlux® 635/635B **P/N** Radial: **B140C** (F:125RX R:125RX) / Angular: **B140X** (F:125X R:125X) Original 0.553.8581	⊕ O-ring: **2x O700** Backcap: **B340** Key: **B840** Fibre optic: **BF190** Coupling: **CK100-300**
	SUPERtorque® 647/647B OPTItorque® 649/649B **P/N** Radial: **B150C** (F:125RX R:125RX) / Angular: **B150X** (F:125X R:115X) Original 0.553.8541	⊕ O-ring: **2x O700** Backcap: **B330** Key: **B830** Coupling: **CK100-300**
	SUPERtorque® 655 SUPERtorque® 660 **P/N** Radial: **B160C** (F:105RX R:105RX) / Angular: **B160X** (F:105X R:105X) Original 1.000.2078	⊕ O-ring: **2x O710** ⊕ Washer: **2x OW110** Backcap: **B360** Key: **B830** Fibre optic: **BF130** Coupling: **CK100-300**
	EXPERTtorque® E680 EXPERTtorque® E679L **P/N** Radial: **B161C** (F:105RX R:135RX) Original 1.007.9313	⊕ O-ring: **2x O710** ⊕ Washer: **F: 1x OW120** ⊕ Washer: **R: 1x OW140** Backcap: **B361** Key: **B830** Coupling: **CK100-300**
	SMARTtorque® S609 SMARTtorque® S619 SMARTtorque® S608 **P/N** Radial: **B162C** (F:105RX R:105RX) / Angular: **B162X** (F:105X R:105X) Original 1.008.4163	⊕ O-ring: **2x O1400** ⊕ Washer: **2x OW110** Backcap: **B362/B325** Key: **B830** Fibre optic: **BF170** Coupling: **CK100-300**
	SURGtorque® S459C SURGtorque® LUX S459L **P/N** Radial: **B1625C** (F:105RX R:105RX) / Angular: **B1625X** (F:105X R:105X) Original 1.011.2518	⊕ O-ring: **2x O1400** ⊕ Washer: **2x OW110** Backcap: **B362** Key: **B830** Coupling: **CK100-300**

Turbine high speed rotors compatible with KAVO ®

	Models	Compatible parts
	SMARTtorque mini® S605 SMARTtorque mini® S615 GRWXTRA **P/N** Radial: **B163C** (F:116RX R:116RX) Original 1.008.4164	O-ring: **2x O1400** Washer: **2x OW110** Backcap: **B363** Key: **B894** Fibre optic: **BF170** Coupling: **CK100-300**
	EXPERTtorque® E675L EXPERTtorque® E677L GRWXTRA **P/N** Radial: **B164C** (F:135RX R:116RX) Original 1.007.9457	O-ring: **2x O710** Washer: **F: OW140** Washer: **R: OW120** Backcap: **B394** Key: **B894** Coupling: **CK100-300**
	GENTLEforce® 7000 GRWXTRA **P/N** Radial: **B170C** (F:115RX R:115RX) / Angular: **B170X** (F:115X R:115X) Original 1.000.4772	O-ring: **2x O700** Washer: **2x OW110** Backcap: **B360** Key: **B830** Water filter: **B1170** Fibre optic: **BF170** Coupling: **CK100-300**
	GENTLEsilence® 8000 GENTLEsilence® 6500BR GRWXTRA **P/N** Radial: **B171C** (F:105RX R:115RX) / Angular: **B171X** (F:105X R:115X) Original 1.003.6884	O-ring: **2x O710** Washer: **2x OW120** Backcap: **B371** Key: **B830** Water filter: **B1170** Fibre optic: **BF170** Coupling: **CK100-300**
	GENTLEsilence® 6500/6500B GRWXTRA **P/N** Radial: **B172C** (F:125RX R:115RX) / Angular: **B172X** (F:125X R:115X) Original 1.003.9664	O-ring: **2x O710** Washer: **F: OW140** Washer: **R: OW120** Backcap: **B371** Key: **B830** Fibre optic: **BF170** Coupling: **CK100-300**
	MASTERtorque mini® M8700L GRWXTRA **P/N** Radial: **B174C** (F:135RX R:105RX) Original 3.001.9915	O-ring: **2x O710** Washer: **2x OW120** Backcap: **B374** Key: **B894** Coupling: **CK100-300**
	MASTERtorque® M8900L **NOTE:** Without brake ring 3.000.2581 GRWXTRA **P/N** Radial: **B175C** (F:105RX R:105RX) / Angular: **B175X** (F:105X R:105X) Original 2.000.2266	O-ring: **2x O710** Washer: **2x OW120** Backcap: **B375** Key: **B830** Coupling: **CK100-300**
	GENTLEforce® 6000/6000B GRWXTRA **P/N** Radial: **B180C** (F:136RX R:115RX) Original 1.001.3888	O-ring: **2x O710** Washer: **F: OW140** Washer: **R: OW120** Backcap: **B360** Key: **B830** Coupling: **CK100-300**
	MIRAtorque mini® 637 GRWXTRA **P/N** Radial: **B190C** (F:125RX R:135RX) Original 0.553.8661	O-ring: **2x O700** Backcap: **B340** Key: **B840** Fibre optic: **BF190** Coupling: **CK100-300**
	COMPACTtorque® 636 POWERtorque® 646 **NOTE:** Not suitable for CP model. GRWXTRA **P/N** Radial: **B191C** (F:125RX R:125RX) / Angular: **B191X** (F:125X R:125X) Original 0.553.8911	O-ring: **2x O700** Backcap: **B330** Key: **B830** Fibre optic: **BF130** Coupling: **CK100-300**

	Models	Compatible parts
	SUPERtorque® 659B **P/N** Radial: **B193C** (F:135RX R:116RX) Original 1.004.5632	⊕ O-ring: **2x O700** Backcap: **B393** Key: **B830** Coupling: **CK100-300**
	GENTLEsilence mini® 4500/4500BR **P/N** Radial: **B194C** (F:135RX R:135RX) Original 1.006.4564	⊕ O-ring: **2x O710** ⊕ Washer: **2x OW150** Backcap: **B394** Key: **B894** Coupling: **CK100-300**
	MASTERtorque® M9000 **NOTE:** Without brake ring 3.000.2581 **P/N** Radial: **B195C** (F:105RX R:105RX) / Angular: **B195X** (F:105X R:105X) Original 2.000.2266	⊕ O-ring: **2x O710** ⊕ Washer: **2x OW120** Backcap: **B395** Key: **B830** Brake ring: **B595** Coupling: **CK100-300**
	GENTLEmini® 5000/5000B MASTERtorque mini® M4500 **P/N** Radial: **B197C** (F:135RX R:135RX) Original 1.006.4564	⊕ O-ring: **2x O710** ⊕ Washer: **2x OW150** Backcap: **B394** Key: **B894** Coupling: **CK100-300**

Turbine high speed rotors compatible with W&H ®

	Models	Compatible parts
	290/295 390/393/395/396 695 GRWXTRA **P/N** Radial: **C100C** (F:115RX R:115RX) / Angular: **C100X** (F:115X R:115X) Original 02137000	⊕ O-ring: **2x O700** ⊕ Washer: **2x OW130** Backcap: **C300** Key: **C800**
	398 795/798 895/898 GRWXTRA **P/N** Radial: **C110C** (F:115RX R:115RX) / Angular: **C110X** (F:115X R:115X) Original 02760000	⊕ O-ring: **2x O700** ⊕ Washer: **2x OW130** Backcap: **C310** Key: **C810**
	196 696 796 896 GRWXTRA **P/N** Radial: **C120C** (F:105RX R:105RX) / Angular: **C120X** (F:105X R:105X) Original 02765500	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C320/C330** Key: **C820**
	Trend® TC-80 BC/RM Trend® TC-95 BC/RM GRWXTRA **NOTE:** Converting from friction grip to push button use backcap C310. **P/N** Radial: **C130C** (F:105RX R:105RX) / Angular: **C130X** (F:105X R:105X) Original 04396680/03300000	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C310** Key: **C810**
	Synea® TA-96/L/LM/M Alegra® HS2003 TE-96 GRWXTRA 04457500 **P/N** Radial: **C140C** (F:105RX R:105RX) / Angular: **C140X** (F:105X R:105X) Original 04396700/04386100	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C340** Key: **C820** Fibre optic: **CF150**
	Synea® TA-98/L/LM/M/C/LC/LCM/CM GRWXTRA **NOTE:** Backcap with 2 pins **P/N** Radial: **C150C** (F:105RX R:105RX) / Angular: **C150X** (F:105X R:105X)	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C350** Key: **C850** Fibre optic: **CF150**
	Alegra® HS2003 TE-95/98 Alegra® HS2009 TE-95/98 Alegra® TE-98 LED G Brasil SN>100001 Alegra® TE-98 LED G SN>102298 Alegra® TE-98 LED G A-dec Alegra® HS2009 TE-98 C LED G GRWXTRA **P/N** Radial: **C151C** (F:105RX R:105RX) / Angular: **C151X** (F:105X R:105X) Original 05958900	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW100** Backcap: **C310** Key: **C810**
	Synea® Fusion TG-98/L GRWXTRA **P/N** Radial: **C152C** (F:105RX R:105RX) / Angular: **C152X** (F:105X R:105X)	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C352** Key: **C852**
	Synea® Vision TK-98 GRWXTRA **P/N** Radial: **C153C** (F:105RX R:105RX) / Angular: **C153X** (F:105X R:105X) Original 07272800	⊕ O-ring: **2x O650** ⊕ Washer: **2x OW160** Backcap: **C353** Key: **C853**
	Synea® Vision TK-100 GRWXTRA **P/N** Radial: **C154C** (F:105RX R:105RX) / Angular: **C154X** (F:105X R:105X) Original 07272900	⊕ O-ring: **2x O650** ⊕ Washer: **2x OW160** Backcap: **C354** Key: **C854**

	Models	Compatible parts
	Synea® TA-98C LED/CM/CLM GRW XTRA **NOTE:** Backcap with 3 pins **P/N** Radial: **C155C** (F:105RX R:105RX) / Angular: **C155X** (F:105X R:105X) Original 05306900 / 05307000	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C355** Key: **C855**
	Synea® Fusion TG-98LM/LN/LRM GRW XTRA **P/N** Radial: **C156C** (F:105RX R:105RX) / Angular: **C156X** (F:105X R:105X)	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C352** Key: **C852**
	Synea® Vision TK-97 GRW XTRA **P/N** Radial: **C157C** (F:105RX R:105RX) / Angular: **C157X** (F:105X R:105X) Original 07272600	⊕ O-ring: **2x O650** ⊕ Washer: **2x OW160** Backcap: **C357** Key: **C865**
	Synea® Vision TK-94 GRW XTRA **P/N** Radial: **C158C** (F:115RX R:115RX) / Angular: **C158X** (F:115X R:115X) Original 07273100	⊕ O-ring: **2x O650** ⊕ Washer: **2x OW160** Backcap: **C358** Key: **C865**
	190BC 698 798 898 GRW XTRA **P/N** Radial: **C160C** (F:105RX R:105RX) / Angular: **C160X** (F:105R R:105X)	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C310** Key: **C810**
	Synea® TA-97C LED/CLM GRW XTRA **P/N** Radial: **C165C** (F:105RX R:105RX) / Angular: **C165X** (F:105X R:105X)	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C365** Key: **C865** Fibre optic: **CF165**
	Alegra® HS2009 TE-97 GRW XTRA **P/N** Radial: **C166C** (F:105RX R:105RX) / Angular: **C166X** (F:105X R:105X)	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C365** Key: **C865**
	Synea® Fusion TG-97LN/LRM GRW XTRA **P/N** Radial: **C170C** (F:105RX R:105RX) / Angular: **C170X** (F:105X R:105X)	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C365** Key: **C865**
	Synea® Fusion TG-97/L/LM GRW XTRA **P/N** Radial: **C171C** (F:105RX R:105RX) / Angular: **C171X** (F:105X R:105X) Original 07006000	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW130** Backcap: **C365** Key: **C865**
	RC-95 GRW XTRA **P/N** Radial: **C180C** (F:140RX R:140RX)	⊕ O-ring: **2x O600** ⊕ Washer: **2x OW180**

Turbine high speed rotors compatible with W&H ®

	Models		Compatible parts
	Alegra® HS2014 TE-95 **P/N** Radial: **C185C** (F:140RX R:140RX)	GRW XTRA	O-ring: **2x O600** Washer: **2x OW180** Backcap: **C395** Key: **C895**
	Alegra® HS2014 TE-97 **P/N** Radial: **C190C** (F:140RX R:140RX) Original 07234101	GRW XTRA	O-ring: **2x O600** Washer: **2x OW180** Backcap: **C390** Key: **C890**
	Alegra® HS2014 TE-98 **P/N** Radial: **C195C** (F:140RX R:140RX) Original 06787501	GRW XTRA	O-ring: **2x O600** Washer: **2x OW180** Backcap: **C395** Key: **C895**

	Models	Compatible parts
	Black Pearl Croma X Croma S25 Croma S Boralina **NOTE:** Look below backcaps for more information about D300. GRW XTRA **P/N** Radial: **D105C** (F:165RX R:165RX) Original 1500164	⊕ O-ring: **2x O300** Backcap: **D300** Inner cap: **D300i** Inner spring: **D300s** Key: **D800** **Tech info 0102**
	Bora L/LED/LK Bora Blackline/LK Rotamax L Bora S36 **NOTE:** Look below backcaps for more information about D310. GRW XTRA **P/N** Radial: **D115C** (F:165RX R:165RX) Original 1500181/ 1501452	⊕ O-ring: **2x O300** Backcap: **D310** Inner cap: **D310i** Inner spring: **D300s** Key: **D815** **Tech info 0102**
	Ondine Prestilina Chroma M Prestige old type GRW XTRA **P/N** Radial: **D120C** (F:105RX R:105RX) / Angular: **D120X** (F:105X R:105X) Original 2093019	⊕ O-ring: **2x O700** Backcap: **D320** Key: **D820**
	Prestige S30 Prestige S32 GRW XTRA **P/N** Radial: **D130C** (F:105RX R:105RX) / Angular: **D130X** (F:105X R:105X) Original 2093019	⊕ O-ring: **2x O400** ⊕ O-ring: **1x O500** Backcap: **D330** Key: **D835**
	Eolia GRW XTRA **P/N** Radial: **D136C** (F:165RX R:165RX) Original 1500559	⊕ O-ring: **2x O300**
	Tornado GRW XTRA **P/N** Radial: **D137C** (F:105RX R:105RX) / Angular: **D137X** (F:105X R:105X) Original 1502670	⊕ O-ring: **2x O2000** ⊕ Washer: **2x OW200** Backcap: **D337** Key: **D837**
	Tornado X GRW XTRA **P/N** Radial: **D1155C** (F:165RX R:165RX) Original 1502667	⊕ O-ring: **2x O300**
	Tornado S GRW XTRA **P/N** Radial: **D138C** (F:115RX R:115RX) / Angular: **D138X** (F:115X R:115X) Original 1501969	⊕ O-ring: **2x O710** ⊕ Washer: **2x OW120**

> Laboratory rotors

	Models	Compatible parts
	LAB TD783 LAB TDS890 GRW XTRA **P/N** Radial: **DL100C** (F:165RX R:165RX) Original 1500922 (208.55.01)	⊕ O-ring: **2x O300** ⊕ Bearing cup: **DL700** ⊕ Chuck: **1500907**

	Models	Compatible parts
	Titanium Power Hi Power M Clean Air 2000/2000R Clean Light 2000/2000R GRW XTRA **P/N** Radial: **G100C** (F:155RX R:155RX) Original FL0000874	⊕ O-ring: **2x O800** Backcap: **G300** Key: **G800**
	Titanium Gold/Gold 2 Hi Power Light Hi Power Ceramic/Ceramic 2 GRW XTRA **P/N** Radial: **G110C** (F:105RX R:105RX) / Angular: **G110X** (F:105X R:105X) Original FL0001370	⊕ O-ring: **2x O800** Backcap: **G310/G320** Key: **G810**
	Sient Power Gold/Gold M Silent Power Silver 2/2L/4L/4LK GRW XTRA **P/N** Radial: **G120C** (F:105RX R:105RX) / Angular: **G120X** (F:105X R:105X) Original FL0001857	⊕ O-ring: **2x O800** Backcap: **G310/G320** Key: **G810**
	Silent Power Miniature Silent Power Gold Miniature GRW XTRA **P/N** Radial: **G130C** (F:105RX R:105RX) / Angular: **G130X** (F:105X R:105X) Original FL0001858	⊕ O-ring: **2x O800** Backcap: **G330** Key: **G850**
	Silent Power EVO 2/2L/4L/4LK GRW XTRA **P/N** Radial: **G140C** (F:105RX R:105RX) / Angular: **G140X** (F:105X R:105X) Original 95529230	⊕ O-ring: **2x O800** ⊕ Washer: **1x OW110** Backcap: **G340** Key: **G840**
	Silent Power EVO miniature/minianture K GRW XTRA **P/N** Radial: **G150C** (F:105RX R:105RX) / Angular: **G150X** (F:105X R:105X) Original 95529232	⊕ O-ring: **2x O800** ⊕ Washer: **1x OW110** Backcap: **G350** Key: **G850**

Turbine high speed rotors compatible with **CASTELLINI ®, ANTHOS ®, STERN WEBER ®**

Turbine high speed rotors compatible with MK-DENT ®

	Models	Compatible parts
	HC2001 HC2002 HC2011/HC2012 (from SN: F) HC4011 M/K/S/W (from SN: F) HC4021 K (till SN: E) HC6011 M/K/S/W (from SN: F) HE11 HB12 HE12 HB15L HE15L GRW XTRA **P/N** Radial: **H100C** (F:125RX R:125RX) / Angular: **H100X** (F:125X R:125X) Original TC2021	O-ring: **2x O700**
	HC2022 HC4021 M (from SN: F) HC4021 K (from SN: F) HC4021 S/W/NT/NQ/Y HC5021 HC5031 HC6021 HC7021 HC7031 GRW XTRA **P/N** Radial: **H110C** (F:125RX R:125RX) / Angular: **H110X** (F:125X R:125X) Original TC2031	O-ring: **2x O700**
	HC2003/HC2004 HC2013/HC2014 (from SN: F) HC2024 HC4012 M/K/S/W (from SN: F) HC4012 NT/NQ/Y (from SN: F) HC4022 HC6012 M/K/S (from SN: F) HC5012 HC5022 HC5032 HC6022 HC7012 HC7022 HC7032 GRW XTRA **P/N** Radial: **H120C** (F:125RX R:125RX) / Angular: **H120X** (F:125X R:125X) Original TC2032	O-ring: **2x O700**
	HC21K/KL HC20K/KL GRW XTRA **P/N** Radial: **H125C** (F:105RX R:116RX) Original TC2038	O-ring: **2x O710** Washer: **2x OW120**
	HC8021 HC9021 HP21KL/NL GRW XTRA **P/N** Radial: **H130C** (F:105RX R:115RX) / Angular: **H130X** (F:105X R:115X) Original TC2041	O-ring: **2x O710** Washer: **2x OW120**
	HC8022 HC9022 HP22KL/NL GRW XTRA **P/N** Radial: **H140C** (F:135RX R:135RX) Original TC2042	O-ring: **2x O700**
	HE17 HE21K/KL/N/NL HB21K/KL GRW XTRA **P/N** Radial: **H145C** (F:105RX R:135RX) Original TC2034	O-ring: **2x O710** Washer: **F: 1x OW120** Washer: **R: 1x OW140**
	HC22-KL GRW XTRA **P/N** Radial: **H150C** (F:135RX R:135RX) Original TC2039	O-ring: **2x O710** Washer: **2x OW140**
	HE14 HE16L HE18 HE22K/KL/N/NL/W/WL GRW XTRA **P/N** Radial: **H160C** (F:135RX R:116RX) Original TC2035	O-ring: **2x O710** Washer: **2x OW140**
	HB14 HB23K/KL GRW XTRA **P/N** Radial: **H170C** (F:125RX R:125RX) / Angular: **H170X** (F:125X R:125X) Original TC2033	O-ring: **2x O700**

Turbine high speed rotors compatible with FARO ®

	Models		Compatible parts
	S-400 **P/N** Radial: **J100C** (F:115RX R:115RX) / Angular: **J100X** (F:115X R:115X)	GRW XTRA	Backcap: **J300** Key: **J800**
	Trilogy **P/N** Radial: **J110C** (F:105RX R:105RX) / Angular: **J110X** (F:105X R:105X)	GRW XTRA	Backcap: **J310** Key: **J8**
	Trilogy Head **P/N** Radial: **J120C** (F:105RX R:105RX) / Angular: **J120X** (F:105X R:105X)	GRW XTRA	-
	Trilogy plus **P/N** Radial: **J130C** (F:105RX R:105RX) / Angular: **J130X** (F:105X R:105X)	GRW XTRA	-
	MT02 L **P/N** Radial: **J140C** (F:105RX R:105RX) / Angular: **J140X** (F:105X R:105X)	GRW XTRA	⊕ O-ring: **2x O1400** ⊕ Washer: **2x OW110** Backcap: **J340** Key: **J840**

Turbine high speed rotors compatible with B.A. INTERNATIONAL ®

	Models		Compatible parts
	BA 635 Ultimate Turbine **P/N** Radial: **P100C** (F:105RX R:105RX) / Angular: **P100X** (F:105X R:105X)	GRWXTRA	O-ring: **2x O900**
	BA 650 Ultimate **P/N** Radial: **P110C** (F:125RX R:125RX) / Angular: **P110X** (F:125X R:125X)	GRWXTRA	O-ring: **2x O700**
	BA 675 Ultimate Handpiece BA 685 Ultimate Handpiece **P/N** Radial: **P120C** (F:125RX R:125RX) / Angular: **P120X** (F:125X R:125X)	GRWXTRA	O-ring: **2x O900**
	BA 680 Ultimate **P/N** Radial: **P130C** (F:105RX R:105RX) / Angular: **P130X** (F:105X R:105X)	GRWXTRA	O-ring: **2x O900**
	BA 695 Ultimate Range for SN > 600 000 take P141C **P/N** Radial: **P140C** (F:105RX R:105RX) / Angular: **P140X** (F:105X R:105X)	GRWXTRA	O-ring: **2x O900**
	BA 695 Ultimate Range *new type **NOTE:** Installation manual in Tech info. **P/N** Radial: **P141C** (F:115RX R:115RX) / Angular: **P141X** (F:115X R:115X)	GRWXTRA	O-ring: **2x O700** Washer: **2x OW170** Spacer: **2x OW175** **Tech info:** 0101
	BA 758 Ultimate Power + **P/N** Radial: **P145C** (F:105RX R:105RX) / Angular: **P145X** (F:105X R:105X)	GRWXTRA	O-ring: **2x O900**
	BA 755 Ultimate Power + **P/N** Radial: **P150C** (F:105RX R:105RX) / Angular: **P150X** (F:105X R:105X)	GRWXTRA	O-ring: **2x O900**
	BA 755 Ultimate Power + *new type **NOTE:** Installation manual in Tech info. **P/N** Radial: **P151C** (F:115RX R:115RX) / Angular: **P151X** (F:115X R:115X)	GRWXTRA	O-ring: **2x O700** Washer: **2x OW170** Spacer: **2x OW175** **Tech info:** 0101
	BA 670 Ultimate **P/N** Radial: **P160C** (F:105RX R:105RX) / Angular: **P160X** (F:105X R:105X)	GRWXTRA	O-ring: **2x O900**

	Models		Compatible parts
	BA 670 **P/N** Radial: **P161C** (F:125RX R:125RX) / Angular: **P161X** (F:125X R:125X)	GRW XTRA	⊕ O-ring: **2x O700**
	BA Optima 525 **P/N** Radial: **P170C** (F:105RX R:105RX) / Angular: **P170X** (F:105X R:105X)	GRW XTRA	⊕ O-ring: **2x O1000** ⊕ Washer: **2x OW120** Backcap: **P300**
	BA Optima 888 **P/N** Radial: **P180C** (F:105RX R:105RX) / Angular: **P180X** (F:105X R:105X)	GRW XTRA	⊕ O-ring: **2x O900**
NEW 	BA Optima 535 **P/N** Radial: **P190C** (F:105RX R:105RX) / Angular: **P190X** (F:105X R:105X)	GRW XTRA	-

Turbine high speed rotors compatible with CHIRANA ®

	Models	Compatible parts
	TG GRW XTRA **P/N** Radial: **T100C** (F:125RX R:125RX) / Angular: **T100X** (F:125X R:125X) Original 390312560	O-ring: **2x O3000**
	TG H GRW XTRA **P/N** Radial: **T110C** (F:125RX R:125RX) / Angular: **T110X** (F:125X R:125X) Original 390312560.6	O-ring: **2x O3000**
	TG HF GRW XTRA **P/N** Radial: **T120C** (F:125RX R:125RX) / Angular: **T120X** (F:125X R:125X) Original 3903128271	O-ring: **2x O3000**
	TS HF GRW XTRA **P/N** Radial: **T130C** (F:125RX R:125RX) / Angular: **T130X** (F:125X R:125X) Original 03125614	O-ring: **2x O3000**

Turbine high speed rotors compatible with TKD ®

	Models	Compatible parts
NEW 	Bravia GRW XTRA P/N Radial: **V100C** (F:105RX R:105RX) / Angular: **V100X** (F:105X R:105X)	-
NEW 	Bravia XL GRW XTRA P/N Radial: **V110C** (F:105RX R:105RX) / Angular: **V110X** (F:105X R:105X)	-
NEW 	Micra R/L GRW XTRA P/N Radial: **V120C** (F:105RX R:105RX) / Angular: **V120X** (F:105X R:105X)	-
NEW 	Thalia GRW XTRA P/N Radial: **V130C** (F:125RX R:125RX) / Angular: **V130X** (F:125X R:125X)	-

Turbine high speed rotors compatible with **OTHER BRANDS**

> Rotors compatible with Beyes ®

	Models		Compatible parts
	Airlight M800-S / M600-S Maxso M10-S / M200-S **P/N** Radial: **K100C** (F:115RX R:115RX) / Angular: **K100X** (F:115X R:115X)	GRW XTRA	O-ring: **2x O1000** Washer: **R: 1x OW120** Backcap: **K300** Key: **K800**
	Airlight M800-M / M600-M Maxso M10-M / M200-M **P/N** Radial: **K110C** (F:115RX R:115RX) / Angular: **K110X** (F:115X R:115X)	GRW XTRA	O-ring: **2x O1000** Washer: **R: 1x OW120** Backcap: **K310** Key: **K800**

> Rotors compatible with Fona ®

	Models		Compatible parts
	6080 MR **P/N** Radial: **R100C** (F:105RX R:105RX) / Angular: **P100X** (F:105X R:105X)	GRW XTRA	O-ring: **2x O900**
	8060 SR **P/N** Radial: **R110C** (F:105RX R:105RX) / Angular: **P110X** (F:105X R:105X)	GRW XTRA	O-ring: **2x O900**
	8080 SR **P/N** Radial: **R120C** (F:105RX R:105RX) / Angular: **R120X** (F:105X R:105X)	GRW XTRA	O-ring: **2x O700**

> Rotors compatible with Lares ®

	Models		Compatible parts
	All 557 & 557 Prostyle types **P/N** Radial: **L110C** (F:115RX R:115RX) / Angular: **L110X** (F:115X R:115X) Original 10632	GRW XTRA	-
	All 757 & 757 Prostyle types with multi port spray **P/N** Radial: **L120C** (F:115RX R:115RX) / Angular: **L120X** (F:115X R:115X) Original 10629	GRW XTRA	-

	Models	Compatible parts
	All 757 & 757 Prostyle types with single port spray GRW XTRA **P/N** Radial: **L125C** (F:115RX R:115RX) / Angular: **L125X** (F:115X R:115X) Original 10629	-

> Rotors compatible with Morita ®

	Models	Compatible parts
	TwinPower PAR-4HEX-O GRW XTRA **NOTE:** Canister not included. **P/N** Radial: **M100C** (F:115RX R:115RX) / Angular: **M100X** (F:115X R:115X)	⊕ O-ring: **2x O600** Backcap: **M300** Key: **M800**
	TwinPower PAR-4HX-O GRW XTRA **NOTE:** Canister not included. **P/N** Radial: **M110C** (F:115RX R:115RX) / Angular: **M110X** (F:115X R:115X)	⊕ O-ring: **2x O600**
	TwinPower PAR-4HUEX-O GRW XTRA **NOTE:** Canister not included. **P/N** Radial: **M120C** (F:115RX R:115RX) / Angular: **M120X** (F:115X R:115X)	⊕ O-ring: **2x O600**

> Rotors compatible with Osada ®

	Models	Compatible parts
	OT-TDL 4H GRW XTRA **P/N** Radial: **U100C** (F:175RX R:175RX)	⊕ O-ring: **2x O700**
	OFJ-TZL GRW XTRA **P/N** Radial: **U110C** (F:125RX R:125RX)	-
	OFJ-MZL GRW XTRA **P/N** Radial: **U120C** (F:125RX R:125RX)	-

Turbine high speed rotors compatible with **OTHER BRANDS**

> Rotors compatible with Planmeca ®

	Models		Compatible parts
	NOMA ML **P/N** Radial: **N100C** (F:136RX R:136RX)	GRWXTRA	O-ring: **2x O710**
	NOMA SL **P/N** Radial: **N110C** (F:136RX R:136RX)	GRWXTRA	
	MINEA ML **P/N** Radial: **N120C** (F:136RX R:136RX)	GRWXTRA	O-ring: **2x O710**

> Rotors compatible with Sci-Can ®

	Models		Compatible parts
	Statis ML201.1 **P/N** Radial: **S120C** (F:136RX R:136RX)	GRWXTRA	O-ring: **2x O710**
	Statis ML101.1 **P/N** Radial: **S130C** (F:136RX R:136RX)	GRWXTRA	-

> Rotors compatible with Star ®

	Models	Compatible parts
	430 **P/N** Radial: **F100C** (F:145A R:145A)	O-ring: **3x O100** Washer: **1x OW240** Backcap: **F300** Key: **F800**

> Rotors compatible with Densim ®

	Models	Compatible parts
NEW 	Vienna Monaco LUX GRW XTRA **P/N** Radial: **L130C** (F:105RX R:135RX) Original DSTC2034	⊕ O-ring: **2x O710** ⊕ Washer: **F: 1x OW120** ⊕ Washer: **R: 1x OW140**
NEW 	Monaco S LUX GRW XTRA **P/N** Radial: **L140C** (F:135RX R:116RX) Original DSTC2035	⊕ O-ring: **2x O710** ⊕ Washer: **2x OW140**
NEW 	Montreal LUX GRW XTRA **P/N** Radial: **L150C** (F:105RX R:115RX) / Angular: **L150X** (F:105X R:115X) Original DSTC2041	⊕ O-ring: **2x O710** ⊕ Washer: **2x OW120**
NEW 	Montreal S LUX GRW XTRA **P/N** Radial: **L160C** (F:135RX R:135RX) Original DSTC2042	⊕ O-ring: **2x O700**



SPECIAL PARTS FOR TURBINES

WARRANTY: no warranty

02



SPECIAL PARTS for turbines

	Models	Compatible parts
	Spray ring set for SIRONA ® **NOTE:** Tools for replacement: 1x AL8000 (6259605) 1x 2400232 **P/N A700** Original 5866715	⊕ O-ring **7043854** ⊕ Spray ring 3D **5855908** ⊕ Spray screw **5855890** Tool: **AL8000**
	Water filter for KAVO ® GENTLEforce ® 7000 GENTLEsilence ® 8000 **P/N B1170** Original 1.000.4823	Rotor: **B170C/B171C** Backcap: **B360/B371** Key: **B830** Coupling: **CK100-CK300** O-rings: **O700/O710** Washer: **OW110/OW120** Fibre optic: **BF170**
	Break ring for KAVO ® MASTERtorque ® M9000 MASTERtorque ® M8900 **P/N B595** Original 1.009.5301	Rotor: **B195C/B175C** Backcap: **B395** Key: **B830** Coupling: **CK100-CK300** O-ring: **O710** Washer: **OW120** Stamp: **B596**
	Stamp for break ring for KAVO ® MASTERtorque ® M9000 MASTERtorque ® M8900 **P/N B596** Original 3.000.0214	Rotor: **B195C/B175C** Backcap: **B395** Key: **B830** Coupling: **CK100-CK300** O-ring: **O710** Washer: **OW120** Brake ring: **B595**
	Front bearing cup for BIEN AIR ® Prestige Ondine **P/N D730F**	
	Rear bearing cup for BIEN AIR ® Prestige **P/N D730B**	
	Bearing cup for BIEN AIR ® TD783 TDS 890 FG **P/N DL700**	


Rotor for
NSK Z900
Rotor for
Bien Air Bora
P/N D115C
Rotor for
P/N H110C
Rotor for
Sirona T2conn.
P/N A140C
Rotor for
Sirona
P/N A150C

TURBINE BEARINGS

WARRANTY: Due to the nature of work there is no warranty

03



HIGH SPEED BEARINGS

High-Precision Ball Bearings

We offer GRW ® quality for high speed turbine bearings:

1. GRW ® XTRA ® radial contact ceramic bearings with XTRAlon, XTRAlube (RX type, i.e. 105RX)
2. GRW ® XTRA ® angular contact ceramic bearings with XTRAlon, XTRAlube (X type, i.e. 105X)

New GRW ® XTRA ® ceramic bearings features:

- XTRAlube – Optimized lubrication conditions for high-speed applications
- XTRAlon – The GRW ® PAI based patented cage material

Customers' benefits from GRW ® XTRA ® components:

- Reduced friction
- Increasing speed
- Minimization of running noise
- Prolonged service life and reduction of the maintenance intervals of customers' products
- Improved ball bearing and assembly performance



GRW ® XTRA ® HIGH SPEED BEARINGS

Techical inforamtion

XTRAlon

GRW's ® premium material is designed for the most demanding requirements in terms of friction, thermal stability and wear. The unique production method involving the chemical binding of solid lubricant to the base polymer polyamidimide (PAI) creates a homogeneous, dense fabric, which offers little opportunity for attack by the superheated steam during autoclaving. The fine distribution of solid lubricant and the chemical bond to the base material means that the exceptional property of dry-running suitability is obtained, even in extreme applications where rotational speeds of n x dm > 1.000.000 mm/min are the norm. In internal tests on GRW's ® own test rigs, service lifetimes of up to 15 hours were attained with completely dry ball bearings. All conventional cage materials fail after only a few minutes in the same test. The SEM images show the surfaces of XTRAlon and PAI mod. after 1.000 cycles of sterilisation
by steam under pressure. It can be clearly seen that the surface structure of XTRAlon is preserved, while the PAI mod. has a very jagged surface.

Benefits from XTRAlon:
- Outstanding high temperature performance
- Minimal friction and abrasion coefficient
- Prolonged service life

XTRAlube

It is developed in the GRW ® laboratory as a new lubricant with the potential to considerably extend service life. The new XTRAlube developed in the GRW ® laboratory delivers outstanding results both in the test criteria which GRW ® considers crucial and in the various functional tests. It also has the special ability to adhere to the contact surfaces of the inner ring and outer ring much better than standard greases. It is precisely in ball bearings for dental turbines that this property is particularly sought after, because the air extracted from the turbine flows partly through the ball bearings and transports the grease reservoir to the outside very rapidly. This leads to a situation of inadequate lubrication, which is responsible for the failure of the ball bearings.

Customers' benefits from XTRAlube:
- Reduction of lubricant escape
- Improved contact area adhesion of the lubricant
- Prolonged service life

KAMAN
Specialty Bearings & Engineered Products

GRW ® XTRA ® ANGULAR CONTACT BEARINGS

Techical inforamtion

- Cage: XTRAlon
- Lubricant: XTRAlube
- Speed: 500 000 rpm
- Origin: made in Germany
- Packaging: individual in plastic foil
- LOT num.: printed on plastic foil

	GRW ® XTRA ® Smooth Ceramic Bearing **FEATURES:** **Integral shield** **Angular contact** **XTRlube** **XTRAlon** **P/N 105X** 3,175x6,350x2,779mm	GRW XTRA	Made in Germany Sold: 1 piece
	GRW ® XTRA ® Smooth Ceramic Bearing **FEATURES:** **Integral shield** **Angular contact** **XTRlube** **XTRAlon** **P/N 115X** 3,175x6,350x2,380mm	GRW XTRA	Made in Germany Sold: 1 piece
	GRW ® XTRA ® Stepped Ceramic Bearing **FEATURES:** **Integral shield** **Angular contact** **XTRlube** **XTRAlon** **P/N 125X** 3,175x6,350x2,779mm	GRW XTRA	Made in Germany Sold: 1 piece





We recommend GRW ® XTRA ® angular contact bearings for:

1. most demanding clients and repairs
2. handpieces with many operating hours
3. clinics with expected lower lubrication and maintenance
4. increased quality of your repairs

GRW
High-Precision Ball Bearings

GRW ® XTRA ® RADIAL CONTACT BEARINGS

Techical inforamtion

- Cage: XTRAlon/phenolic
- Lubricant: XTRAlube
- Speed: 500 000 rpm
- Origin: made in Germany
- Packaging: individual in plastic foil
- LOT num.: printed on plastic foil

	GRW ® Smooth Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **105RX** 3,175x6,350x2,779mm	GRW XTRA	Made in Germany Sold: 1 piece
	GRW ® Smooth Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **115RX** 3,175x6,350x2,380mm	GRW XTRA	Made in Germany Sold: 1 piece
	Smooth Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **116RX** 3,175x6,350x2,380/2,779mm	GRW XTRA	Made in Germany ⊕ extended inner ring 2,779mm Sold: 1 piece
	GRW ® Stepped Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **125RX** 3,175x6,350x2,779mm	GRW XTRA	Made in Germany Sold: 1 piece
	GRW ® Stepped Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **135RX** 3,175x6,350x2,380/2,779mm	GRW XTRA	Made in Germany ⊕ extended inner ring 2,779mm Sold: 1 piece
	GRW ® Stepped Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **136RX** 3,175x6,350x2,380mm	GRW XTRA	Made in Germany Sold: 1 piece
	GRW ® Stepped Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **140RX** 3,175x6,310(6,350)x2,779mm	GRW XTRA	Made in Germany ⊕ double flange 7,518mm ⊕ flange width 0,473/0,456mm Sold: 1 piece
	Flanged Ceramic Bearing **FEATURES:** **Radial contact** **P/N** **145A** 3,175x6,350x2,779mm	GRW XTRA	Made in Japan ⊕ flange 7,518mm ⊕ flange width 0,450mm Sold: 1 piece

	GRW ® Flanged Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **155RX** 3,175x6,350x2,779mm	GRWXTRA	Made in Germany ⊕ flange 7,518mm ⊕ flange width 0,787mm Sold: 1 piece
	GRW ® Smooth Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **165RX** 3,175x7,938x3,571mm	GRWXTRA	Made in Germany Sold: 1 piece
	GRW ® Flanged Ceramic Bearing **FEATURES:** **Radial contact** **XTRlube** **XTRAlon** **P/N** **175RX** 3,175x6,350x2,380mm	GRWXTRA	Made in Germany ⊕ flange 7,518mm ⊕ flange width 0,584mm Sold: 1 piece



TURBINE BACKCAPS

WARRANTY: 6 months on all functions of the product

04



Turbine backcaps compatible with SIEMENS & SIRONA ®

	Models	Compatible parts
	Series 3000 T23 4000S 4000SL/T1 TS1/TS2 TM1 mini **P/N A300**	Rotor: **A100C/A110C/A120C** Key: **A800** O-ring: **O700**
	T2 Control SN < 600 000 T1 Control SN > 502 000 SiroPURE P control **P/N A310** Original 6000884	Rotor: **A140C/A141C** Key: **A810** Spray ring set: **A700** O-ring: **O700/O900**
	TC3 T1 Control SN < 65 000 **NOTE:** Use backcap A310 for SN > 502 000. **P/N A330** Original 3327595	Rotor: **A130C** Key: **A815** Spray ring set: **A700** O-ring: **O700**
	T1 Control SN > 600 000 T2 Control SN > 600 000 **P/N A331** Original 6465798	Rotor: **A131C/A142C** Key: **A831** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**
	T1 Control SN > 700 000 T2 Control SN > 700 000 **P/N A342** Original 6548148	Rotor: **A131C/A142C** Key: **A831** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**
NEW 	T1 Control SN > 800 000 T2 Control SN > 800 000 **P/N A343** Original 6725704	Rotor: **A132C/A143C** Key: **A843** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**
	T1 mini SN < 65 000 **NOTE:** Use backcap A345 for SN > 502 000. **P/N A335**	Rotor: **A135C** Key: **A835** Spray ring set: **A700** O-ring: **O1001**
	T1 mini SN > 502 000 T2 mini SN < 600 000 T3 mini SN < 600 000 SiroPURE P mini **P/N A345** Original 5828871	Rotor: **A145C** Key: **A845** Spray ring set: **A700** O-ring: **O900**
	T1 mini SN > 600 000 T2 mini SN > 600 000 T3 mini SN > 600 000 **P/N A336** Original 6465814	Rotor: **A136C/A146C** Key: **A836** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**
	T1 mini SN > 700 000 T2 mini SN > 700 000 T3 mini SN > 700 000 **P/N A337** Original 6548163	Rotor: **A137C/A147C** Key: **A836** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**

	Models	Compatible parts
NEW 	T1 mini SN > 800 000 T2 mini SN > 800 000 T3 mini SN > 800 000 **P/N A338** Original 6725720	Rotor: **A138C/A148C** Key: **A838** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**
	T2 Racer T3 Racer SN < 600 000 T4 Racer SN < 600 000 **P/N A350** Original 6000892	Rotor: **A150C/A151C** Key: **A810** O-ring: **O900**
	T3 Racer SN > 600 000 T4 Racer SN > 600 000 **P/N A353** Original 6486125	Rotor: **A153C** Key: **A860** O-ring: **O1001** Washer: **OW160**
	SIROBoost **P/N A355** Original 6401439	Rotor: **A155C** Key: **A845** Spray ring set: **A700** O-ring: **O1001**
	T1 Boost SN > 600 000 T2 Boost SN > 600 000 T3 Boost SN > 600 000 **P/N A360** Original 6465806	Rotor: **A160C/A170C** Key: **A860** O-ring: **O1001** Washer: **OW170**
	T1 Boost SN > 700 000 T2 Boost SN > 700 000 T3 Boost SN > 700 000 **P/N A361** Original 6548155	Rotor: **A161C/A171C** Key: **A860** O-ring: **O1001** Washer: **OW170**
NEW 	T1 Boost SN > 800 000 T2 Boost SN > 800 000 T3 Boost SN > 800 000 **P/N A362** Original 6725712	Rotor: **A162C/A172C** Key: **A862** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**

Turbine backcaps compatible with KAVO ®

	Models	Compatible parts
	624/625 625C/625D 627/630 630A/640 **NOTE:** Thread diameter 11,90mm. Use to transfor from from friction grip to push button. **P/N B300**	Rotor: **B100C** Key: **B800** Fibre optic: **BF100** Coupling: **CK100-300** O-ring: **O700**
	SUPERtorque® 630 SUPERtorque® 640 **NOTE:** Thread diameter 11,60mm. Use to transfor from from friction grip to push button. **P/N B310**	Rotor: **B100C** Key: **B800** Fibre optic: **BF100** Coupling: **CK100-300** O-ring: **O700**
	CONTACTair® 632 BELLAtorque® 633 BELLAtorque® 639 BELLAtorque® 642 **P/N B320**	Rotor: **B120C** Key: **B800** Fibre optic: **BF190** Coupling: **CK100-300** O-ring: **O700**
	SUPERtorque® 647 SUPERtorque® 650 COMPACTtorque® 636 POWERtorque® 646 **P/N B330**	Rotor: **B130C/B150C/B191C** Key: **B830** Fibre optic: **BF130** Coupling: **CK100-300** O-ring: **O700**
	MIRAlux® 635 MIRAtorque mini® 637 **P/N B340**	Rotor: **B140C/B190C** Key: **B840** Fibre optic: **BF190** Coupling: **CK100-300** O-ring: **O700**
	SUPERtorque® 655 SUPERtorque® 660 GENTLEforce® 6000 GENTLEforce® 7000 **P/N B360**	Rotor: **B160C/B170C/B180C** Key: **B830** Fibre optic: **BF130/BF170** Coupling: **CK100-300** O-ring: **O700/O710** Washer: **OW110/OW120/OW140** Water filter: **B1170**
	EXPERTtorque® E679L EXPERTtorque® E680L **P/N B361**	Rotor: **B161C** Key: **B830** Coupling: **CK100-300** O-ring: **O710** Washer**: OW120/OW140**
	SMARTtorque® S609 SMARTtorque® S619 SMARTtorque® S608 SURGtorque® S459C SURGtorque® LUX S459L **P/N B362** Original 1.007.0854	Rotor: **B162C/B1625C** Key: **B830** Fibre optic: **BF170** Coupling: **CK100-300** O-ring: **O1400** Washer: **OW110**
	SMARTtorque® S605 SMARTtorque® S615 **P/N B363**	Rotor: **B163C** Key: **B894** Fibre optic: **BF170** Coupling: **CK100-300** O-ring: **O1400** Washer: **OW110**
	BELLAtorque® 645 **P/N B370**	Rotor: **B120C** Key: **B800** Fibre optic: **BF190** Coupling: **CK100-300** O-ring: **O700**

Turbine backcaps compatible with KAVO ®

	Models	Compatible parts
	GENTLEforce® 6500 GENTLEsilence® 6500BR GENTLEsilence® 8000 **P/N B371**	Rotor: **B171C/B172C** Key: **B830** Water filter: **B1170** Fibre optic: **BF170** Coupling: **CK100-300** O-ring: **O710** Washer: **OW120/OW140**
	MASTERtorque mini® M8700L **P/N B374**	Rotor: **B174C** Key: **B894** Coupling: **CK100-300** O-ring: **O710** Washer: **OW120**
	MASTERtorque mini® M8900L **P/N B375**	Rotor: **B175C** Key: **B830** Coupling: **CK100-300** O-ring: **O710** Washer: **OW120**
	SUPERtorque® 659B **P/N B393**	Rotor: **B193C** Key: **B830** Coupling: **CK100-300** O-ring: **O700**
	GENTLEsilence mini® 4500BR EXPERTtorque® E675L EXPERTtorque® E677L GENTLElux® 5000 **P/N B394**	Rotor: **B194C/B197C** Key: **B894** Coupling: **CK100-300** O-ring: **O710** Washer: **OW150**
	MASTERtorque® M9000L **P/N B395**	Rotor: **B195C** Key: **B830** Brake ring: **B595** Coupling: **CK100-300** O-ring: **O710** Washer: **OW120**

Turbine backcaps compatible with W&H ®

	Models	Compatible parts
	290B/295 390/393/395 695 **P/N C300**	Rotor: **C100C** Key: **C800** O-ring: **O700** Washer: **OW130**
	190-BC 795/895 Trend® TC-80 BC/RM Trend® TC-95 BC/RM 398/698/798/898 Alegra® HS2003 TE-95/98 **P/N C310**	Rotor: **C110C/C130C/C151C/C160** Key: **C810** O-ring: **O600/O700** Washer: **OW100/OW130**
	796 **P/N C320**	Rotor: **C120C** Key: **C820** O-ring: **O600** Washer: **OW130**
	196 896 **P/N C330**	Rotor: **C120C** Key: **C820** O-ring: **O600** Washer: **OW130**
	Synea® TA-96 Alegra® HS2003 TE-96 **P/N C340**	Rotor: **C140C** Backcap: **C340** O-ring: **O600** Washer: **OW130** Key: **C820** Fibre optic: **CF150**
	Synea® TA-98 **NOTE:** Push button with 2 pins. **P/N C350**	Rotor: **C150C** Key: **C850** Fibre optic: **CF150** O-ring: **O600** Washer: **OW130**
	Synea® Fusion TG-98 **P/N C352**	Rotor: **C152C/C156C** Key: **C852** O-ring: **O600** Washer: **OW130**
	Synea® Vision TK-98 **P/N C353**	Rotor: **C153C** Key: **C853** O-ring: **O650** Washer: **OW160**
	Synea® Vision TK-100 **P/N C354**	Rotor: **C154C** Key: **C854** O-ring: **O650** Washer: **OW160**
	Synea® TA-98 LED **NOTE:** Push button with 3 pins. **P/N C355**	Rotor: **C155C** Key: **C855** O-ring: **O600** Washer: **OW130**

Turbine backcaps compatible with W&H ®

	Models	Compatible parts
	Synea® Vision® TK-97 **P/N C357**	Rotor: **C157C** Key: **C865** O-ring: **O650** Washer: **OW160**
	Synea® Vision® TK-94 **P/N C358**	Rotor: **C158C** Key: **C865** O-ring: **O650** Washer: **OW160**
	Synea® TA-97C LED/CLM Alegra® HS2009 TE-97 Synea® Fusion TG-97 **P/N C365**	Rotor: **C165C/C166C/C170C/C171C** Key: **C865** Fibre optic: **CF165** O-ring: **O600** Washer: **OW130**
	Alegra® HS2014 TE-97 **P/N C390**	Rotor: **C190C** Key: **C890** O-ring: **O600** Washer: **OW180**
	Alegra® HS2014 TE-95 Alegra® HS2014 TE-98 **P/N C395**	Rotor: **C185C/195C** Key: **C895** O-ring: **O600** Washer: **OW180**

Turbine backcaps compatible with BIEN AIR ®

	Models	Compatible parts
	Black Pearl S25-L Boralina Eolia **NOTE:** D300 could be installed without D300i and D300s. **P/N D300**	Rotor: **D105C** Inner cap: **D300i** Inner spring: **D300s** Key: **D800** O-ring: **O300** **Tech info** 0105
	*Inner cap for* Black Pearl **NOTE:** D300i is to use with original backcap. **P/N D300i**	Rotor: **D105C** Backcap: **D300** Inner spring: **D300s** Key: **D815** O-ring: **O300**
	*Inner cap spring for* Bora Black Pearl **NOTE:** D300s is to use with original backcap. **P/N D300s**	Rotor: **D105C** Backcap: **D300** Inner cap: **D300i** Key: **D815** O-ring: **O300**
	Bora S36-L Rotamax L **NOTE:** D310 could be installed without D310i and D300s. Compatible with Key D815. **P/N D310**	Rotor: **D115C** Inner cap: **D310i** Inner spring: **D300s** Key: **D815** O-ring: **O300** **Tech info** 0105
	*Inner cap for* Bora **NOTE:** D310i is to use with original backcap. **P/N D310i**	Rotor: **D115C** Backcap: **D310** Inner spring: **D300s** Key: **D815** O-ring: **O300**
	Ondine **P/N D320**	Rotor: **D120C** Key: **D820** O-ring: **O700**
	Prestige S32-L **P/N D330**	Rotor: **D130C** Key: **D835** O-ring: **O400, O500**
	Tornado **P/N D337**	Rotor: **D137C** Key: **D837** O-ring: **O2000** Washer: **OW200**

Turbine backcaps compatible with NSK ®

	Models	Compatible parts
	Ti-Max X700L/KL/BL/SL/WL NL9000T/ST//KT/WT/BT **P/N I300** Original P0698050	Rotor: **I100C** Key: **I800** O-ring: **O1000** Washer: **OW210/OW220**
	Ti-Max X600L/KL/BL/SL/WL NL9000S/SS/KS/WS/BS **P/N I310** Original P0688050	Rotor: **I110C** Key: **I810** O-ring: **O1000** Washer: **OW210/ OW220**
	Ti-Max X450L/KL/SL/WL/BL **P/N I315** Original P1078500	Rotor: **I115C** Key: **I815** O-ring: **O1000** Washer: **OW210/ OW220**
	Ti-Max X500L/KL/BL/SL/WL NL9000M/SM/KM/WM/BM **P/N I320** Original P0678050	Rotor: **I120C** Key: **I820** O-ring: **O1000, O1500** Washer: **OW210, OW220**
	PANA-MAX PAX-TU M4 PANA-MAX PAX-TU B2 **P/N I330** Original P075050	Rotor: **I130C** Key: **I830** O-ring: **O1000** Washer: **OW210**
	PANA-MAX PAX-SU M4 PANA-MAX PAX-SU B2 **P/N I335** Original P074050	Rotor: **I135C** Key: **I830** O-ring: **O1000** Washer: **OW210**
	PANA-MAX 2 M4 PANA-MAX 2 B2 PANA-MAX 2 KV PANA-MAX 2 PTL **P/N I340** Original P1190050	Rotor: **I140C**
	S-Max M500L/K/KL/SL/WL/BL S-Max M800L/K/KL/SL/WL/BL Pana-Max PLUS PAP-MU M4 Pana-Max PLUS PAP-MU B2 **P/N I345** Original P1001500	Rotor: **XI145C** Key: **I845**
	S-Max M600L/K/KL/SL/WL/BL Pana-Max PLUS PAP-SU M4 Pana-Max PLUS PAP-SU B2 **P/N I346** Original P1002500	Rotor: **XI146C/I146C** Key: **I845** O-ring: **O1510/O1520/2200** Washer: **OW110**
	S-Max M900L/K/KL/SL/WL/BL **P/N I348** Original P1027500	Rotor: **XI148C**

Turbine backcaps compatible with NSK ®

	Models	Compatible parts
	Mach-Lite XT M Mach 2 M AW200L/AB200L AK200L/AS200L Mach QD-M NL75/85 Mach Lite M **P/N I350** Original P047050	Rotor: **XI150C**
	Mach-Lite XT S Mach 2 S AW300L/AB300L AK300L/AS300L Mach QD-S NL75/85 Mach Lite S **P/N I351** Original P040050	Rotor: **XI150C** O-ring: **O1510/O1520/2200** Washer: **OW110**
	Mach-Lite XT T Mach 2 T AW400L/AB400L AK400L/AS400L Mach QD-T NL75/85 Mach Lite T **P/N I352** Original P042050	Rotor: **XI152C**
	Ti-Max Z800/L/KL/SL/WL/BL **P/N I365** Original P1051050	Rotor: **I165C** Key: **I865** O-ring: **O1000** Washer: **OW210**
	Ti-Max Z900/L/KL/SL/WL/BL **P/N I366** Original P1052050	Rotor: **I166C** Key: **I866** O-ring: **O1000** Washer: **OW210**
	A500/L AK500L/AS500L AW500L/AB500L Ti-Max NL95 M **P/N I380** Original P057050	Rotor: **XI180C**
	A600/L AK600L/AS600L AW600L/AB600L Ti-Max NL95 S **P/N I381** Original P058050	Rotor: **XI181C** O-ring: **O1510/O1520/2200**
	A700/L AK700L/AS700L AW700L/AB700L Ti-Max NL95 T **P/N I382** Original P059050	Rotor: **XI182C**

Turbine backcaps compatible with CASTELLINI ®

	Models	Compatible parts
	Hi Power M Clean Air 2000/2000R Titanium Power Cleanlight 2000/2000R **P/N G300** Original F633F03R0	Rotor: **G100C** Key: **G800** O-ring: **O800**
	Silent Power Gold Hi Power Light Titanium Gold Titanium Gold 2 **P/N G310** Original F699F30R0	Rotor: **G110C/G120C** O-ring: **O800** Key: **G810**
	Silent Power Silver 2/2L/4L/4L-K Hi Power Ceramic Hi Power Ceramic 2 *original P/N F699F40R0 **P/N G320** Original F699F40R0	Rotor: **G110C/G120C** O-ring: **O800** Key: **G810**
	Silent Power Gold Miniature Titanium Gold 2M **P/N G330** Original F697A10P0	Rotor: **G130C** Key: **G850** O-ring: **O800**
	Silent Power EVO 2/2L/4L/4LK **P/N G340** Original 95529229	Rotor: **G140C** Key: **G840** O-ring: **O800** Washer: **OW110**
	Silent Power EVO Miniature/Miniature K **P/N G350** Original 95529231	Rotor: **G150C** Key: **G850** O-ring: **O800** Washer: **OW110**

Turbine backcaps compatible with **OTHER BRANDS**

> Backcaps compatible with BA International ®

	Models	Compatible parts
	BA525 Optima **P/N P300**	Rotor: **P170C** O-ring: **O1000** Washer: **OW120**
	BA755 Ultimate Power + **P/N P310**	Rotor: **P150C/P151C** O-ring: **O700/O900** Washer: **OW170** Key: **A845**

> Backcaps compatible with Beyes ®

	Models	Compatible parts
	BEYES Airlight M800-M **P/N K300**	Rotor: **K100C** Key: **K800** O-ring: **O1000** Backcap: **K300**
	BEYES Airlight M800-S **P/N K310**	Rotor: **K110C** Key: **K800** O-ring: **O1000** Backcap: **K300**

> Backcaps compatible with Faro ®

	Models	Compatible parts
	S-400 **P/N J300**	Rotor: **J100C** Key: **J800**
	Trilogy **P/N J310**	Rotor: **J110C**
	MT02 L **P/N J340**	Rotor: **J140C** Key: **J840** O-ring: **O1400** Washer: **OW110**

> Backcaps compatible with Morita ®

	Models	Compatible parts
	TwinPower PAR-4HEX-O P/N **M300**	Rotor: **M100C** Key: **M800** O-ring: **O600**
COMING SOON	TwinPower PAR-4HX-O P/N **M310**	Rotor: **M110C** O-ring: **O600**
COMING SOON	TwinPower PAR-4HUEX-O P/N **M320**	Rotor: **M120C** O-ring: **O600**

> Backcaps compatible with Star ®

	Models	Compatible parts
	430 P/N **F300**	Rotor: **F100C** Key: **F800** O-ring: **O100** Washer: **OW240** Backcap: **F300**

TURBINE REPAIR TOOLS

WARRANTY: 6 months on all functions of the product

05



Turbine keys & tools compatible with SIRONA & SIEMENS ®

	Models	Compatible parts
	Series 3000 T23 4000S 4000SL/T1 TS1/TS2 **P/N A800**	Rotor: **A100C/A110C/A120C** Backcap: **A300** O-ring: **O700**
	T2 Control SN < 600 000 T1 Control SN > 502 000 SiroPURE P control T1 mini SN < 65 000 T2 Racer T3 Racer T4 Racer **P/N A810**	Rotor: **A135C/140C/A141C/ A150C/A151C** Backcap: **A310/A335/A350** Spray ring set: **A700** O-ring: **O700/O900/O1001**
	T1 Control SN < 65 000 TC3 **P/N A815**	Rotor: **A130C** Backcap: **A330** Spray ring set: **A700** O-ring: **O700**
	T1 Control SN > 600 000 & > 700 000 T2 Control SN > 600 000 & > 700 000 **P/N A831**	Rotor: **A131C/A142C** Backcap: **A331** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**
NEW 	T1 Control SN > 800 000 T2 Control SN > 800 000 **P/N A843**	Rotor: **A143C** Backcap: **A343** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**
	T1 Control mini SN < 65 000 **P/N A835**	Rotor: **A135C** Backcap: **A335** O-ring: **O1001**
	T2 mini SN < 600 000 T3 mini SN < 600 000 SIROBoost **P/N A845**	Rotor: **A145C** Backcap: **A345/A355** Spray ring set: **A700** O-ring: **O900**
	T1 mini SN > 600 000 & > 700 000 T2 mini SN > 600 000 & > 700 000 T3 mini SN > 600 000 & > 700 000 **P/N A836**	Rotor: **A136C/A137C/A146C/A147C** Backcap: **A336/A337** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**
NEW 	T1 mini SN > 800 000 T2 mini SN > 800 000 T3 mini SN > 800 000 **P/N A838**	Rotor: **A138C** Backcap: **A338** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**
	T1 Boost SN > 600 000 & > 700 000 T2 Boost SN > 600 000 & > 700 000 T3 Boost SN > 600 000 & > 700 000 T3 Racer SN > 600 000 T4 Racer SN > 600 000 **P/N A860**	Rotor: **A160C/A161C/A170C/A171C** Backcap: **A353/A360/A361** O-ring: **O1001** Washer: **OW160/OW170**

	Models	Compatible parts
NEW 	T1 Boost SN > 800 000 T2 Boost SN > 800 000 T3 Boost SN > 800 000 P/N **A862**	Rotor: **A162C** Backcap: **A362** O-ring: **O1001** Washer: **OW170** Spacer: **OW175**

> Other repair tools

	Models		Compatible parts
NEW 	*Tool for SIRONA ®* suitable to open spray ring set on most turbines & contra angles P/N **AL8000** Original 6259605	B G R	⊕ Sleeve: **5863167** ⊕ Extracting tool: **5863175** ⊕ Spray key: **5857052** Spray ring set: **A700** Many models



	Models	Compatible parts
	624/625/625C/625D/627 SUPERtorque® 630 SUPERtorque® 640 CONTACTair® 632 BELLAtorque® 633 BELLAtorque® 639 BELLAtorque® 642 BELLAtorque® 645 **P/N B800**	Rotor: **B100C/B120C** Backcap: **B300/B310/B320** Fibre optic: **BF100** Coupling: **CK100-300** O-ring: **O700** Fibre optic: **BF190**
	SUPERtorque® 650 SUPERtorque® 647B SUPERtorque® 655 SUPERtorque® 659B SUPERtorque® 660B GENTLEforce® 6000 GENTLEforce® 7000 GENTLEsilence® 6500 GENTLEsilence® 6500BR GENTLEsilence® 8000 COMPACTtorque® 636 POWERtorque® 646 MASTERtorque® M9000L MASTERtorque® M8900L EXPERTtorque® E679L EXPERTtorque® E680L SMARTtorque® S609 SMARTtorque® S619 **P/N B830**	Rotor: **B130C/B150C/B160C/B161C/ B162C/B1625C/B170C/B171C/B172C/ B175C/180C/B191C/B195C** Backcap: **B330/B360/B361/B362/B371/ B374/B375/B393/B395** Fibre optic: **BF130/BF170** Coupling: **CK100-300** O-ring: **O700/O710/O1400** Washer: **OW110/OW120/OW140**
	MIRAlux® 635 MIRAtorque mini® 637 **P/N B840**	Rotor: **B140C/B190C** Backcap: **B340** Fibre optic: **BF190** Coupling: **CK100-300** O-ring: **O700**
	GENTLEsilence mini® 4500BR SMARTtorque mini® S605 SMARTtorque mini® S615 EXPERTtorque® E675 EXPERTtorque® E677 MASTERtorque® M8700 GENTLElux mini® 5000 **P/N B894**	Rotor: **B163C/174C/B194C/B197C** Backcap: **B374/B394** Coupling: **CK100-300** O-ring: **O710/O1400** Washer: **OW110/OW120/OW150** Fibre optic: **BF170**

Turbine keys compatible with W&H ®

	Models	Compatible parts
	290B 295 390 393 395 695 **P/N C800**	Rotor: **C100C** Backcap: **C300** O-ring: **O700** Washer: **OW130**
	190-BC 795/895 398/698/798/898 Trend® TC-80 BC/RM Trend® TC-95 BC/RM Alegra® HS2003 TE-95/98 **P/N C810**	Rotor: **C110C/C130C/C151C/C160** Backcap: **C310** O-ring: **O600/O700** Washer: **OW100/OW130**
	196 796 896 **P/N C820**	Rotor: **C120C/C140C** Backcap: **C320/C340** O-ring: **O600** Washer: **OW130** Fibre optic: **CF150**
	Synea® TA-98 **P/N C850**	Rotor: **C150C** Backcap: **C350** Fibre optic: **CF150** O-ring: **O600** Washer: **OW130**
	Synea® Fusion TG-98 **P/N C852**	Rotor: **C152C/C156C** Backcap: **C352** O-ring: **O600** Washer: **OW130**
	Synea® Vision TK-98 **P/N C853**	Rotor: **C153C** Backcap: **C353** O-ring: **O650** Washer: **OW160**
	Synea® Vision TK-100 **P/N C854**	Rotor: **C154C** Backcap: **C354** O-ring: **O650** Washer: **OW160**
	Synea® TA-98 LED **P/N C855**	Rotor: **C155C** Backcap: **C355** O-ring: **O600** Washer: **OW130**
	Synea® TK-94 **P/N C858**	Rotor: **C158C** Backcap: **C358** O-ring: **O650** Washer: **OW160**
	Synea® TA-97C LED/CLM Alegra® HS2009 TE-97 Synea® Fusion TG-97 Synea® Vision TK-97 **P/N C865**	Rotor: **C157C/C165C/C166C/C170C/C171C** Backcap: **C357/C365** Fibre optic: **CF165** O-ring: **O600** Washer: **OW130**

Turbine keys compatible with W&H ®

	Models	Compatible parts
	Alegra® HS2014 TE-97 **P/N C890**	Rotor: **C190C** Backcap: **C390** O-ring: **O600** Washer: **OW180**
	Alegra® HS2014 TE-95 Alegra® HS2014 TE-98 **P/N C895**	Rotor: **C185C/195C** Backcap: **C395** O-ring: **O600** Washer: **OW180**



Turbine keys compatible with BIEN AIR ®

	Models	Compatible parts
	Black Pearl S25-L Boralina Eolia **NOTE:** Compatible with backcap D300. **P/N D800**	Rotor: **D105C** Backcap: **D300** Inner cap: **D300i** Inner spring: **D300s** O-ring: **O300**
	Bora S36-L **NOTE:** Compatible with backcap D310 & original. **P/N D815**	Rotor: **D115C** Backcap: **D310** Inner cap: **D310i** Inner spring: **D300s** Key: **D815** O-ring: **O300**
	Ondine **P/N D820**	Rotor: **D120C** Backcap: **D320** O-ring: **O700**
	Prestige S32-L **NOTE:** Compatible with backcap D330 & original. **P/N D835**	Rotor: **D130C** Backcap: **D330** O-ring: **O400, O500**
	Tornado **P/N D837**	Rotor: **D137C** Backcap: **D337** O-ring: **O2000** Washer: **OW200**

	Models	Compatible parts
	Ti-Max X700/L NL9000T/ST//KT/WT/BT **P/N I800**	Rotor: **I100C** Backcap: **I300** O-ring: **O1000** Washer: **OW210/OW220**
	Ti-Max X600L/KL/BL/SL/WL NL9000S/SS/KS/WS/BS PANA-MAX2 **P/N I810**	Rotor: **I110C** Backcap: **I310** O-ring: **O1000** Washer: **OW210/ OW220**
	Ti-Max X450L/KL/SL/WL/BL **P/N I815**	Rotor: **I115C** Backcap: **I315** O-ring: **O1000** Washer: **OW210/ OW220**
	Ti-Max X500L/KL/BL/SL/WL NL9000M/SM/KM/WM/BM **P/N I820**	Rotor: **I120C** Backcap: **I320** O-ring: **O1000, O1500** Washer: **OW210, OW220**
	PANA-MAX PAX-TU M4 PANA-MAX PAX-TU B2 PANA-MAX PAX-SU M4 PANA-MAX PAX-SU B2 **P/N I830**	Rotor: **I130C** Backcap: **I330/I335** O-ring: **O1000** Washer: **OW210**
	S-Max M500L/K/KL/SL/WL/BL S-Max M600L/K/KL/SL/WL/BL Pana-Max PLUS PAP-MU M4 Pana-Max PLUS PAP-MU B2 Pana-Max PLUS PAP-SU M4 Pana-Max PLUS PAP-SU B2 **P/N I845**	Rotor: **XI145C/146C/I146C** Backcap: **I345/I346** O-ring: **O1510/O1520/2200** Washer: **OW110**
	Ti-Max Z800/L/KL/SL/WL/BL **P/N I865**	Rotor: **I165C** Backcap: **I365** O-ring: **O1000** Washer: **OW210**
	Ti-Max Z900/L/KL/SL/WL/BL **P/N I866**	Rotor: **I166C** Backcap: **I366** O-ring: **O1000** Washer: **OW210**

Turbine keys compatible with CASTELLINI ®

	Models	Compatible parts
	Hi Power M Clean Air 2000/2000R Titanium Power Cleanlight 2000/2000R **P/N G800**	Rotor: **G100C** Backcap: **G300** O-ring: **O800**
	Silent Power Gold Hi Power Light Titanium Gold Titanium Gold 2 Silent Power Silver 2/2L/4L/4L-K Hi Power Ceramic Hi Power Ceramic 2 **P/N G810**	Rotor: **G110C/G120C** Backcap: **G310/G320** O-ring: **O800**
	Silent Power EVO 2/2L/4L/4LK **P/N G840**	Rotor: **G140C** Backcap: **G340** O-ring: **O800** Washer: **OW110**
	Silent Power Gold Miniature Silent Power EVO Miniature/Miniature K Titanium Gold 2M **P/N G850**	Rotor: **G150C** Backcap: **G350** O-ring: **O800** Washer: **OW110**

> Turbine keys compatible with Star ®

	Models	Compatible parts
	430 P/N F800	Rotor: **F100C** Backcap: **F300** O-ring: **O100** Washer: **OW240** Backcap: **F300**

> Turbine keys compatible with Faro ®

	Models	Compatible parts
	S-400 P/N J800	Rotor: **J100C** Backcap: **J300**
	Trilogy MT02 L P/N J840	Rotor: **J140C** Backcap: **J340** O-ring: **O1400** Washer: **OW110**

> Turbine keys compatible with Morita ®

	Models	Compatible parts
	TwinPower PAR-4HEX-O P/N M800	Rotor: **M100C** Backcap: **M300** O-ring: **O600**

> Turbine keys compatible with B.A. International ®

	Models	Compatible parts
	BA P/N A815	Rotor: **/** Backcap: **/** O-ring: **/** Washer: **/**
	BA 755 Ultimate Power + P/N A845	Rotor: **P150C/P151C** Backcap: **P310** O-ring: **O700/O900** Washer: **OW170**

Turbine keys compatible with **OTHER BRANDS**

> Turbine keys compatible with Beyes ®

	Models	Compatible parts
	Airlight M800-M Airlight M800-S **P/N** **K800**	Rotor: **K100C** Backcap: **K300/K310** O-ring: **O1000** Backcap: **K300**





O-RINGS & WASHERS

WARRANTY: 6 months on all functions of the product

06



O-rings & washers for handpieces compatible with SIRONA ®

> O-rings compatible with Sirona ®

	*O-ring for* T1 Control SN > 600 000 T1 Mini SN > 600 000 T2 Control SN < 600 000 T2 Mini SN < 600 000 T3 Mini SN < 600 000 T2 Racer T3 Racer SN < 600 000 SIROPure P Control SIROPure P Racer SIROPure P Mini **P/N O900** Original 5829416	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* Quick-change coupling F Quick-change coupling R Spray nozzle for Sirona connection **P/N O901** Original 1891840	Material: **PERFORM60** Sold: Set of 4 pieces
	*O-ring for* Motor BL / BL SO / BL ISO C/E/S Motor SL / SL ISO Motor EL1 Motor S8 **P/N O950** Original 5860390	Material: **S-70** Sold: Set of 4 pieces.
	*O-ring for* SIROBoost T1/T2/T3 Control SN > 600 000 T1/T2/T3 Control SN > 700 000 T1/T2/T3 Control SN > 800 000 T1/T2/T3 Boost SN > 600 000 T1/T2/T3 Boost SN > 700 000 T1/T2/T3 Boost SN > 800 000 T1/T2/T3 Mini SN > 600 000 T1/T2/T3 Mini SN > 700 000 T1/T2/T3 Mini SN > 800 000 T3 Racer SN > 600 000 **P/N O1001** Original 6273747	Material: **PERFORM60** Sold: 1 piece
COMING SOON	*O-ring for* Neck of turbine head many models Intermediate shaft of most contra-angles **P/N O2300** Original 7043946	Material: **S-70** Sold: 1 piece
	Piece of hose for Air tubes of most handpieces Water tube of most handpieces **P/N AL3500** Original 6328236	Material: **SILICONE** Sold: Set of 10 pieces
NEW 	Valve for Many models of contra angles Many models of straight handpieces **P/N AL3600** Original 3328015	Sold: 1 piece

> Washers compatible with Sirona ®

	*Wavy washer for* T1/T2/T3 mini SN > 600 000 & 700 000 & 800 000 T1/T2/T3 boost SN > 600 000 & 700 000 & 800 000 T1/T2 control SN > 600 000 & 700 000 & 800 000 **P/N OW170** Original 6367648	Sold: 1 piece
	*Wavy washer for* T3/T4 Racer SN > 600 000 **P/N OW160** Original 6339993	Sold: 1 piece
	*Flat washer for* T1 Line C200 L mini SN > 65 000 T1 Classic S200 L mini SN > 30 000 **P/N OW400** Original 6274851	Sold: 1 piece
	*Wavy washer for* Many models **P/N OW410** Original 5930925	Sold: 1 piece



O-rings & washers for handpieces compatible with **KAVO ®**

> O-rings compatible with Kavo ®

	*O-ring for* *Most models of turbines.* **P/N** **O700** Original 0.200.6172	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* GENTLEforce® 7000 GENTLEsilence® 8000 GENTLEforce® 6000 GENTLEsilence® 6500 **P/N** **O710**	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* SMARTtorque® S609 SMARTtorque® S619 SMARTtorque mini® S605 SMARTtorque mini® S615 **P/N** **O1400** Original 1.002.1149	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* Coupling MULTIflex® 460E Coupling MULTIflex® LUX 465LRN Coupling MULTIflex® LUX 465LED **NOTE:** 1 set consists of 3x large, 2x small o-rings. **P/N** **O750** Original 1.004.2776 / 1.004.2775	Material: **PERFORM60** Sold: Set of 5 pieces.
	*O-ring for* Coupling MULTIflex® 460E Coupling MULTIflex® LUX 465LRN Coupling MULTIflex® LUX 465LED **P/N** **OCK1** Original 1.004.2776	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* Coupling MULTIflex® 460E Coupling MULTIflex® LUX 465LRN Coupling MULTIflex® LUX 465LED **P/N** **OCK2** Original 1.004.2775	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* 181CB/181DB INTRA LUX K190/K200/K201 INTRA LUX KL700/KL701/KL702/KL703 + other models **P/N** **O2100** Original 0.200.6120	Material: **PERFORM60** Sold: Set of 4 pieces
	O-ring for Water tube in couplings. Water tube in air polishers **P/N** **O2400** Original 0.200.6062	Material: **VITON** Sold: 1 piece
	*O-ring for* turbine spray larger size **P/N** **O2500** Original 0.200.6176	Material: **VITON** Sold: 1 piece

	*O-ring for* turbine spray smaller size **P/N O2550** Original 0.200.6175	Material: **VITON** Sold: 1 piece
	O-ring for many models Air tubes Spray tube **P/N O2600** Original 0.200.6099	Material: **VITON** Sold: 1 piece
NEW 	*O-ring for idler/intermediate shaft* MASTERmatic® LUX M25L MASTERmatic® LUX M05L GENTLEpower® 25LP/LPA INTRAmatic® 25LH/LHA + many other models **P/N O730** Original 0.200.6045	Material: **VITON** Sold: 1 piece
NEW 	*O-ring for spray tube on head side* MASTERmatic® LUX M25L MASTERmatic® LUX M05L GENTLEpower® 25LP/LPA EXPERTmatic® E25/E25L + many other models **P/N O740** Original 1.001.3289	Material: **VITON** Sold: 1 piece
NEW 	*O-ring for spray tube on rear side* MASTERmatic® LUX M25L MASTERmatic® LUX M05L GENTLEpower® 25LP/LPA EXPERTmatic® E25/E25L + many other models **P/N O745** Original 1.003.4929	Material: **VITON** Sold: 1 piece

O-rings & washers for handpieces compatible with KAVO ®

> Washers compatible with Kavo ®

	*Wavy washer for* SUPERtorque® 655 SUPERtorque® 660 GENTLEforce® 6000 GENTLEforce® 7000 SMARTtorque mini® S605 SMARTtorque mini® S615 SMARTtorque® S609 SMARTtorque® S619 **P/N OW110** Original 1.001.5032	Sold: 1 piece
	Wavy washer for GENTLEsilence® 6500 GENTLEsilence® 8000 MASTERtorque® M9000 EXPERTtorque® E677L Back EXPERTtorque® E680L Front **P/N OW120** Original 1.003.5900	Sold: 1 piece
	*Wavy washer for* GENTLEsilence® 6500 EXPERTtorque® E677L Front EXPERTtorque® E680L Back **P/N OW140** Original 1.003.7576	Sold: 1 piece
	*Wavy washer for* GENTLEmini® 5000 **P/N OW150** Original 1.001.6391	Sold: 1 piece
NEW	*Wavy washer for* MASTERmatic® LUX M25L MASTERmatic® LUX M05L **P/N OW125** Original 1.009.3643	Sold: 1 piece
NEW 	*Wavy washer for* GENTLEpower® 25LP/LPA EXPERTmatic® E25/E25L **P/N OW135** Original 1.001.2987	Sold: 1 piece



O-rings & washers for handpieces compatible with W&H ®

> O-rings compatible with W&H ®

	*O-ring for* *Most models of turbines.* **P/N O600** Original 01066001	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* Synea® Vision TK-94 Synea® Vision TK-97 Synea® Vision TK-98 Synea® Vision TK-100 **P/N O650** Original 06849600	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* Roto-quick RA-24 Roto-quick RA-25 **P/N O601** Original 02060100	Material: **PERFORM60** Sold: Set of 4 pieces
	*O-ring for* Roto-quick RQ-14 Roto-quick RQ-24 **NOTE:** 1 set consists of 2x large, 1x small o-rings. **P/N O602** Original 02060100 / 02060200	Material: **PERFORM60** Sold: Set of 3 pieces
	*O-ring for* Synea® WA-99 SN *till 2007 Synea® Fusion WG-99 LED G/LT SN < 07801 Synea® Fusion WG-99 LED G/LT SN < 01818 Alegra® WE-99 A/LED G Synea® WA-56 SN *till 2007 Alegra® WE-56 LED/E/A Alegra® HS2009 TE-98 Alegra® HS2009 TE-97 WI-75 E/KM WI-75 LED G WS-75 E/KM WS-75 L G WS-75 LED G WS-75 L G **P/N O603** Original 03811100	Material: **PERFORM60** Sold: 1 piece
NEW 	*O-ring for* Synea® WA-99 SN *till 2007 Synea® WA-99 SN *from 2007 **P/N O604** Original 03816700	Sold: 1 piece
NEW 	*O-ring for* Alegra® WE-99 A/LED G Alegra® WE-56 A/LED G Synea® WA-99 Synea® WA-56 Synea® WA-66 Fusion® WG-99LT SN > 007802 Fusion® WG-99 A SN > 001818 Fusion® WG-56 SN > 002461 Synea® Vision WK-56 SN < 04013 **P/N O606** Original 03811800	Sold: 1 piece
NEW 	*O-ring for* Fusion® WG-99LT SN > 007802 Fusion® WG-99 A SN > 001818 Synea® Vision WK-99 SN **P/N O610** Original 06812900	Sold: 1 piece

> Washers compatible with W&H ®

	*Wavy washer for* many models **P/N OW130** Original 02749408	Sold: 1 piece
	*Wavy washer forr* Synea® Vision TK-94 Synea® Vision TK-97 Synea® Vision TK-98 Synea® Vision TK-100 **P/N OW160** Original 06857600	Sold: 1 piece
	*Wavy washer for* Alegra® HS2014 TE-95 Alegra® HS2014 TE-97 Alegra® HS2014 TE-98 **P/N OW180**	Sold: 1 piece
	*Wavy washer for* Alegra® HS2003 TE-95/98 Alegra® HS2009 TE-95/98 Alegra® TE-98 LED G Brasil SN>100001 Alegra® TE-98 LED G SN>102298 Alegra® TE-98 LED G A-dec **P/N OW100** Original 04955000	Sold: 1 piece
	*Wavy washer for* Many models **P/N OW190** Original 01923700	Sold: 1 piece
	*Flat washer for* Many models **P/N OW195** Original 01924300	Sold: 1 piece

O-rings & washers for handpieces compatible with **BIEN AIR ®**

> O-rings & Washers compatible with Bien Air ®

	*O-ring for* Bora Black Pearl Eolia **P/N O300** Original 705.01.81	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* Prestige Large **P/N O400** Original 705.02.35	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* Prestige Small **P/N O500** Original 705.02.39	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* Unifix coupling **NOTE:** 1 set consists of 2x large, 1x small o-rings. **P/N O550**	Material: **PERFORM60** Sold: Set of 3 pieces
	*O-ring for* MC3 **P/N O1200** Original 011.35.28 (1300967) / 705.02.91 (1300145)	Material: **PERFORM60** Sold: 1 piece
	*O-ring for* Tornado **P/N O2000** Original 1306347	Material: **PERFORM60** Sold: 1 piece
NEW 	*O-ring for* many models **P/N O1250** Original 705.02.11 / 1300467	Sold: 1 piece
NEW 	*O-ring for* many models **P/N O310** Original 1307270	Sold: 1 piece
NEW 	*O-ring for* many models **P/N O320** Original 1307271	Sold: 1 piece

	Models	Compatible parts
NEW	*O-ring for* water tubes for many models **P/N O340** Original 705.02.46 / 1300427	Sold: Set of 2 pieces

> Washers compatible with Bien Air ®

	Wavy washer for Tornado **P/N OW200** Original 1306000	Sold: 1 piece
	Teflon washer for Bora Tornado X **P/N OW300** Original 009.34.52	Sold: 1 piece
	Teflon washer for Bora Tornado X **P/N OW310** Original 009.34.56	Sold: 1 piece

> Washers compatible with NSK ®

	Wavy washer for *Most models of turbines.* **P/N** **OW210** Original P053 360	Sold: 1 piece
	Flat washer for *Most models of turbines.* **P/N** **OW220** Original 20000567	Sold: 1 piece

O-rings & washers for handpieces compatible with OTHER BRANDS

> O-rings compatible with CASTELLINI ®

	*O-ring for* *All turbines.* **P/N** **O800** Original F12401004	Material: **PERFORM60** Sold: 1 piece

> O-rings compatible with CHIRANA ®

	*O-ring for* TG TG H TG HF TS HF **P/N** **O3000**	Material: **PERFORM60** Sold: 1 piece

>O-rings & Washers compatible with STAR ®

	*O-ring for* 430 **P/N** **O100**	Material: **VITON** Sold: 1 piece
	Wavy washer set for 430 **NOTE:** 1 set consist of different wavy washers- **P/N** **OW240**	Sold: Set of 5 pieces

> Spacer for repairs

	Spacer for Different repair purposes. **Thicknes 0,127mm** **P/N** **TW100**	Material: **NYLON** Sold: 1 piece
	Spacer for Different repair purposes. **Thicknes 0,254mm** **P/N** **TW110**	Material: **NYLON** Sold: 1 piece

COUPLINGS

WARRANTY: 6 months on all functions of the product

07



Couplings compatible with KAVO ®

	Models	Compatible parts
	*MULTIflex® 460E - 4-pin connection - water spray regulation - NO light **P/N CK100** Original 1.001.7600	⊕ O-rings: O750
	*MULTIflex® LUX 465LRN - 6-pin connection - water spray regulation - xenon light **P/N CK200** Original 0.553.1550	⊕ O-rings: O750 ⊕ Bulb: B900
	*MULTIflex® LUX 465LED - 6-pin connection - water spray regulation - LEDlight **P/N CK300** Original 1.007.3197	⊕ O-rings: O750 ⊕ Bulb: B910

NOTE: MULTIflex ® is a registered trade mark of Kaltenbach&Voight & CO. GmbH.



CONTRA-ANGLE PARTS

WARRANTY:

1. Parts for blue contra-angles 12 months
2. Parts for red contra-angles 12 months
3. Parts for green contra-agnles 12 months
4. All backcaps 6 months
5. All keys 6 months

08



Contra-angle parts compatible with Sirona ®

> Rotors and drive kits compatible with Sirona ®

	Models		Compatible parts
	*Complete Head Gear for SIRONA ®* T1 LINE C40/C40L (ADA) T2 LINE A40L T3 LINE E40 **NOTE:** Large head 1:1 9,7 **P/N AL110** Original 6000983	B	⊕ Bearings: **320L/120L** Kit: **AL111** Backcap: **AL310** Int. shaft: **AL510** Spur wheel: **AL710/AL720** Key: **AL800**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T1 LINE C40/C40L (ADA) T2 LINE A40L T3 LINE E40 **NOTE:** Large head 1:1 9,7 **P/N AL111** Original 6000983 + 6000959	B	⊕ Rotor: **AL110** ⊕ Int. shaft: **AL510** Backcap: **AL310** Spur wheel: **AL710/AL720** Key: **AL800** Bearings: **320L/120L**
	*Complete Head Gear for SIRONA ®* T1 CLASSIC S40L SN>30 000 & >202 000 T1 LINE C40L SN>65 000 & >202 000 T1 LINE C40/C40L T2 REVO R40 mini T4 LINE B40 **P/N AL120** Original 6405695	B	⊕ Bearings: **400L/550L** Kit: **AL121** Backcap: **AL340** Int. shaft: **AL510** Spur wheel: **AL720** Key: **AL810**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T1 CLASSIC S40L SN>30 000 & >202 000 T1 LINE C40L SN>65 000 & >202 000 T1 LINE C40/C40L **NOTE:** Small head 1:1 8,7 **P/N AL121** Original 6405695 + 6000959	B	⊕ Rotor: **AL120** ⊕ Int. shaft: **AL510** Backcap: **AL340** Spur wheel: **AL720** Key: **AL810** Bearings: **591L/550L**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T2 REVO R40 mini **NOTE:** Small head 1:1 8,7 **P/N AL122** Original 6405695 + 5943167	B	⊕ Rotor: **AL120** ⊕ Int. Shaft:: **AL530** Bearings: **400L/550L**
NEW 	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T4 LINE B40 **NOTE:** Small head 1:1 8,7 **P/N AL123** Original 6405695 +	B	⊕ Rotor: **AL120** ⊕ Int. shaft: **AL520** Bearings: **400L/550L**
	*Complete Head Gear for SIRONA ®* T1 LINE C40/C40L mini T2 S-LINE AS40L T3 S-LINE ES40 T3 LINE E40 SN>202 000 T2 LINE A40L SN>202 000 **NOTE:** Small head 1:1 8,7 **P/N AL125** Original 6049352	B	⊕ Bearings: **400L/550L** Kii: **AL126** Backcap: **AL340** Int. shaft: **AL510** Spur wheel: **AL720** Key: **AL810**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T2 S-LINE AS40 L T3 S-LINE ES40 T3 LINE E40 SN>202 000 T2 LINE A40 SN>202 000 **NOTE:** Small head 1:1 8,7 **P/N AL126** Original 6049352 + 6000959	B	⊕ Rotor: **AL125** ⊕ Int. shaft: **AL510** Backcap: **AL340** Spur wheel: **AL720** Key: **AL810** Bearings: **591L/550L**
	*Complete Head Gear for SIRONA ®* T2 REVO R40 **NOTE:** Large head 1:1 9,7 **P/N AL130** Original 5943092	B	⊕ Bearings: **400L/120L** Int. shaft: **AL530**

	Models		Compatible parts
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T2 REVO R40 **NOTE:** Large head 1:1 9,7 **P/N AL131** Original 5943092 + 5943167	B	⊕ Rotor: **AL130** ⊕ Int. shaft: **AL530** Bearings: **591L/120L**
	*Complete Head Gear for SIRONA ®* T1 LINE C200 SN>30 000 T1 LINE C200L SN>43 000 / SN>65 000 T1 CLASSIC S200L SN≤32 001 T2 LINE A200L SN<7804 / SN>7805 T2 LINE A170L T3 LINE E200 SN<2325 / SN>2326 **P/N AL100** Original 6175587 / 6405687	**NOTE:** Large head 1:5 Z13 9,7 R	⊕ Bearings: **610L/610L** Kit: **AL101** Backcap: **AL300** Int. shaft: **AL500** Spur wheel: **AL700/AL710** Key: **AL800**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T1 LINE C200 SN>30 000 T1 LINE C200L SN>43 000 / SN>65 000 T1 CLASSIC S200L SN≤32 001 T2 LINE A200L SN<7804 / SN>7805 T3 LINE E200 SN<2325 / SN>2326 **P/N AL101** Original 6175587 / 6405687 + 6175603	**NOTE:** Large head 1:5 Z13 9,7 R	⊕ Rotor: **AL100** ⊕ Int. shaft: **AL500** Backcap: **AL300** Spur wheel: **AL700** Key: **AL800** Bearings: **610L/610L**
	*Complete Head Gear for SIRONA ®* T1 CLASSIC S200L SN>32 002 & SN>202 000 T1 LINE C200L SN>68 381 T1 LINE C200L SN<302 000 & >202 000 T1 LINE C200L SN>302 000 **NOTE:** Small head 1:5 Z13 8,7 **P/N AL140** Original 6414457	R	⊕ Bearings: **611L/611L** Kit: **AL141** Backcap: **AL330** Int. shaft: **AL500** Spur wheel: **AL700** Key: **AL810**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T1 CLASSIC S200L SN>32 002 & SN>202 000 T1 LINE C200L SN>68 381 T1 LINE C200L SN<302 000 & >202 000 T1 LINE C200L SN>302 000 **NOTE:** Small head 1:5 Z13 8,7 **P/N AL141** Original 6414457 + 6175603	R	⊕ Rotor: **AL140** ⊕ Int. shaft: **AL500** Backcap: **AL330** Spur wheel: **AL700** Key: **AL810** Bearings: **611L/611L**
	*Complete Head Gear for SIRONA ®* T1 CLASSIC S200L mini SN>30 000 T1 LINE C200L mini SN>65 000 **NOTE:** Small head 1:5 Z13 8,7 **P/N AL142** Original 6405679	R	⊕ Bearings: **611L/611L** ⊕ Washer: **OW400/OW410** Kit: **AL143** Backcap: **AL330** Int. shaft: **AL500** Key: **AL810**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T1 CLASSIC S200L mini SN>30 000 T1 LINE C200L mini SN>65 000 **NOTE:** Small head 1:5 Z13 8,7 **P/N AL143** Original 6405679 + 6175603	R	⊕ Rotor: **AL142** ⊕ Int. shaft: **AL500** Backcap: **AL330** Key: **AL810** Bearings: **611L/611L** Washer: **OW300/OW310**
	*Complete Head Gear for SIRONA ®* T2 LINE A200L SN>202 000 & SN<302 000 T2 LINE A200L SN>302 000 T3 LINE E200 SN>202 000 T3 S-LINE ES200 T2 S-LINE AS200L **NOTE:** Small head 1:5 Z13 8,7 **P/N AL145** Original 6562586	R	⊕ Bearings: **611L/611L** Kit: **AL146** Backcap: **AL330** Int. shaft: **AL500** Spur wheel: **AL700** Key: **AL810**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T2 LINE A200L SN>202 000 & SN<302 000 T2 LINE A200L SN>302 000 T3 LINE E200 SN>202 000 T3 S-LINE ES200 T2 S-LINE AS200L **P/N AL146** Original 6562586 + 6175603	**NOTE:** Small head 1:5 Z13 8,7 R	⊕ Rotor: **AL145** ⊕ Int. shaft: **AL500** Backcap: **AL330** Spur wheel: **AL700** Key: **AL810** Bearings: **611L/611L**
	*Complete Head Gear for SIRONA ®* T1 LINE C200 mini SN>30 000 T1 LINE C200L mini SN>43 000 **NOTE:** Small head 1:5 Z13 K mini **P/N AL162** Original 6175611 / 6049345	R	⊕ Bearings: **611L/611L** Backcap: **AL330** Int. shaft: **AL500** Spur wheel: **AL700** Key: **AL800**

Contra-angle parts compatible with Sirona ®

	Models		Compatible parts
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T1 LINE C200 mini SN>30 000 T1 LINE C200L mini SN>43 000 **NOTE:** Small head 1:5 Z13 K mini **P/N AL163** Original 6175611 / 6049345 + 6175603	R	⊕ Rotor: **AL162** ⊕ Int. shaft: **AL500** Backcap: **AL330** Spur wheel: **AL700** Key: **AL800** Bearings: **611L/611L**
	*Complete Head Gear for SIRONA ®* T1 LINE ENDO 6L **P/N AL150** Original 6535525 / 6000777	G	⊕ Bearings: **120L** Kit: **AL151** Backcap: **AL350** Int. shaft: **AL550** Key: **AL810**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T1 LINE ENDO 6L **P/N AL151** Original 6535525 / 6000777 + 6535533	G	⊕ Rotor: **AL150** ⊕ Int. shaft: **AL550** Backcap: **AL350** Key: **AL810** Bearings: **120L**
	*Complete Head Gear for SIRONA ®* T1 CLASSIC KM 1,6L SN>30 000 T1 LINE KM 1,6/1,6L T1 LINE C 6/C 6L - head 1:1 ADA T1 LINE C 1,6/C 1,6L - head 1:1 ADA T2 LINE A 6L T3 LINE E6 SIROPure P6 SL/P6 IL - head 6:1/6:1 ADA **P/N AL155** Original 6000975 / 3329013	G	⊕ Bearings: **320L/120L** Kit: **AL156** Backcap: **AL310** Int. shaft: **AL560** Key: **AL800**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T1 CLASSIC KM 1,6L SN>30 000 T1 LINE KM 1,6/1,6L T1 LINE C 6/C 6L - head 1:1 ADA T1 LINE C 1,6/C 1,6L - head 1:1 ADA T2 LINE A 6L T3 LINE E6 SIROPure P6 SL/P6 IL - head 6:1/6:1 ADA **P/N AL156** Original 6000975 / 3329013 + 6000942	G	⊕ Rotor: **AL155** ⊕ Int. shaft: **AL560** Backcap: **AL310** Key: **AL800** Bearings: **320L/120L**
	*Complete Head Gear for SIRONA ®* T1 CLASSIC S 6L SN>30 000 & >202 000 T1 CLASSIC S 1,6L SN>30 000 & >202 000 T1 LINE C 6L SN>65 000 & >202 000 T1 LINE C 1,6L SN>65 000 & >202 000 T1 LINE C 6/C 6L - head 6:1 T1 LINE C 1,6/C 1,6L - head 6:1 **NOTE:** Small head 6:1 8,7 **P/N AL160** Original 6405703	G	⊕ Bearings: **400L/550L** Backcap: **AL340** Int. shaft: **AL560** Key: **AL800**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T1 CLASSIC S 6L SN>30 000 & >202 000 T1 CLASSIC S 1,6L SN>30 000 & >202 000 T1 LINE C 6L SN>65 000 & >202 000 T1 LINE C 1,6L SN>65 000 & >202 000 T1 LINE C 6/C 6L - head 6:1 T1 LINE C 1,6/C 1,6L - head 6:1 **NOTE:** Small head 6:1 8,7 **P/N AL161** Original 6405703 + 6000942	G	⊕ Rotor: **AL160** ⊕ Int. shaft: **AL560** Backcap: **AL340** Key: **AL800** Bearings: **591L/550L**
	*Complete Head Gear for SIRONA ®* T1 LINE C 6 mini/C 6L mini T2 S-LINE AS 6L T3 S-LINE ES 6 SIROPure P6 SL mini/P6 IL mini T2 LINE A 6L SN>202 000 T3 LINE E 6 SN>202 000 **NOTE:** Small head 6:1 8,7 **P/N AL165** Original 6049360	G	⊕ Bearings: **400L/550L** Backcap: **AL340** Int. shaft: **AL560** Key: **AL800**
	*Drive Kit for SIRONA ®* *Complete Head Gear + Intermediate Shaft* T2 S-LINE AS 6L T3 S-LINE ES 6 SIROPure P6 SL mini/P6 IL mini T2 LINE A 6L SN>202 000 T3 LINE E 6 SN>202 000 **NOTE:** Small head 6:1 8,7 **P/N AL166** Original 6049360 + 6000942	G	⊕ Rotor: **AL165** ⊕ Int. shaft: **AL560** Backcap: **AL340** Int. shaft: **AL560** Key: **AL800** Bearings: **591L/550L**
	*Complete Head Gear for SIRONA DENTSPLY®* X-SMART 16:1 **P/N AL170**	G	Backcap: **AL370** Int. shaft: **AL570** Key: **AL870**

	Models		Compatible parts
	*Drive Kit for SIRONA DENTSPLY®* *Head Gear + Intermediate Shaft* X-SMART 16:1 **P/N AL171**	G	⊕ Rotor: **AL170** ⊕ Int. shaft: **AL570** Backcap: **AL370** Key: **AL870**
	*Complete Head Gear for SIRONA DENTSPLY®* X-SMART PLUS 6:1 **P/N AL180**	G	⊕ Bearings: **120L/120L** Backcap: **AL380** Int. shaft: **AL580** Key: **AL880**
	Drive Kit for SIRONA DENTSPLY® Head Gear + Intermediate Shaft X-SMART PLUS 6:1 **P/N AL181**	G	⊕ Rotor: **AL180** ⊕ Int. shaft: **AL580** Backcap: **AL380** Key: **AL880** Bearings: **120L/120L**
NEW 	*Complete Head Gear for SIRONA®* Implant 20:1 Implant 80:1 **P/N AL185** Original 6043751	G	⊕ Bearings: **580L/580L** Backcap: **AL385** Int. shaft: **AL585** Key: **AL885**
NEW 	Drive Kit for SIRONA® Head Gear + Intermediate Shaft Implant 20:1 Implant 80:1 **P/N AL186**	G	⊕ Rotor: **AL185** ⊕ Int. shaft: **AL585** Backcap: **AL385** Key: **AL885** Bearings: **580L/580L**

> Backcaps compatible with Sirona ®

	Models		Compatible parts
	*Backcap for SIRONA ®* T1 LINE C40/C40L (ADA) T1 LINE C6/C6L (ADA) T1 LINE C1.6/C1.6L (ADA) SIROPure P40SL/IL SIROPure P6SL/IL **P/N AL310** Original 8925083 + 8917924 + 5947957 + 8917932	B G	Rotor: **AL110/AL155** Kit: **AL111/AL156** Int. shaft: **AL510/AL560** Spur wheel: **AL720** Key: **AL800** Bearings: **320L/120L**
	*Backcap for SIRONA ®* T2 LINE A40L T2 LINE A6L T3 LINE E40 T3 LINE E6 SIROPure P40SL/IL (ADA) SIROPure P6SL/IL (ADA) **P/N AL320** Original 8925083 + 6259639 + 5947957 + 8917932	B G	Rotor: **AL155** Kit: **AL156** Bearings: **320L/120L** Int. shaft: **AL560** Spur wheel: **AL710** Key: **AL800** Bearings: **320L/120L**
	*Backcap for SIRONA ®* T1 CLASSIC S40L/S6L/S1,6L T1 CLASSIC S40L/S6L/S1,6L SN>202 000 T1 CLASSIC C40L/C6L/C1,6L SN>65 000 T1 CLASSIC C40L/C6L SN>202 000 T1 LINE C40/C40 mini/C40L/C40L mini T1 LINE C6/C6L mini/C1.6/C1.6L T2 S-LINE AS40L/AS6L T3 S-LINE ES40/ES6 SIROPure P40SL/IL SIROPure P6SL/IL T2 LINE A6L/A40L SN>202 000 T3 LINE E40 SN>202 000 T3 LINE E6 SN>202 000 T1 LINE C1,6L SN >202 000 **P/N AL340** Original 6049329	B G	Rotor: **AL120/AL125/AL160** Kit: **AL121/AL126/AL161** Int. shaft: **AL510/AL560** Spur wheel: **AL720** Key: **AL810** Bearings: **400L/550L**
	*Backcap for SIRONA ®* T1 CLASSIC S200L SN≤32 001 T1 LINE C200L SN>43 000 & >65 000 T1 LINE C200 SN>30 000 T3 LINE E200L T2 LINE A200L SN<7804 & >7805 T2 LINE A170L T3 LINE E200 SN<2325 & >2326 SIROPure P200SL/IL **P/N AL300** Original 8925083 + 5996967 + 5947957 + 8917932	R	Rotor: **AL100** Kit: **AL101** Bearings: **610L/610L** Int. shaft: **AL500** Spur wheel: **AL700/AL710** Key: **AL800**
	*Backcap for SIRONA ®* T1 CLASSIC S200L SN≥32 002 T1 CLASSIC S200L/S200L mini T1 LINE C200L SN>68 381 & <43 000 T1 LINE C200L SN<302 000 & >302 000 T1 LINE C200L mini T2 LINE A200 SN<302 000 & >302 000 T2 S-LINE AS200L/T3 S-LINE ES200 SIROPure P200SL/IL T3 LINE E200 **P/N AL330** Original 6049337	R	Rotor: **AL140/AL142/AL145** Kit: **AL141/AL143/AL146** Bearings: **611L/611L** Int. shaft: **AL500** Spur wheel: **AL700** Key: **AL810**
	*Backcap for SIRONA ®* T1 LINE ENDO 6L **P/N AL350** Original 6544444	G	Rotor: **AL150** Kit: **AL151** Bearings: **120L** Int. shaft: **AL550** Key: **AL810**
	*Backcap for SIRONA DENTSPLY®* X-SMART 16:1 **P/N AL370**	G	Rotor: **AL170** Int. shaft: **AL570** Key: **AL870**
	*Backcap for SIRONA DENTSPLY®* X-SMART PLUS 6:1 **P/N AL380**	G	Rotor: **AL180** Bearings: **120L/120L** Int. shaft: **AL580** Key: **AL880**
NEW 	*Backcap for SIRONA®* Implant 20:1 Implant 80:1 **P/N AL385** Original 6043991	G	Rotor: **AL185** Bearings: **580L/580L** Int. shaft: **AL585** Key: **AL885**

	Models			Compatible parts

> Intermediate shafts compatible with Sirona ®

	Models			Compatible parts
	*Intermediate Shaft for SIRONA ®* T1 Classic S40L SN>30 000 & SN>202 000 T2 Line A40L/T3 Line E40 T1 Line C40L SN>65 000 T1 Line C40/C40L/C40 (ADA)/C40L (ADA) T2 S-Line AS40L/T3 S-Line ES40 T3 Line E40 SN>202 000 **P/N AL510** Original 6000959	T1 Line C40L SN>202 000 T2 Line A40L SN>202 000	B	Rotor: **AL110/AL120/AL125** Kit: **AL111/AL121/AL126** Backcap: **AL310/AL320/AL340** Spur wheel: **AL710/AL720** Key: **AL800/AL810**
	*Intermediate Shaft for SIRONA ®* T2 REVO R40 T2 REVO R40 mini **P/N AL530** Original 5943167		B	Rotor: **AL130/AL120** Kit: **AL131/AL122**
NEW 	*Intermediate Shaft for SIRONA ®* T4 LINE B40 **P/N AL520** Original		B	Rotor: **AL120** Kit: **AL123**
	*Intermediate Shaft for SIRONA ®* T1 CLASSIC S200L mini T1 LINE C200L mini SN> 65 000 / > 43 000 T1 LINE C200 mini SN> 30 000 T2 LINE A200L SN<7804 / >7805 / >302 000 T3 LINE E200 SN<2325 / >2326 /> 202 000 T1 LINE C200 SN>30 000 **P/N AL500** Original 6175603	T1 LINE C200L SN>43 000 / >65 000 T1 CLASSIC S200L SN≤32 001 >32 002 T1 CLASSIC S200L SN>202 000 T1 LINE C200L SN>68 381 T1 LINE C200L SN><302 000 & >202 000 T2 line A200 L SN >202 000 & < 302 000 T2 S-line AS 200L / T3 S-line ES 200 T2 line A200 L SN >302 000	R	Rotor: **AL100/AL140/AL143 AL145/AL162** Kit: **AL101/AL141/AL144/ AL146/AL163** Backcap: **AL300/AL330** Spur wheel: **AL700** Key: **AL800/AL810**
	*Intermediate Shaft for SIRONA ®* LINE ENDO 6L **P/N AL550** Original 6535533		G	Rotor: **AL150** Kit: **AL151** Backcap: **AL350** Key: **AL810**
	*Intermediate Shaft for SIRONA ®* T1 CLASSIC KM 1,6L SN>30 000 T1 LINE KM 1,6/1,6L T1 LINE C 6/C 6L - head 1:1 ADA T1 LINE C 1,6/C 1,6L - head 1:1 ADA T2 LINE A 6L / T3 LINE E6 SIROPure P6 SL/P6 IL - head 6:1/6:1 ADA **P/N AL560** Original 6000942 / 3327884	T1 CLASSIC S 6L SN>30 000 & >202 000 T1 CLASSIC S 1,6L SN>30 000 & >202 000 T1 LINE C 6L SN>65 000 & >202 000 T1 LINE C 1,6L SN>65 000 & >202 000 T1 LINE C 6/C 6L - head 6:1 T1 LINE C 1,6/C 1,6L - head 6:1 T2 S-LINE AS 6L / T3 S-LINE ES 6 SIROPure P6 SL mini/P6 IL mini T2 LINE A 6L SN>202 000/ T3 LINE E 6 SN>202 000	G	Rotor: **AL153/AL160/AL165** Kit: **AL154/AL161/AL166** Backcap: **AL310/AL340** Key: **AL800**
	*Intermediate Shaft for SIRONA DENTSPLY®* X-SMART 16:1 **P/N AL570**		G	Rotor: **AL170** Kit: **AL171** Backcap: **AL370** Key: **AL870** **Tech info** 100100
	*Intermediate Shaft for SIRONA DENTSPLY®* X-SMART PLUS 6:1 **P/N AL580**		G	Rotor: **AL180** Kit: **AL181** Backcap: **AL380** Key: **AL880**
NEW 	*Intermediate Shaft for SIRONA®* Implant 20:1 Implant 80:1 **P/N AL585** Original 6043678		G	Rotor: **AL185** Kit: **AL186** Backcap: **AL385** Key: **AL885**

> Gears and spur wheels compatible with Sirona ®

	Models		Compatible parts
NEW 	Spur wheel for SIRONA ® T2 LINE A170L T2 LINE A40L T3 LINE E40 **P/N AL710** Original 5930826	B R	Rotor: **AL110** Kit: **AL111** Backcap: **AL320** Int. shaft: **AL510** Key: **AL800**
NEW 	Spur wheel for SIRONA ® T1 LINE C40/C40L mini & ADA T1 LINE C40L SN>65 000 T1 LINE C40L SN>202 000 T2 LINE A40L SN>202 000 T3 LINE E40 SN>202 000 **P/N AL720** Original 6360890	B	Rotor: **AL110/AL120/AL125** Kit: **AL111/AL121/AL126** Backcap: **AL310/AL340** Int. shaft: **AL510** Key: **AL800/AL810**
	Spur wheel for SIRONA ® T1 LINE C200 SN>30 000 T1 LINE C200L SN>43 000 & >65 000 T1 LINE C200L mini SN>65 000 T1 LINE C200L SN>202 000 & >/<302 000 T2 LINE A200L SN>7 805 & <7 804 T2 LINE A200L SN>202 000 & >/<302 000 T3 LINE E200 SN>202 000 T3 LINE E200 SN>2 326 & <2 305 **P/N AL700** Original 6361062	R	Rotor: **AL100/AL140/AL145/AL162** Kit: **AL101/AL141/AL146/AL163** Backcap: **AL300/AL330** Int. shaft: **AL500** Key: **AL800/AL810**

> Backcap keys compatible with Sirona ®

	*Key for SIRONA ®* Suitable for large head 9,7 **P/N AL800** Original 4178054	B G R	Many models
	*Key for SIRONA ®* Suitable for small head 8,7 **P/N AL810** Original 5986208	B G R	Many models
	*Key for SIRONA ®* X-SMART 16:1 **P/N AL870**	G	Rotor: **AL170** Kit: **AL171** Backcap: **AL370** Int. shaft: **AL570**
	*Key for SIRONA ®* X-SMART PLUS 6:1 **P/N AL880**	G	Rotor: **AL180** Kit: **AL181** Backcap: **AL380** Int. shaft: **AL580**
	*Key for SIRONA ®* Implant 20:1 Implant 80:1 **P/N AL885** Original 6048602	G	Rotor: **AL185** Kit: **AL186** Backcap: **AL385** Int. shaft: **AL585**

> Repair tools compatible with Sirona ® *other tools, adhesives, etc look in "General repair tools">>>

	Models		Compatible parts
NEW 	*Tool for SIRONA ®* suitable to open spray ring set on most handpieces **P/N AL8000** Original 6259605	B G R	⊕ Sleeve: **5863167** ⊕ Extracting tool: **5863175** ⊕ Spray key: **5857052** Spray ring set: **A700** Many models
COMING SOON	*Tool for SIRONA ®* suitable to open the nut on most contra angles **P/N AL8050** Original 4178070	B G R	Many types
COMING SOON	*Tool for SIRONA ®* suitable to release the coupling fitting from implant handpieces 20:1 / 80:1 **P/N AL8100** Original 6048628	G	Many types
COMING SOON	*Tool for SIRONA ®* suitable to release the neck drive on implant handpieces 20:1 / 80:1 **P/N AL8150** Original 6048610	G	Many types
COMING SOON	*Tool for SIRONA ®* holder for head in all handpieces **P/N AL8200** Original 4178062	B G R	Many types
NEW 	*Tool for SIRONA ®* torque wrench 0,3-1,2Nm **P/N RPTW1** Original 6405505	B G R	

> Other parts compatible with Sirona ®

	Models		Compatible parts
	*Piece of hose for SIRONA ®* *for water tubes in most of handpieces* **P/N** **AL3500** Original 6328236	B G R	Many models Sold: Set of 10 pieces.
NEW 	Valve for Many models of contra angles Many models of straight handpieces **P/N** **AL3600** Original 3328015	B G R	Many models Sold: Set of 10 pieces.

> Heads and head shells compatible with Kavo ®

	Models		Compatible parts
	*Complete Head for KAVO ®* INTRAlux® 68LDN 1:1 **P/N BL010** Original 0.540.2010	B	⊕ Head shell: **BL010-1** ⊕ Head gear: **BL120** ⊕ Int. shaft: **BL500** ⊕ Backcap: **BL320** ⊕ Screw: **BL611** Key: **BL800**
	*Complete Head shell for KAVO ®* INTRAlux® 68LDN 1:1 **P/N BL010-1** Original 0.540.2281	B	Head gear: **BL120** Int. shaft: **BL500** Backcap: **BL320** Screw: **BL611** Key: **BL800**
	*Complete Head for KAVO ®* INTRAlux® 68LH 1:1 **P/N BL020** Original 0.540.2040	B	⊕ Head shell: **BL020-1** ⊕ Head gear: **BL100** ⊕ Int. shaft: **BL500** ⊕ Backcap: **BL300** ⊕ Screw: **BL611** Key: **BL800**
	*Complete Head shell for KAVO ®* INTRAlux® 68LH 1:1 **P/N BL020-1** Original 0.540.3631	B	Head gear: **BL100** Int. shaft: **BL500** Backcap: **BL300** Screw: **BL611** Key: **BL800**
	*Complete Head for KAVO ®* INTRAlux® L80 **P/N BL050** Original 1.004.4456	B	⊕ Head shell: **BL050-1** ⊕ Head gear: **BL105** ⊕ Int. shaft: **BL500** ⊕ Backcap: **BL305** ⊕ Screw: **BL611**
	*Complete Head shell for KAVO ®* INTRAlux® L80 **P/N BL050-1** Original 1.008.2899	B	Head gear: **BL105** Int. shaft: **BL500** Backcap: **BL305** Screw: **BL611**
	*Complete Head for KAVO ®* INTRAlux® 67LH 2:1 **P/N BL030** Original 0.540.3641	G	⊕ Head shell: **BL030-1** ⊕ Head gear: **BL110** ⊕ Int. shaft: **BL510** ⊕ Backcap: **BL310** ⊕ Screw: **BL611** Key: **BL800**
	*Complete Head shell for KAVO ®* INTRAlux® 67LH 2:1 **P/N BL030-1** Original 0.540.3641	G	Head gear: **BL110** Int. shaft: **BL510** Backcap: **BL300** Screw: **BL611** Key: **BL800**
	*Complete Head for KAVO ®* INTRA® LUX CL3 **P/N BL080** Original 1.001.8993	G	⊕ Head shell: **BL080-1** ⊕ Head gear: **BL180** ⊕ Int. shaft: **BL580** ⊕ Backcap: **BL380** ⊕ Screw: **BL611** Key: **BL880**

Contra-angle parts compatible with Kavo ®

	Models		Compatible parts
	*Complete Head shell for KAVO ®* INTRA® LUX CL3 **P/N BL080-1** Original 1.001.9257	G	Head gear: **BL180** Int. shaft: **BL580** Backcap: **BL380** Screw: **BL611** Key: **BL880**
	*Complete Head for KAVO ®* SURGmatic ® S201XL **P/N BL085** Original 1.011.3831	G	⊕ Head shell: **BL085-1** ⊕ Head gear: **BL185** ⊕ Int. shaft: **BL580** ⊕ Backcap: **BL380** ⊕ Screw: **BL611** Key: **BL880**
	*Complete Head shell for KAVO ®* SURGmatic ® S201XL **P/N BL085-1** Original 1.010.3000	G	Head gear: **BL185** Int. shaft: **BL580** Backcap: **BL380** Screw: **BL611** Key: **BL880**

> Rotors and drive kits compatible with Kavo ®

	Models		Compatible parts
	*Head Gear for KAVO ®* INTRAlux® 68LU INTRAlux® 68LH INTRAhead® L68 EXPERTmatic® E20L INTRAcompact® 2068LHC **P/N BL200** Original 0.540.4012	B	Head: **BL020** Rotor: **BL100** Int. shaft: **BL500** Backcap: **BL300** Screw: **BL611** Key: **BL800** Bearings: **140L/120L** Small parts: **BL600**
	*Complete Head Gear for KAVO ®* INTRAlux® 68LU INTRAlux® 68LH INTRAhead® L68 EXPERTmatic® E20L INTRAcompact® 2068LHC **P/N BL100** Original 0.540.3661	B	⊕ Bearings: **140L/120L** ⊕ Small parts: **BL600** Head: **BL020** Kit: **BL101** Int. shaft: **BL500** Backcap: **BL300** Screw: **BL611** Key: **BL800**
	*Drive Kit for KAVO ®* *Complete Head Gear + Intermediate Shaft* INTRAlux® 68LH INTRAhead® L68 EXPERTmatic® E20L INTRAcompact® 2068LHC **P/N BL101** Original 0.540.3661 + 0.540.1151	B	⊕ Rotor: **BL100** ⊕ Int. shaft: **BL500** Head: **BL020** Backcap: **BL300** Screw: **BL611** Key: **BL800**
	*Complete Head Gear for KAVO ®* INTRAlux® L80 **P/N BL105** Original 1.009.1782	B	⊕ Bearings: **140L/120L** Head: **BL050** Kit: **BL106** Int. shaft: **BL500** Backcap: **BL305** Screw: **BL611**

	Models		Compatible parts
	*Drive Kit for KAVO ®* INTRAlux® L80 **P/N BL106** Original 1.009.1782 + 0.540.1151	B	⊕ Rotor: **BL105** ⊕ Int. shaft: **BL500** Head: **BL050** Backcap: **BL305** Screw: **BL611**
	*Head Gear for KAVO ®* INTRAlux® 68LDN **P/N BL220** Original 0.540.4092	B	Head: **BL010** Rotor: **BL120** Int. shaft: **BL500** Backcap: **BL320** Screw: **BL611** Bearings: **110L/100L** Small parts: **BL600**
	*Complete Head Gear for KAVO ®* INTRAlux® 68LDN **P/N BL120** Original 0.540.2491	B	⊕ Bearings: **110L/100L** ⊕ Small parts: **BL600** Head: **BL010** Kit: **BL121** Int. shaft: **BL500** Backcap: **BL320** Screw: **BL611** Key: **BL800**
	*Drive Kit for KAVO ®* *Complete Head Gear + Intermediate Shaft* INTRAlux® 68LDN **P/N BL121** Original 0.540.2491 + 0.540.1151	B	⊕ Rotor: **BL110** ⊕ Int. shaft: **BL500** Head: **BL010** Backcap: **BL310** Screw: **BL611** Key: **BL800**
	*Complete Head Gear for KAVO ®* INTRA® 68G **P/N BL150** Original 0.540.1781	B	⊕ Bearings: **400L** Kit: **BL151** Int. shaft: **BL550**
	*Drive Kit for KAVO ®* *Complete Head Gear + Intermediate Shaft* INTRA® 68G **P/N BL151** Original 0.540.1781 + 0.540.1151	B	⊕ Rotor: **BL150** ⊕ Int. shaft: **BL550**
	*Complete Head Gear for KAVO ®* INTRAmatic® 25LH/LHC INTRAmatic® 25LHS INTRAmatic® 25CN INTRAmatic® 25CH INTRAmatic® LUX 24LN INTRAmatic® LUX 24LS **P/N BL130** Original 0.553.7341 / 0.553.5761	R	⊕ Bearings: **130L/130L** Kit: **BL131** Int. shaft: **BL530** Backcapt: **BL330** Idler shaft: **BL530i** Spur wheel: **BL730** Key: **BL830** Fiber optic: **BF131L**
	*Drive Kit for KAVO ®* *Complete Head Gear + Intermediate Shaft* NTRAmatic® 25LH/LHC INTRAmatic® 25LHS INTRAmatic® 25CN INTRAmatic® 25CH **P/N BL131** Original 0.553.7341 + 0.553.7201	R	⊕ Rotor: **BL130** ⊕ Int. shaft: **BL530** Backcapt: **BL330** Idler shaft: **BL530i** Spur wheel: **BL730** Key: **BL830** Fiber optic: **BF131L**
	*Drive Kit for KAVO ®* *Complete Head Gear + Intermediate Shaft* INTRAmatic® 25LH/LHC INTRAmatic® 25LHS INTRAmatic® 25CN **P/N BL131i** Original 553.7341 + 0.553.7201 + 0.553.7251	R	⊕ Rotor: **BL130** ⊕ Int. shaft: **BL530** ⊕ Idler shaft: **BL530i** Backcapt: **BL330** Spur wheel: **BL730** Key: **BL830** Fiber optic: **BF131L**
	*Complete Head Gear for KAVO ®* EXPERTmatic® E25 EXPERTmatic® E25L **P/N BL135** Original 1.008.4040	R	⊕ Bearings: **135L/136L** Kit: **BL136** Int. shaft: **BL535** Backcapt: **BL335** Spur wheel: **BL735** Key: **BL835** Fiber optic: **BF135L**

Contra-angle parts compatible with Kavo ®

	Models		Compatible parts
	*Drive Kit for KAVO ®* EXPERTmatic® E25 EXPERTmatic® E25L **P/N BL136** Original 1.008.4040 + 1.007.9916	R	⊕ Rotor: **BL135** ⊕ Int. shaft: **BL535** Backcapt: **BL335** Spur wheel: **BL735** Key: **BL835** Fiber optic: **BF135L**
	*Complete Head Gear for KAVO ®* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA COMFORTdrive® 200XD COMFORTdrive® 200XDR **P/N BL140** Original 1.001.3520 / 1.002.6135	R	⊕ Bearings: **131L/130L(145L/146L)** Kit: **BL141** Int. shaft: **BL540** Backcapt: **BL340** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Drive Kit for KAVO ®* *Complete Head Gear + Intermediate Shaft* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA **P/N BL141** Original 1.001.3520 / 1.002.6135 +1.001.3515	R	⊕ Rotor: **BL140** ⊕ Int. shaft: **BL540** Backcapt: **BL340** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Complete Kit for KAVO ®* *Head Gear + Intermediate Shaft + Idler Shaft* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA **P/N BL141i** Original 1.006.2965 (1.001.3520/1.002.6135 +1.001.3515+1.001.3519)	R	⊕ Rotor: **BL140** ⊕ Int. shaft: **BL540** ⊕ Idler shaft: **BL540i** Backcapt: **BL340** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Complete Head Gear for KAVO ®* MASTERmatic® LUX M25L **P/N BL160** Original 1.011.0129	R	⊕ Bearings: **141L/142L** Kit: **BL161** Int. shaft: **BL540** Backcapt: **BL360** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Drive Kit for KAVO ®* *Head Gear + Intermediate Shaft* MASTERmatic® LUX M25L **P/N BL161** Original 1.011.0129 + 1.001.3515	R	⊕ Rotor: **BL160** ⊕ Int. shaft: **BL540** Backcapt: **BL360** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Complete Kit for KAVO ®* *Head Gear + Intermediate Shaft + Idler Shaft* MASTERmatic® LUX M25L **P/N BL161i** Original 1.011.0129 + 1.001.3515 + 1.001.3519	R	⊕ Rotor: **BL160** ⊕ Int. shaft: **BL540** ⊕ Idler shaft: **BL540i** Backcapt: **BL360** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Drive Kit for KAVO ®* *Head Gear + Intermediate Shaft* MASTERmatic® LUX M05L **P/N BL165** Original 1.011.1374	R	⊕ Bearings: **141L/142L** Kit: **BL166** Int. shaft: **BL565** Backcapt: **BL365** Idler shaft: **BL540i** Spur wheel: **BL740**
	*Complete Kit for KAVO ®* *Head Gear + Intermediate Shaft + Idler Shaft* MASTERmatic® LUX M05L **P/N BL166** Original 1.011.1374 + 1.011.3206	R	⊕ Rotor: **BL165** ⊕ Int. shaft: **BL565** Backcapt: **BL365** Idler shaft: **BL540i** Spur wheel: **BL740**
	*Head Gear for KAVO ®* INTRAlux® 67LH INTRA® L67 INTRA® 67LHB **P/N BL210** Original 0.540.4022	G	Head: **BL030** Rotor: **BL110** Int. shaft: **BL510** Backcap: **BL310** Screw: **BL611** Bearings: **140L/120L** Small parts: **BL600**

	Models		Compatible parts
	*Complete Head Gear for KAVO ®* INTRAlux® 67LH INTRA® L67 INTRA® 67LHB EXPERTmatic® E15L/C INTRAcompact® 0767LHC/CHC **P/N BL110** Original 0.540.3671	G	⊕ Bearings: **140L/120L** ⊕ Small parts: **BL600** Head: **BL030** Kit: **BL111** Int. shaft: **BL510** Backcap: **BL310** Screw: **BL611** Key: **BL800**
	*Drive Kit for KAVO ®* *Complete Head Gear + Intermediate Shaft* INTRAlux® 67LH INTRA® L67 INTRA® 67LHB **P/N BL111** Original 0.540.3671 + 0.540.1151	G	⊕ Rotor: **BL110** ⊕ Int. shaft: **BL510** Head: **BL030** Backcap: **BL310** Screw: **BL611** Key: **BL800**
	*Complete Head Gear for KAVO ®* INTRA® LUX CL3 SURGtorque® S201L **P/N BL180** Original 1.001.4490	G	⊕ Bearings: **140L/670L** Kit: **BL181** Int. shaft: **BL580** Backcapt: **BL380** Key: **BL880**
	*Drive Kit for KAVO ®* *Head Gear + Intermediate Shaft* INTRA® LUX CL3 SURGtorque® S201L **P/N BL181** Original 1.001.4490 + 1.003.4207	G	⊕ Rotor: **BL180** ⊕ Int. shaft: **BL580** Backcapt: **BL380** Key: **BL880** Bearings: **140L/670L**
	*Complete Head Gear for KAVO ®* SURGtorque® S201XL **P/N BL185** Original 3.000.5177	G	⊕ Bearings: **680L/690L** Backcapt: **BL380** Key: **BL880**

> Backcaps compatible with Kavo ®

	Models		Compatible parts
	*Backcap for KAVO ®* INTRAlux® 68LH **P/N BL300** Original 0.540.3741	B	Head: **BL020** Head shell: **BL020-1** Rotor: **BL100** Kit: **BL101** Int.shaft: **BL500** Small parts: **BL600** Screw: **BL611** Key: **BL800**
	*Backcap for KAVO ®* INTRAlux® L80 **P/N BL305** Original 1.005.3606	B	Head: **BL050** Head shell: **BL050-1** Rotor: **BL105** Kit: **BL106** Int.shaft: **BL500** Screw: **BL611** Key: **BL800**
	*Backcap for KAVO ®* INTRAlux® 67LDN INTRAlux® 68LDN **P/N BL320** Original 0.540.2501	B G	Head: **BL010** Head shell: **BL010-1** Rotor: **BL120** Kit: **BL121** Int.shaft: **BL500** Small parts: **BL600** Screw: **BL611** Key: **BL800**

Contra-angle parts compatible with Kavo ®

	Models		Compatible parts
	*Backcap for KAVO ®* INTRAmatic® 25LH INTRAmatic® 25LHS INTRAmatic® 25CN INTRAmatic® 25CH INTRAmatic® 25LS INTRAmatic® LUX 24LN INTRAmatic® LUX 24LS R **P/N BL330** Original 0.553.7031		Rotor: **BL130** Kit: **BL131** Int. shaft: **BL530** Idler shaft: **BL530i** Spur wheel: **BL730** Key: **BL830** Fiber optic: **BF131L**
	*Backcap for KAVO ®* EXPERTmatic® E25 EXPERTmatic® E25L R **P/N BL335** Original 1.008.1488		Rotor: **BL135** Kit: **BL136** Int. shaft: **BL535** Spur wheel: **BL735** Key: **BL835** Fiber optic: **BF135L**
	*Backcap for KAVO ®* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA R **NOTE:** The crown is different than original one. **P/N BL340** Original 1.009.3634 + 0.201.8157 + 1.001.3284		Rotor: **BL140** Kit: **BL141** Int. shaft: **BL540** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Backcap for KAVO ®* MASTERmatic® LUX M25L R **P/N BL360** Original 1.009.3634 + 0.201.8157 + 1.009.3638		Rotor: **BL160** Kit: **BL161** Int. shaft: **BL540** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
NEW 	*Backcap for KAVO ®* MASTERmatic® LUX M05L R **P/N BL365** Original 3.000.6319 + 0.201.8157 + 3.000.6597		Rotor: **BL165** Kit: **BL166** Int. shaft: **BL565** Idler shaft: **BL540i** Spur wheel: **BL740**
	*Backcap for KAVO ®* INTRAlux® 67LH/67LHB G **P/N BL310** Original 0.540.3741		Head: **BL030** Head shell: **BL030-1** Rotor: **BL110** Kit: **BL111** Int.shaft: **BL510** Small parts: **BL600** Screw: **BL611** Key: **BL800**
	*Backcap for KAVO ®* INTRA® LUX CL3 G **P/N BL380** Original 1.001.4486 + 0.540.3752 + 0.201.8958 + 0.222.4040		Rotor: **BL180** Kit: **BL181** Int. shaft: **BL580** Key: **BL880**

> Intermediate shafts compatible with Kavo ®

	Models		Compatible parts
	*Intermediate Shaft for KAVO ®* INTRAlux® 68LH/68LDN INTRAhead® L80/L68 INTRAlux® 52LDN/80LD EXPERTmatic® E20L INTRA® 80G INTRAcompact® 2068LHC **P/N BL500** Original 0.540.1151	B	Head: **BL010/BL020/BL050** Head shell: **BL010/BL020/BL050-1** Rotor: **BL100/BL120/BL105** Kit: **BL101/BL121/BL106** Backcap: **BL300/BL320/BL305** Small parts: **BL600** Screw: **BL611** Key: **BL800**
	*Intermediate Shaft for KAVO ®* INTRA® 68G **P/N BL550** Original 0.540.1151	B	Rotor: **BL150** Kit: **BL151**
	*Intermediate Shaft for KAVO ®* INTRAmatic® 25LH/LHC INTRAmatic® 25LHS INTRAmatic® 25CN INTRAmatic® 25CH **P/N BL530** Original 0.553.7201	R	Rotor: **BL130** Kit: **BL131** Backcap: **BL330** Idler shaft: **BL530i** Spur wheel: **BL730** Key: **BL830** Fiber optic: **BF131L**
	*Idler Shaft for KAVO ®* INTRAmatic® 25LH/LHC INTRAmatic® 25LHC INTRAmatic® 25LHS INTRAmatic® 25LN INTRAmatic® 25CN **P/N BL530i** Original 0.553.7251	R	Rotor: **BL130** Kit: **BL131** Int. shaft: **BL530** Backcap: **BL330** Spur wheel: **BL730** Key: **BL830** Fiber optic: **BF131L**
	*Intermediate Shaft for KAVO ®* EXPERTmatic® E25 EXPERTmatic® E25L **P/N BL535** Original 1.007.9916	R	Rotor: **BL135** Kit: **BL136** Backcap: **BL335** Spur wheel: **BL735** Key: **BL835** Fiber optic: **BF135L**
	*Intermediate Shaft for KAVO ®* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA MASTERmatic® LUX M25L **P/N BL540** Original 1.001.3515	R	Rotor: **BL140** Kit: **BL141** Backcap: **BL340** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Idler Shaft for KAVO ®* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA MASTERmatic® LUX M25L MASTERmatic® LUX M05L **P/N BL540i** Original 1.001.3519	R	Rotor: **BL140** Kit: **BL141** Int. shaft: **BL540** Backcap: **BL340** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Intermediate Shaft for KAVO ®* MASTERmatic® LUX M05L **P/N BL565** Original 1.011.3206	R	Rotor: **BL165** Kit: **BL166** Backcap: **BL365** Idler shaft: **BL540i** Spur wheel: **BL740**
	*Intermediate Shaft for KAVO ®* INTRAlux® 67LH INTRA® 67LHB INTRA® 67G/L67/67CN 67HC INTRAprophy® L31 **P/N BL510** Original 0.540.1161	G	Head: **BL030** Head shell: **BL030-1** Rotor: **BL110** Kit: **BL111** Backcap: **BL310** Small parts: **BL600** Screw: **BL611** Key: **BL800**

	Models		Compatible parts
	*Intermediate Shaft for KAVO ®* INTRA® LUX CL3 **P/N BL580** Original 1.003.4207	G	Rotor: **BL180** Kit: **BL181** Backcap: **BL380** Key: **BL880**

> Small parts compatible with Kavo ®

	Models		Compatible parts
	*Set of 3 pieces for KAVO ®* - Ring segment BL601 - Wire Ring BL602 - Slider BL603 **NOTE:** Head gear component. **P/N BL600** Original 0.540.4102 + 0.540.4072 + 0.540.4112	B	Many types Sold: Set of 3 pieces.
	Segment for KAVO ® INTRAlux® 68LU/68LH/66LU/67LH/52LDN INTRAhead® L68/L68B/L66B/L62/L67 EXPERTmatic® E20L INTRAcompact® 2068LHC INTRAmatic® 14ES/20ES INTRAendo® 53LDN/62LDN/67LHB **P/N BL601** Original 0.540.4102	B	Many types
	Wire Ring for KAVO ® INTRAlux® 68LU/68LH/66LU/67LH/52LDN INTRAhead® L68/L68B/L66B/L62/L67 EXPERTmatic® E20L INTRAcompact® 2068LHC INTRAmatic® 14ES/20ES INTRAendo® 53LDN/62LDN/67LHB **P/N BL602** Original 0.540.4072	B	Many types
	Slider for KAVO ® INTRAlux® 68LU/68LH/66LU/67LH INTRAhead® L68/L68B/L66B/L67 EXPERTmatic® E20L INTRAcompact® 2068LHC INTRAmatic® 14ES/20ES INTRAendo® 67LHB **P/N BL603** Original 0.540.4112	B	Many types
	*Balls for KAVO ®* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA MASTERmatic® LUX M25L MASTERmatic® LUX M05L EXPERtorque® LUX E25/E25L **P/N BL604** Original 0.257.4013	R	Many types Sold: Set of 10 pieces
	*Set of 4 pieces for KAVO ®* - 2 screws BL611 - 2 springs BL612 **NOTE:** Head component. **P/N BL610** Original 0.201.0005 + 0.540.3162	B	Many types Sold: Set of 4 pieces

	Models		Compatible parts
	Screw for KAVO ® many models **P/N BL611** Original 0.201.0005	B	Many types
	Spring for KAVO ® many models **P/N BL612** Original 0.540.3162	B	Many types

> Gears and spur wheels compatible with Kavo ®

	Models		Compatible parts
	*Gear for KAVO ®* *Intermediate Shaft* **- BL500 Front** INTRAlux® 68LH/68LDN EXPERTmatic® E20L INTRAcompact® 2068LHC **P/N BL621**	**- BL550 Front** INTRA® 68G B	Head: **BL010/BL020/BL050** Head shell: **BL010/BL020/BL050-1** Rotor: **BL100/BL120/BL105/BL150** Kit: **BL101/BL121/BL106/BL151** Backcap: **BL300/BL320/BL305** Small parts: **BL600** Screw: **BL611** Key: **BL800**
	*Gear for KAVO ®* *Intermediate Shaft* **- BL500 Rear** INTRAlux® 68LH/68LDN EXPERTmatic® E20L INTRAcompact® 2068LHC **P/N BL622**	**- BL550 Rear** INTRA® 68G B	Head: **BL010/BL020/BL050** Head shell: **BL010/BL020/BL050-1** Rotor: **BL100/BL120/BL105/BL150** Kit: **BL101/BL121/BL106/BL151** Backcap: **BL300/BL320/BL305** Small parts: **BL600** Screw: **BL611** Key: **BL800**
	*Spur Wheel for KAVO ®* EXPERTmatic® LUX E20L EXPERTmatic® E20C MASTERmatic® LUX M20L SMARTmatic® S20/S20S **P/N BL700** Original 0.534.0681	B	Head: **BL020** Head shell: **BL020-1** Rotor: **BL100** Kit: **BL101** Int.shaft: **BL500** Small parts: **BL600** Screw: **BL611**
	*Gear for KAVO ®* *Intermediate Shaft* **- BL530 Front** INTRAmatic® 25LH INTRAmatic® 25LHS INTRAmatic® 25CN INTRAmatic® 25CH **P/N BL631**	R	Rotor: **BL130** Kit: **BL131** Idnt. shaft: **BL530** Backcap: **BL330** Idler shaft: **BL530i** Spur wheel: **BL730** Key: **BL830**
	*Gear for KAVO ®* *Intermediate Shaft* **- BL530 Rear** INTRAmatic® 25LH INTRAmatic® 25LHS INTRAmatic® 25CN INTRAmatic® 25CH **P/N BL632**	R	Rotor: **BL130** Kit: **BL131** Idnt. shaft: **BL530** Backcap: **BL330** Idler shaft: **BL530i** Spur wheel: **BL730** Key: **BL830**
	*Spur Wheel for KAVO ®* INTRAmatic® 25LH INTRAmatic® 25LHC INTRAmatic® 25LHS INTRAmatic® 25LN INTRAmatic® 25CN **P/N BL730** Original 0.553.9642	R	Rotor: **BL130** Kit: **BL131** Idnt. shaft: **BL530** Backcap: **BL330** Idler shaft: **BL530i** Key: **BL830**

Contra-angle parts compatible with Kavo ®

	Models		Compatible parts
	*Gear for KAVO ®* *Intermediate Shaft* **- BL535 Front** EXPERTmatic® E25/E25L **P/N BL636**	R	Rotor: **BL135** Kit: **BL136** Idnt. shaft: **BL535** Backcap: **BL335** Spur wheel: **BL735** Key: **BL835** Fiber optic: **BF135L**
	*Spur Wheel for KAVO ®* EXPERTmatic® E25 EXPERTmatic® E25L **P/N BL735** Original 1.007.5555	R	Rotor: **BL135** Kit: **BL136** Idnt. shaft: **BL535** Backcap: **BL335** Key: **BL835** Fiber optic: **BF135L**
	*Gear for KAVO ®* *Intermediate Shaft* **- BL540 Front** GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA MASTERmatic® LUX M25L **P/N BL641**	R	Rotor: **BL140** Kit: **BL141** Int. shaft: **BL540** Backcap: **BL340** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841** Fiber optic: **BF140L**
	*Gear for KAVO ®* *Intermediate Shaft* **- BL540 Rear** GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA MASTERmatic® LUX M25L **P/N BL642**	R	Rotor: **BL140** Kit: **BL141** Int. shaft: **BL540** Backcap: **BL340** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841**
	*Spur Wheel for KAVO ®* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA MASTERmatic® LUX M25L MASTERmatic® LUX M05L **P/N BL740** Original 1.001.3071	R	Rotor: **BL140** Kit: **BL141** Int. shaft: **BL540** Backcap: **BL340** Idler shaft: **BL540i** Key: **BL840/BL841** Fiber optic: **BF140L**

> Backcap keys compatible with Kavo ®

	Models		Compatible parts
	*Key for KAVO ®* INTRAlux® 68LH INTRAlux® 67LH INTRAlux® 67LDN INTRAlux® 68LDN EXPERTmatic® E20L **P/N BL800**	**NOTE:** To open back cap and intermediate shaft screws B	
	*Key for KAVO ®* INTRAmatic® 25LH INTRAmatic® 25LHS INTRAmatic® 25CN INTRAmatic® 25CH INTRAmatic® 25LS INTRAmatic® LUX 24LN **P/N BL830** Original 0.411.0921	INTRAmatic® LUX 24LS R	Rotor: **BL130** Kit: **BL131** Idnt. shaft: **BL530** Backcap: **BL330** Idler shaft: **BL530i** Spur wheel: **BL730**
	*Key for KAVO ®* EXPERTmatic® E25 EXPERTmatic® E25L **P/N BL835** Original 1.008.2377	R	Rotor: **BL135** Kit: **BL136** Idnt. shaft: **BL535** Backcap: **BL335** Spur wheel: **BL735** Fiber optic: **BF135L**
	*Key for KAVO ®* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA MASTERmatic® LUX M25L **P/N BL840** Original 1.001.3288	**NOTE:** One side for original backcap crown 1.001.3284, other side for BL340 crown. R	Rotor: **BL140** Kit: **BL141** Int. shaft: **BL540** Backcap: **BL340** Idler shaft: **BL540i** Fiber optic: **BF140L**

	Models		Compatible parts
	*Ejector for KAVO ®* GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA MASTERmatic® LUX M25L **P/N BL841** Original 1.001.3286	R	Rotor: **BL140** Kit: **BL141** Int. shaft: **BL540** Backcap: **BL340** Idler shaft: **BL540i** Fiber optic: **BF140L**
	*Key for KAVO ®* INTRA® LUX CL3 **P/N BL880** Original 0.540.4012	G	Rotor: **BL180** Kit: **BL181** Int. shaft: **BL580** Backcap: **BL380**

> Repair tools compatible with Kavo ® *other tools, adhesives, etc look in "General repair tools">>>

	Models		Compatible parts
	*Back key for KAVO ®* suitable to open the rear threaded ring 0.524.4062 **P/N BL8050** Original 0.411.1881	B G R	Many types
COMING SOON	*Tension sleeve for KAVO ®* suitable to release the insert from elbow sleeve **P/N BL8100** Original 0.411.4451	B G R	Many types
COMING SOON	*Assembly pliers for KAVO ®* suitable to twist the sleeves or inserts **P/N BL8150** Original 0.411.2421	B G R	Many types
COMING SOON	*Circlip pliers for KAVO ®* suitable to hold the handpiece sleeve **P/N BL8200** Original 0.411.3921	B G R	Many types
NEW 	Torque wrench Wera ® - 0,3-1,2Nm **P/N RPTW1**		
NEW 	Torque wrench Wera ® - 1,2-3Nm **P/N RPTW2**		

Contra-angle parts compatible with W&H ®

> Rotors and drive kits compatible with W&H ®

	Models		Compatible parts
	*Complete Head Gear for W&H ®* Alegra® WE-56 Alegra® WE-56E Alegra® WE-66 LED G **NOTE:** Old model **P/N CL100** Original 05843300	B	⊕ Bearings: **120L/120L** Kit: **CL101** Int. shaft: **CL500** Backcap: **CL300** Key: **CL800** Gear: **CL621/CL622** O-rings: **O603**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Alegra® WE-56 Alegra® WE-56E **NOTE:** Old model **P/N CL101** Original 05843300 + 05852500	B	⊕ Rotor: **CL100** ⊕ Int. shaft: **CL500** Backcap: **CL300** Key: **CL800** Gear: **CL621/CL622** O-rings: **O603**
	*Complete Head Gear for W&H ®* Alegra® WE-56 Alegra® WE-56T **NOTE:** New model **P/N CL102** Original 07539000	B	⊕ Bearings: **100L/100L** Kit: **CL103** Int. shaft: **CL502** Backcap: **CL302** Key: **CL800**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Alegra® WE-56 Alegra® WE-56T **NOTE:** New model **P/N CL103** Original 07539000 + 07250900	B	⊕ Rotor: **CL102** ⊕ Int. shaft: **CL502** Backcap: **CL302** Key: **CL800**
	*Complete Head Gear for W&H ®* Alegra® WE-56 LED Alegra® WE-56A **P/N CL130** Original 05844400	B	⊕ Bearings: **120L/120L** Kit: **CL131** Int. shaft: **CL530** Backcap: **CL300** Key: **CL800** O-rings: **O603**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Alegra® WE-56 LED Alegra® WE-56A **P/N CL131** Original 05844400 + 05844300	B	⊕ Rotor: **CL130** ⊕ Int. shaft: **CL530** Backcap: **CL300** Key: **CL800** O-rings: **O603**
	*Complete Head Gear for W&H ®* Trend® WD-56 **NOTE:** Supplied with backcap CL305. **P/N CL105** Original 03425000	B	⊕ Bearings: **120L/120L** ⊕ Backcap: **CL305** Kit: **CL106** Int. shaft: **CL505** Key: **CL805**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Trend® WD-56 **NOTE:** Supplied with backcap CL305. **P/N CL106** Original 03425000 + 03403500	B	⊕ Rotor: **CL105** ⊕ Int. shaft: **CL505** ⊕ Backcap: **CL305** Key: **CL805**
	*Complete Head Gear for W&H ®* RC-58 **P/N CL110**	B	Kit: **CL111** Int. shaft: **CL510**

	Models		Compatible parts
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* RC-58 **P/N CL111**	B	⊕ Rotor: **CL110** ⊕ Int. shaft: **CL510**
	*Complete Head Gear for W&H ®* 956LT Synea® WA-56/WA-56LT *till 2007 **P/N CL107** Original 03819000	B	⊕ Bearings: **120L/120L** Kit: **CL108** Int. shaft: **CL507** Backcap: **CL307** Key: **CL805**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Synea® WA-56/WA-56LT *till 2007 **P/N CL108** Original 03819000 + 03821000	B	⊕ Rotor: **CL107** ⊕ Int. shaft: **CL507** Backcap: **CL307** Key: **CL805**
	*Complete Head Gear for W&H ®* Synea® WA-56/WA-56LT *from 2007 Synea® WA-66/WA-66A/WA-66LT *from 2007 Synea® Vision WK-56 SN < 04013 Synea® Vision WK-66 SN < 01906 **P/N CL120** Original 05431100	B	⊕ Bearings: **550L/550L** Kit: **CL121** Int. shaft: **CL520** Backcap: **CL320** Key: **CL820** Fibre optic: **CF150L/CF135L**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Synea® WA-56//WA-56LT *from 2007 Synea® Vision WK-56 SN < 04013 **P/N CL121** Original 05431100 + 05233200	B	⊕ Rotor: **CL120** ⊕ Int. shaft: **CL520** Backcap: **CL320** Key: **CL820** Fibre optic: **CF150L**
	*Complete Head Gear for W&H ®* Fusion® WG-56LT SN < 014633 Fusion® WG-66LT SN < 002950 **P/N CL117** Original 06994300	B	⊕ Bearings: **100L/550L** Kit: **CL118** Int. shaft: **CL520** Backcap: **CL320** Key: **CL820** Fibre optic: **CF150L**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Fusion® WG-56LT SN < 014633 **P/N CL118** Original 06994300 + 05233200	B	⊕ Rotor: **CL117** ⊕ Int. shaft: **CL520** Backcap: **CL320** Key: **CL820** Fibre optic: **CF150L**
	*Complete Head Gear for W&H ®* Fusion® WG-56LT SN > 014634 **P/N CL122** Original 07605900	B	⊕ Bearings: **550L/550L** Kit: **CL123** Int. shaft: **CL522** Backcap: **CL320** Key: **CL820** Fibre optic: **CF135L**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Fusion® WG-56LT SN > 014633 **P/N CL123** Original 07605900 + 06796000	B	⊕ Rotor: **CL122** ⊕ Int. shaft: **CL522** Backcap: **CL320** Key: **CL820** Fibre optic: **CF135L**
	*Complete Head Gear for W&H ®* Vision® WK-56LT SN > 04014 Vision® WK-56S **P/N CL112** Original 07312400	B	⊕ Bearings: **550L/550L** Kit: **CL113** Int. shaft: **CL522** Backcap: **CL320** Key: **CL820** Fibre optic: **CF135L**

Contra-angle parts compatible with W&H ®

	Models		Compatible parts
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Vision® WK-56LT SN > 04014 Vision® WK-56S **P/N CL113** Original 07312400 + 06796000	B	⊕ Rotor: **CL112** ⊕ Int. shaft: **CL522** Backcap: **CL320** Key: **CL820** Fibre optic: **CF135L**
	*Complete Head Gear for W&H ®* Alegra® WE-99A Alegra® WE-99 LED G **P/N CL115** Original 05846100	R	⊕ Bearings: **566L/566L** Kit: **CL116** Int. shaft: **CL515** Backcap: **CL315** Key: **CL800** Spur wheel: **CL715** O-rings: **O603**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Alegra® WE-99A Alegra® WE-99 LED G **P/N CL116** Original 05846100 + 05845500	R	⊕ Rotor: **CL115** ⊕ Int. shaft: **CL515** Backcap: **CL315** Key: **CL800** Spur wheel: **CL715** O-rings: **O603**
	*Complete Head Gear for W&H ®* Synea® WA-99LT *till 2007 Synea® WA-99A *till 2009 **NOTE:** Hanpiece has 2 red rings, 3-port spray. **P/N CL127** Original 04517200	R	⊕ Bearings: **566L/566L** Kit: **CL128** Int. shaft: **CL527** Backcap: **CL327** Key: **CL805** Spur wheel: **CL727** Fibre optic: **CF150L** O-rings: **O603/O604**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Synea® WA-99LT *till 2007 Synea® WA-99A *till 2009 **NOTE:** Hanpiece has 2 red rings, 3-port spray. **P/N CL128** Original 04517200 + 03816000	R	⊕ Rotor: **CL127** ⊕ Int. shaft: **CL527** Backcap: **CL327** Key: **CL805** Spur wheel: **CL727** Fibre optic: **CF150L** O-rings: **O603/O604**
	*Complete Head Gear for W&H ®* Synea® WA-99LT *from 2007 Synea® WA-99A *from 2009 **NOTE:** Hanpiece has 1 red ring, 5-port spray. **P/N CL125** Original 05220300	R	⊕ Bearings: **565L/770L** Kit: **CL126** Int. shaft: **CL525** Backcap: **CL325** Key: **CL825** Spur wheel: **CL725** Fibre optic: **CF150L** O-rings: **O604**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Synea® WA-99LT *from 2007 Synea® WA-99A *from 2009 **NOTE:** Hanpiece has 1 red ring, 5-port spray. **P/N CL126** Original 05220300 + 06420900	R	⊕ Rotor: **CL125** ⊕ Int. shaft: **CL525** Backcap: **CL325** Key: **CL825** Spur wheel: **CL725** Fibre optic: **CF150L** O-rings: **O604**
	*Complete Head Gear for W&H ®* Fusion® WG-99LT SN < 007801 Fusion® WG-99 LED G SN < 007801 Fusion® WG-99 A SN < 001818 **P/N CL132** Original 06993900	R	⊕ Bearings: **566L/566L** Kit: **CL133** Int. shaft: **CL525** Backcap: **CL315** Key: **CL800** Spur wheel: **CL715** Fibre optic: **CF150L** O-rings: **O603**
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Fusion® WG-99LT SN < 007801 Fusion® WG-99 LED G SN < 007801 **P/N CL133** Original 06993900	R	⊕ Rotor: **CL132** ⊕ Int. shaft: **CL525** Backcap: **CL315** Key: **CL800** Spur wheel: **CL715** Fibre optic: **CF150L** O-rings: **O603**
	*Complete Head Gear for W&H ®* Fusion® WG-99LT SN > 007802 Vision® WK-99LT SN > 01001 Fusion® WG-99 A SN > 001818 **P/N CL135** Original 07473400	R	⊕ Bearings: **565L/565L** Kit: **CL136** Int. shaft: **CL535** Backcap: **CL335** Key: **CL825** Spur wheel: **CL735** Fibre optic: **CF135L**

	Models		Compatible parts
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* Fusion® WG-99LT SN > 007802 Vision® WK-99LT SN > 01001 **P/N** **CL136** Original 07473400 + 06579200	R	⊕ Rotor: **CL135** ⊕ Int. shaft: **CL535** Backcap: **CL335** Key: **CL825** Spur wheel: **CL735** Fibre optic: **CF135L**
	*Complete Head Gear for W&H ®* WI-75 E/KM WI-75 LED G WS-75 E/KM SN > 030000 WS-75 L G WS-75 LED G WS-75 L G **P/N** **CL140** Original 04939900	**NOTE:** New teeth shape on head gear and intermediate shaft. Replace rotor and intermediate shaft for handpieces older than 03/2012. Consult tech info.	G	⊕ Bearings: **580L/580L** Kit: **CL141/CL142** Int. shaft: **CL540/CL541** Backcap: **CL350** Key: **CL850** **Tech info** 0201
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* WI-75 E/KM WI-75 LED G **NOTE:** New teeth shape on head gear and intermediate shaft. **P/N** **CL141** Original 04939900 + 04667600	Replace rotor, intermediate shaft and backcap for handpieces older than 03/2012. Consult tech info.	G	⊕ Rotor: **CL140** ⊕ Int. shaft: **CL540** Backcap: **CL350** Key: **CL850** **Tech info** 0201
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* WS-75 LED G **NOTE:** New teeth shape on head gear and intermediate shaft. **P/N** **CL142** Original 04939900 + 06025100	Replace rotor, intermediate shaft and backcap for handpieces older than 03/2012. Consult tech info.	G	⊕ Rotor: **CL140** ⊕ Int. shaft: **CL545** Backcap: **CL350** Key: **CL850** **Tech info** 0201
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* WS-75 E/KM SN > 30000 **P/N** **CL143** Original 04939900 + 04948000		G	⊕ Rotor: **CL140** ⊕ Int. shaft: **CL555** Backcap: **CL350** Key: **CL850**
	*Complete Head Gear for W&H ®* WS-75 E/KM SN < 25335 **NOTE:** New teeth shape on head gear and intermediate shaft. **P/N** **CL150** Original 05101300	Replace rotor, intermediate shaft and backcap for handpieces older than 03/2012. Consult tech info.	G	⊕ Bearings: **580L/580L** Kit: **CL151** Int. shaft: **CL550** Backcap: **CL350** Key: **CL850** **Tech info** 0201
	*Drive Kit for W&H ®* *Complete Head Gear + Intermediate Shaft* WS-75 E/KM SN < 25335 **NOTE:** New teeth shape on head gear and intermediate shaft. **P/N** **CL151** Original 05101300 + 04016900	Replace rotor, intermediate shaft and backcap for handpieces older than 03/2012. Consult tech info.	G	⊕ Rotor: **CL150** ⊕ Int. shaft: **CL550** Backcap: **CL350** Key: **CL850** **Tech info** 0201

> Backcaps compatible with W&H ®

	Models		Compatible parts
	*Backcap for W&H ®* Alegra® WE-56/56A/56E Alegra® WE-56 LED **NOTE:** Old model **P/N** **CL300** Original 05843800	B	Rotor: **CL100/CL130** Kit: **CL101/CL131** Int. shaft: **CL500/CL530** Key: **CL800** Gear: **CL621/CL622** O-rings: **O603**

Contra-angle parts compatible with W&H ®

	Models		Compatible parts
	*Backcap for W&H ®* Alegra® WE-56 Alegra® WE-56T **NOTE:** New model **P/N CL302** Original 06993800	B	Rotor: **CL102** Kit: **CL103** Int. shaft: **CL502** Key: **CL800**
	*Backcap for W&H ®* Trend® WD-56 **P/N CL305** Original 03424700	B	Rotor: **CL105** Kit: **CL106** Int. shaft: **CL505** Key: **CL805**
	*Backcap for W&H ®* Synea® WA-56LT *till 2007 **P/N CL307** Original 05345200	B	Rotor: **CL107** Kit: **CL108** Int. shaft: **CL507** Key: **CL805** O-rings: **O603**
	*Backcap for W&H ®* Synea® WA-56/56LT *from 2007 Synea® WA-66LT *from 2007 Synea® Vision® WK-56LT SN > 04014 Synea® Vision WK-56 SN < 04013 Fusion® WG-56LT SN < 014633 & > 014634 Fusion® WG-66LT SN < 002950 & > 002951 **P/N CL320** Original 05112800 + 03819600 + 04952800 + 05280400	B G	Rotor: **CL120/CL117/CL122/CL112** Kit: **CL121/CL118/CL123/CL113** Int. shaft: **CL520/CL523/CL522** Key: **CL820** Fibre optic: **CF150L/CF135L**
	*Backcap for W&H ®* Alegra® WE-99A Alegra® WE-99 LED G Fusion® WG-99LT SN < 007801 Fusion® WG-99 LED G SN < 007801 **P/N CL315** Original 05846000	R	Rotor: **CL115/CL132** Kit: **CL116/CL133** Int. shaft: **CL515/CL525** Key: **CL800** Spur wheel: **CL715** Fibre optic: **CF150L** O-rings: **O603**
	*Backcap for W&H ®* Synea® WA-99A/99LT *till 2007 **P/N CL327** Original 04943000	R	Rotor: **CL127** Kit: **CL128** Int. shaft: **CL527** Key: **CL805** Spur wheel: **CL727** Fibre optic: **CF150L** O-rings: **O603/O604**
	*Backcap for W&H ®* Synea® WA-99A/99LT *from 2007 **P/N CL325** Original 07771800 / 07771700 / 04952800	R	Rotor: **CL125** Kit: **CL126** Int. shaft: **CL525** Key: **CL825** Spur wheel: **CL725** Fibre optic: **CF150L** O-rings: **O604**
	*Backcap for W&H ®* Fusion® WG-99LT SN > 007802 Vision® WK-99LT SN > 01001 Fusion® WG-99 A SN > 001819 **P/N CL335** Original 07430500	R	Rotor: **CL135** Kit: **CL136** Int. shaft: **CL535** Key: **CL825** Spur wheel: **CL735** Fibre optic: **CF135L**
	*Backcap for W&H ®* WS-75 WS-75 E/KM SN < 025335 WS-75 E/KM SN > 030000 WI-75 E/KM WI-75 LED G WS-75 LED G **P/N CL350** Original 04940500	G	Rotor: **CL140/CL150** Kit: **CL141/CL142/CL151** Int. shaft: **CL40/CL545/CL550** Key: **CL850**

> Intermediate shafts compatible with W&H ®

	Models		Compatible parts
	*Intermediate Shaft for W&H ®* Alegra® WE-56 Alegra® WE-56E **NOTE:** Old model **P/N CL500** Original 05852500	B	Rotor: **CL100** Kit: **CL101** Backcap: **CL300** Key: **CL800** Gear: **CL621/CL622** O-rings: **O603**
	*Intermediate Shaft for W&H ®* Alegra® WE-56 Alegra® WE-56T **NOTE:** New model **P/N CL502** Original 07250900	B	Rotor: **CL102** Kit: **CL103** Backcap: **CL302** Key: **CL800**
	*Intermediate Shaft for W&H ®* Alegra® WE-56 LED Alegra® WE-56A **P/N CL530** Original 05844300	B	Rotor: **CL130** Kit: **CL131** Backcap: **CL300** Key: **CL800** O-rings: **O603**
	*Intermediate Shaft for W&H ®* Trend® WD-56 **P/N CL505** Original 03403500	B	Rotor: **CL102** Kit: **CL106** Backcap: **CL305** Int. shaft: **CL505** Key: **CL805**
	*Intermediate Shaft for W&H ®* RC-58 **P/N CL510**	B	Rotor: **CL110** Kit: **CL111**
	*Intermediate Shaft for W&H ®* Synea® WA-56LT *till 2007 **P/N CL507** Original 03821000	B	Rotor: **CL107** Kit: **CL108** Backcap: **CL307** Int. shaft: **CL505** Key: **CL805** Fibre optic: **CF150L** O-rings: **O603**
	*Intermediate Shaft for W&H ®* Synea® WA-56/WA-56LT *from 2007 Fusion® WG-56LT SN < 014633 Synea® Vision WK-56 SN < 04013 **P/N CL520** Original 05233200	B	Rotor: **CL120/CL117** Kit: **CL121/CL118** Backcap: **CL320** Key: **CL820** Fibre optic: **CF150L**
	*Intermediate Shaft for W&H ®* Fusion® WG-56LT SN > 014634 Vision® WK-56LT SN > 04014 Vision® WK-56S **P/N CL522** Original 06796000	B	Rotor: **CL122** Kit: **CL123** Backcap: **CL320** Key: **CL820** Fibre optic: **CF135L**
	*Intermediate Shaft for W&H ®* Alegra® WE-99A Alegra® WE-99 LED G Fusion® WG-99LT SN < 007801 Fusion® WG-99 LED G SN < 007801 **P/N CL515** Original 05845500	R	Rotor: **CL115** Kit: **CL116** Backcap: **CL315** Key: **CL800** Spur wheel: **CL715** O-rings: **O603**

Contra-angle parts compatible with W&H ®

	Models		Compatible parts
	*Intermediate Shaft for W&H ®* Synea® WA-99LT *till 2007 **P/N CL527** Original 03816000	R	Rotor: **CL127** Kit: **CL128** Backcap: **CL327** Key: **CL805** Spur wheel: **CL727** Fibre optic: **CF150L** O-rings: **O603/O604**
	*Intermediate Shaft for W&H ®* Synea® WA-99LT *from 2007 Fusion® WG-99LT SN < 007801 Fusion® WG-99A SN < 001818 **P/N CL525** Original 06420900	R	Rotor: **CL125** Kit: **CL126** Backcap: **CL325/CL315** Key: **CL825/CL800** Spur wheel: **CL725** Fibre optic: **CF150L** O-rings: **O604**
	*Intermediate Shaft for W&H ®* Fusion® WG-99LT SN > 007802 Vision® WK-99LT SN > 01001 Fusion® WG-99 A SN > 001819 **P/N CL535** Original 06579200	R	Rotor: **CL135** Kit: **CL136** Backcap: **CL335** Key: **CL825** Spur wheel: **CL735** Fibre optic: **CF135L**
	*Intermediate Shaft for W&H ®* Synea® WA-66LT *from 2007 **P/N CL523** Original 05273000	G	Rotor: **CL120** Kit: **CL121** Backcap: **CL320** Key: **CL820** Fibre optic: **CF150L**
	*Intermediate Shaft for W&H ®* WI-75 E/KM WI-75 LED G **NOTE:** New teeth shape on head gear and intermediate shaft. **P/N CL540** Original 04667600	Replace rotor, intermediate shaft and backcap for handpieces older than 03/2012. Consult tech info.	G	Rotor: **CL140** Kit: **CL141** Backcap: **CL350** Key: **CL850** **Tech info** 0201
	*Intermediate Shaft for W&H ®* WS-75 LED G **NOTE:** New teeth shape on head gear and intermediate shaft. **P/N CL545** Original 06025100	Replace rotor, intermediate shaft and backcap for handpieces older than 03/2012. Consult tech info.	G	Rotor: **CL140** Kit: **CL142** Backcap: **CL350** Key: **CL850** **Tech info** 0201
	*Intermediate Shaft for W&H ®* WS-75 E/KM SN < 25335 **NOTE:** New teeth shape on head gear and intermediate shaft. **P/N CL550** Original 04016900	Replace rotor, intermediate shaft and backcap for handpieces older than 03/2012. Consult tech info.	G	Rotor: **CL150** Kit: **CL151** Backcap: **CL350** Key: **CL850** **Tech info** 0201
	*Intermediate Shaft for W&H ®* WS-75 E/KM SN > 30000 **P/N CL555** Original 04948000	G	Rotor: **CL140** Kit: **CL143** Backcap: **CL350** Key: **CL850**

> Gears and spur wheels compatible with W&H ® *other tools, adhesives, etc look in "General repair tools"

	Models		Compatible parts
	*Gear for* W&H ® *Intermediate Shaft* **- CL500 Front** Alegra® WE-56 Alegra® WE-56E **P/N CL621**	B	Rotor: **CL100** Kit: **CL101** Backcap: **CL300** Int. shaft: **CL500** Key: **CL800** O-rings: **O603**

	*Gear for* W&H ® *Intermediate Shaft* **- CL500 Rear** Alegra® WE-56 Alegra® WE-56E **P/N CL622**	B	Rotor: **CL100** Kit: **CL101** Backcap: **CL300** Int. shaft: **CL500** Key: **CL800** O-rings: **O603**
	*Spur wheel* Alegra® WE-99A Alegra® WE-99 LED G Fusion® WG-99LT SN < 007801 Fusion® WG-99 LED G SN < 007801 **P/N CL715** Original 05290000	R	Rotor: **CL115/CL132** Kit: **CL116/CL133** Int. shaft: **CL515/CL525** Backcap: **CL315** Key: **CL800** Fibre optic: **CF150L** O-rings: **O603**
	*Spur wheel* Synea® WA-99LT *till 2007 **P/N CL727** Original 03815800	R	Rotor: **CL127** Kit: **CL128** Int. shaft: **CL527** Backcap: **CL327** Key: **CL805** Fibre optic: **CF150L** O-rings: **O603/O604**
	*Spur wheel* Synea® WA-99LT *from 2007 **P/N CL725** Original 06419200	R	Rotor: **CL125** Kit: **CL126** Int. shaft: **CL525** Backcap: **CL325** Key: **CL825** Fibre optic: **CF150L** O-rings: **O604**
	*Spur wheel* Fusion® WG-99LT SN > 007802 Vision® WK-99LT SN > 01001 **P/N CL735** Original 06503000	R	Rotor: **CL135** Kit: **CL136** Int. shaft: **CL535** Backcap: **CL335** Key: **CL825** Fibre optic: **CF135L**

> Backcap keys compatible with W&H ®

	Models		Compatible parts
	*Key for W&H ®* Alegra® WE-56/56A/56E **NOTE:** Old model Alegra® WE-56/WE-56T **NOTE:** New model Alegra® WE-56LED Alegra® WE-99A **P/N CL800** Original C-1077	Alegra® WE-99 LED G Fusion® WG-99LT SN < 007801 Fusion® WG-99 LED G SN < 007801	B R	Rotor: **CL100/CL102/CL130/CL115/CL132** Kit: **CL101/CL103/CL131/CL116/CL133** Int. shaft: **CL500/CL502/CL515/CL530** Backcap: **CL300/CL302/CL315** Spur wheel: **CL715** Gear: **CL621/CL622** O-rings: **O603**
	*Key for W&H ®* Trend® WD-56 Synea® WA-56LT *till 2007 Synea® WA-99A/99LT *till 2007 **P/N CL805** Original C-549		B R	Rotor: **CL105/CL107/CL127** Kit: **CL106/CL108/CL128** Int. shaft: **CL505/CL507/CL527** Backcap: **CL305/CL307/CL327** Spur wheel: **CL727** Fibre optic: **CF150L** O-rings: **O603/O604**
	*Key for W&H ®* Synea® WA-56/56LT *from 2007 Synea® WA-66LT *from 2007 Vision® WK-56LT *all SN Vision® WK-56S Fusion® WG-56LT SN < 014633 Fusion® WG-56LT SN > 014633 **P/N CL820** Original C-1046		B G	Rotor: **CL120/CL117/CL122/CL112** Kit: **CL121/CL118/CL123/CL113** Int. shaft: **CL520/CL523/CL522** Backcap: **CL320** Fibre optic: **CF150L/CF135L**
	*Key for W&H ®* Synea® WA-99A/99LT *from 2007 Fusion® WG-99LT SN > 007802 Vision® WK-99LT SN > 01001 **P/N CL825** Original C-1099		R	Rotor: **CL125** Kit: **CL126** Int. shaft: **CL525** Backcap: **CL325/CL335** Spur wheel: **CL725** Fibre optic: **CF150L** O-rings: **O604**

	*Key for W&H ®* WS-75 WS-75 E/KM SN < 025335 WS-75 E/KM SN > 30000 WI-75 E/KM WI-75 LED G WS-75 LED G **P/N CL850** Original C-712	G	Rotor: **CL140/CL150** Kit: **CL141/CL142/CL151** Int. shaft: **CL40/CL545/CL550**

> Repair tools compatible with W&H ® *other tools, adhesives, etc look in "General repair tools">>>

	Models		Compatible parts
NEW 	*Holder for* W&H ® *- to hold parts and handpieces for ass- /diassem-bling* **P/N CL8000** Original C-57	B G R	Many types
NEW 	*Socket screw wrench for W&H ®* *- to unscrew the spray screw* **P/N CL8050** Original C-1048	B G R	Many types
NEW 	*Socket screw wrench for W&H ®* *- to unscrew the spray screw* **P/N CL8100** Original C-1049	B G R	Many types
NEW 	*Fixture sheath for W&H ®* *- to release the spray plate* **NOTE:** Use together with CL8200 **P/N CL8150** Original C-102401	B G R	Many types
NEW 	*Expanding mandrel for W&H ®* *- to release the spray plate* **NOTE:** Use together with CL8150 **P/N CL8200** Original C-102403	B R G	Many models
	*Back key for W&H ®* - to open the nut 07261400 Synea® WA-56/66/86/99 Fusion® WG-56/66/99 Vision® WK-56/66/93/99 **P/N CL8300** Original C-1176	B G R	Many types
	*Back key for W&H ®* - to open the screw ring 06410600 Synea® WA-56/66/86/99 Fusion® WG-56/66/99 Vision® WK-56/66/93/99 **P/N CL8350** Original C-1178	B G R	Many types

> Rotors and drive kits compatible with Bien Air ®

	Models		Compatible parts
	*Complete Head Gear for BIEN AIR ®* CA 1:1/1:1 L **P/N DL120** Original 1501085	B	⊕ Bearings: **100L/340L** Kit: **DL121** Int. shaft: **DL520** Backcap: **DL320** Key: **DL810**
	*Drive Kit for BIEN AIR ®* *Complete Head Gear + Intermediate Shaft* CA 1:1/1:1 L **P/N DL121** Original 1501085 + 1501083	B	⊕ Rotor: **DL120** ⊕ Int. shaft: **DL520** Backcap: **DL320** Key: **DL810**
	*Complete Head Gear for BIEN AIR ®* CA 1:5 L **NOTE:** Install only with washers supplied together with the head gear. **P/N DL110** Original 1501933	R	⊕ Bearings: **620L/620L** Kit: **DL111** Int. shaft: **DL510** Backcap: **DL310** Key: **DL810**
	*Drive Kit for BIEN AIR ®* *Complete Head Gear + Intermediate Shaft* CA 1:5 L **NOTE:** Install only with washers supplied together with the head gear. **P/N DL111** Original 1501933 + 1500169	R	⊕ Rotor: **DL110** ⊕ Int. shaft: **DL510** Backcap: **DL310** Key: **DL810**
NEW 	*Complete Head Gear for BIEN AIR ®* CA EVO 1:5 L **P/N DL140** Original 1502645	R	⊕ Bearings: **611L/611L** Kit: **DL141** Int. shaft: **DL540** Backcap: **DL340**
NEW 	*Drive Kit for BIEN AIR ®* *Complete Head Gear + Intermediate Shaft* CA EVO 1:5 L **P/N DL141** Original 1502645 + 1502110	R	⊕ Rotor: **DL140** ⊕ Int. shaft: **DL540** Backcap: **DL340**
	*Complete Head Gear for BIEN AIR ®* CA 20:1/20:1 L **P/N DL130** Original 1501898	G	⊕ Bearings: **660L/670L** Kit: **DL131** Int. shaft: **DL523** Backcap: **DL330** Key: **DL810**
	*Drive Kit for BIEN AIR ®* *Complete Head Gear + Intermediate Shaft* CA 20:1/20:1 L **P/N DL131** Original 1501898 + 1501026	G	⊕ Rotor: **DL130** ⊕ Int. shaft: **DL530** Backcap: **DL330** Key: **DL810**

Contra-angle parts compatible with **BIEN AIR ®**

> Backcaps compatible with Bien Air ®

	Models		Compatible parts
	*Backcap for BIEN AIR ®* CA 1:1/1:1 L **P/N DL320** Original 1500550	B	Rotor: **DL120** Kit: **DL121** Int. shaft: **DL520** Key: **DL810**
	*Backcap for BIEN AIR ®* CA 1:5 L **P/N DL310** Original 1500169	R	Rotor: **DL110** Kit: **DL111** Int. shaft: **DL510** Key: **DL810**
NEW 	*Backcap for BIEN AIR ®* CA EVO 1:5 L **P/N DL340** Original 1502110	R	Rotor: **DL140** Kit: **DL141** Int. shaft: **DL540**
	*Backcap for BIEN AIR ®* CA 20:1/20:1 L **P/N DL330** Original 1501027	G	Rotor: **DL130** Kit: **DL131** Int. shaft: **DL530** Key: **DL810**

> Intermediate shafts compatible with Bien Air ®

	Models		Compatible parts
	*Intermediate Shaft for BIEN AIR ®* CA 1:1/1:1 L **P/N DL520** Original 1501083	B	Rotor: **DL120** Kit: **DL121** Backcap: **DL320** Key: **DL810**
	*Intermediate Shaft for BIEN AIR ®* CA 1:5 L **P/N DL510** Original 1500057	R	Rotor: **DL110** Kit: **DL111** Backcap: **DL310** Key: **DL810**
	*Intermediate Shaft for BIEN AIR ®* CA EVO 1:5 L **P/N DL540** Original 1502110	R	Rotor: **DL140** Kit: **DL141** Backcap: **DL340**

	Models		Compatible parts
	*Intermediate Shaft for BIEN AIR ®* CA 20:1/20:1 L **P/N DL530** Original 1501026	G	Rotor: **DL130** Kit: **DL131** Backcap: **DL330** Key: **DL810**

> Gears compatible with Bien Air ®

	Models		Compatible parts
	*Gear for BIEN AIR ®* *Intermediate Shaft* **- DL510 Front** CA 1:5 L **P/N DL611**	R	Rotor: **DL110** Kit: **DL111** Int. shaft: **DL510** Backcap: **DL310** Key: **DL810**

> Keys and tools compatible with Bien Air ®

	Models		Compatible parts
	*Key for BIEN AIR ®* CA 1:1/1:1 L CA 1:5 L CA 20:1/20:1 L **P/N DL810** Original 3600083	B R G	Rotor: **DL110/DL120/DL130** Kit: **DL111/DL121/DL131** Backcap: **DL310/DL320/DL330** Int. shaft: **DL510/DL520/DL530** Gear: **DL611**



> Heads and head shells compatible with NSK ®

	Models		Compatible parts
	*Complete Head for NSK ®* S-Max M25/M25L **NOTE:** Model till SN A__ **P/N IL010**	B	⊕ Head shell: **IL010-1** ⊕ Head gear: **IL110** ⊕ Int. shaft: **IL510** ⊕ Backcap: **IL310** Key: **IL800** Fibre optic: **IF110L**
	*Head Shell for NSK ®* S-Max M25/M25L **NOTE:** Model till SN A__ **P/N IL010-1** Original 10000573	B	Head: **IL010** Head gear: **IL110** Int. shaft: **IL510** Backcap: **IL310** Key: **IL800** Fibre optic: **IF110L**
	*Complete Head for NSK ®* S-Max M95/M95L **P/N IL060**	R	⊕ Head shell: **IL060-1** ⊕ Head gear: **IL160** ⊕ Int. shaft: **IL560** ⊕ Backcap: **IL360** Key: **IL800** Fibre optic: **IF110L**
	*Head Shell for NSK ®* S-Max M95/M95L **P/N IL060-1** Original 10000558	R	Head: **IL060** Head gear: **IL160** Int. shaft: **IL560** Backcap: **IL360** Key: **IL800** Fibre optic: **IF110L**

> Rotors and drive kits compatible with NSK ®

	Models		Compatible parts
	*Complete Head Gear for NSK ®* FPB-Y head Ti-Max Ti25/Ti25L Ti-Max Ti15/Ti15L **P/N IL100** Original C875060	B	⊕ Bearings: **120L/120L** Kit **IL101/IL102** Backcap: **IL300** Int. shaft: **IL500/IL501** Fibre optic: **IF120L** Key: **IL800**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* FPB-Y head **P/N IL101** Original C875060 + C875012	B	⊕ Rotor: **IL100** ⊕ Int. shaft: **IL500** Backcap: **IL300** Key: **IL800**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* Ti-Max Ti25/Ti25L **P/N IL102** Original C875060 + C880022	B	⊕ Rotor: **IL100** ⊕ Int. shaft: **IL501** Backcap: **IL300** Fibre optic: **IF120L** Key: **IL800**

Contra-angle parts compatible with NSK ®

	Models		Compatible parts
	*Complete Head Gear for NSK ®* S-Max M25/M25L **NOTE:** Model till SN A__ **P/N IL110** Original C601015	B	⊕ Bearings: **120L/120L** Head: **IL010** Kit **IL111** Backcap: **IL310** Int. shaft: **IL510** Key: **IL800** Spur wheel: **IL710** Fibre optic: **IF110L**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* S-Max M25/M25L **NOTE:** Model till SN A__ **P/N IL111** Original C601015 + 10000574	B	⊕ Rotor: **IL110** ⊕ Int. shaft: **IL510** Backcap: **IL310** Key: **IL800** Spur wheel: **IL710** Fibre optic: **IF110L**
	*Complete Head Gear for NSK ®* S-Max M25/M25L **NOTE:** Model from SN A__ **P/N IL125** Original C1038015	B	⊕ Bearings: **120L/120L** Kit **IL112** Backcap: **IL311** Int. shaft: **IL511** Key: **IL800**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* S-Max M25/M25L **NOTE:** Model from SN A__ **P/N IL112** Original C1038015+C1142022	B	⊕ Rotor: **IL125** ⊕ Int. shaft: **IL511** Backcap: **IL311** Key: **IL800**
	*Complete Head Gear for NSK ®* Ti-Max X25/X25L Ti-Max X15/X15L **P/N IL120** Original C601015	B	⊕ Bearings: **120L/120L** Kit **IL121** Backcap: **IL310** Int. shaft: **IL520** Key: **IL800** Spur wheel: **IL720** Fibre optic: **IF110L**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* Ti-Max X25/X25L **P/N IL121** Original C601015+ C601022	B	⊕ Rotor: **IL120** ⊕ Int. shaft: **IL520** Backcap: **IL310** Key: **IL800** Spur wheel: **IL720** Fibre optic: **IF110L**
	*Complete Head Gear for NSK ®* Ti-Max Z25/Z25L Ti-Max Z15/Z15L **P/N IL125** Original C1038015	B	⊕ Bearings: **120L/120L** Kit **IL126** Backcap: **IL325** Int. shaft: **IL525** Key: **IL800** Spur wheel: **IL725** Fibre optic: **IF100L**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* Ti-Max Z25/Z25L Ti-Max Z15/Z15L **P/N IL126** Original C1038015+C1038022	B	⊕ Rotor: **IL125** ⊕ Int. shaft: **IL525** Backcap: **IL325** Key: **IL800** Spur wheel: **IL725** Fibre optic: **IF100L**
	*Complete Head Gear for NSK ®* FX15/FX25 **P/N IL105** Original C1052700	B	Kit **IL106** Backcap: **IL305** Int. shaft: **IL505** Key: **IL805**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* FX15/FX25 **P/N IL106** Original C1052700 +C10000946	B	⊕ Rotor: **IL105** ⊕ Int. shaft: **IL505** Backcap: **IL305** Key: **IL805**

	Models		Compatible parts
	*Complete Head Gear for NSK ®* BB-Y head **P/N IL140** Original C1052700	B	Kit **IL141** Int. shaft: **IL540**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* BB-Y head **P/N IL141** Original C037015+C032012	B	⊕ Rotor: **IL140** ⊕ Int. shaft: **IL540**
	*Complete Head Gear for NSK ®* NAC-Y head **P/N IL150** Original C030011	B	Kit **IL151** Int. shaft: **IL550**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* NAC-Y **P/N IL151** Original C030011+C032012	B	⊕ Rotor: **IL150** ⊕ Int. shaft: **IL550**
	*Complete Head Gear for NSK ®* Ti-Max Ti95/Ti95L **NOTE:** Model till 03/2008 **P/N IL152** Original C427015	R	⊕ Bearings: **130L/130L** Kit **IL153** Backcap: **IL352** Int. shaft: **IL552** Fibre optic: **IF120L**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* Ti-Max Ti95/Ti95L **NOTE:** Model till 03/2008 **P/N IL153** Original C427015+ C427022	R	⊕ Rotor: **IL152** ⊕ Int. shaft: **IL552** Backcap: **IL352**
	*Complete Head Gear for NSK ®* Ti-Max Ti95/Ti95L **NOTE:** Model from 03/2008 **P/N IL155** Original C448015	R	⊕ Bearings: **130L/130L** Kit **IL156** Backcap: **IL355** Int. shaft: **IL555** Spur wheel: **IL755** Fibre optic: **IF120L**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* Ti-Max Ti95/Ti95L **NOTE:** Model from 03/2008 **P/N IL156** Original C448015+ C448022	R	⊕ Rotor: **IL155** ⊕ Int. shaft: **IL555** Backcap: **IL355** Spur wheel: **IL755**
	*Complete Head Gear for NSK ®* TI-Max X95/X95L S-Max M95/M95L **P/N IL160** Original C600015	R	⊕ Bearings: **130L/130L** Kit **IL161** Backcap: **IL360/IL361** Int. shaft: **IL560/IL561** Spur wheel: **IL760** Fibre optic: **IF110L** Key: **IL800**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* S-Max M95/M95L **P/N IL161** Original C600015+10000664	R	⊕ Rotor: **IL160** ⊕ Int. shaft: **IL560** Backcap: **IL360** Fibre optic: **IF110L** Key: **IL800**

Contra-angle parts compatible with NSK ®

	Models		Compatible parts
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* Ti-Max X95/95L **P/N IL162** Original C600015+C600022	R	⊕ Rotor: **IL160** ⊕ Int. shaft: **IL561** Backcap: **IL361** Fibre optic: **IF110L** Key: **IL800**
	*Complete Head Gear for NSK ®* S-Max M95/M95L **NOTE:** Model from SN C__ **P/N IL160** Original C600F015	R	⊕ Bearings: **130L/130L** Kit **IL164** Backcap: **IL362** Int. shaft: **IL562** Key: **IL800**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* S-Max M95/M95L **NOTE:** Model from SN C__ **P/N IL164** Original C600F015 + C1141022	R	⊕ Rotor: **IL160** ⊕ Int. shaft: **IL562** Backcap: **IL362** Key: **IL800**
	*Complete Head Gear for NSK ®* Ti-Max Z95/Z95L SN > DBK30001 **NOTE:** Other SN replace with backcap IL365 **P/N IL165** Original C1034D017	R	⊕ Bearings: **780L/130L** Kit **IL166** Backcap: **IL365** Int. shaft: **IL565** Spur wheel: **IL765** Fibre optic: **IF100L** Key: **IL865**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* Ti-Max Z95/Z95L SN > DBK30001 **NOTE:** Other SN replace with backcap IL365 **P/N IL166** Original C1034D017	R	⊕ Rotor: **IL165** ⊕ Int. shaft: **IL565** Backcap: **IL365** Spur wheel: **IL765** Fibre optic: **IF100L** Key: **IL865**
	*Complete Head Gear for NSK ®* MP-F head MPA-Y head MPAS-Y head **P/N IL130** Original C521015	G	Kit **IL131** Backcap: **IL330** Int. shaft: **IL530** Key: **IL830**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* MP-F head MPA-Y head MPAS-Y head **P/N IL131** Original C521015+C547022	G	⊕ Rotor: **IL130** ⊕ Int. shaft: **IL530** Backcap: **IL330** Key: **IL830**
	*Complete Head Gear for NSK ®* S-Max SG20 Ti-Max X-SG20L Ti-Max X-DSG20L **P/N IL170** Original C1010150	G	⊕ Bearings: **660L/670L** Kit **IL171** Backcap: **IL370** Int. shaft: **IL570/IL571/IL572** Key: **IL870**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* S-Max SG20 **P/N IL171** Original C1010150 + C1010022	G	⊕ Rotor: **IL170** ⊕ Int. shaft: **IL570** Backcap: **IL370** Key: **IL870**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* Ti-Max X-SG20L **P/N IL172** Original C1010150 + C1003022	G	⊕ Rotor: **IL170** ⊕ Int. shaft: **IL571** Backcap: **IL370** Key: **IL870**

	Models		Compatible parts
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* Ti-Max X-DSG20L **P/N IL173** Original C1010150 + C1068912	G	⊕ Rotor: **IL170** ⊕ Int. shaft: **IL572** Backcap: **IL370** Key: **IL870**
	*Complete Head Gear for NSK ®* SGM-E16RI SGM-E20RI **P/N IL180** Original C293B021	G	⊕ Bearings: **Slide type** Kit **IL181** Int. shaft: **IL580**
	*Drive Kit for NSK ®* *Complete Head Gear + Intermediate Shaft* SGM-E16RI SGM-E20RI **P/N IL181** Original C293B021 + C293B031	G	⊕ Rotor: **IL180** ⊕ Int. shaft: **IL580**



> Backcaps compatible with NSK ®

	Models		Compatible parts
	*Backcap for NSK ®* FPB-Y head Ti-Max Ti25/Ti25L Ti-Max Ti15/Ti15L **P/N IL300** Original C875050	B	Rotor: **IL100** Kit **IL101/IL102** Int. shaft: **IL500** Key: **IL800**
	*Backcap for NSK ®* S-Max M25/M25L **P/N IL310** Original C601050	B	Head: **IL010** Rotor: **IL110** Kit **IL111** Int. shaft: **IL510** Key: **IL800** Spur wheel: **IL710** Fibre optic: **IF110L**
	*Backcap for NSK ®* S-Max M25/M25L **NOTE:** Model from SN A__ **P/N IL311** Original C1142050	B	Rotor: **IL125** Kit **IL112** Int. shaft: **IL512** Key: **IL800**
	*Backcap for NSK ®* Ti-Max X15/X15L Ti-Max X25/X25L **P/N IL320** Original C601050	B	Rotor: **IL120** Kit **IL121** Backcap: **IL310** Int. shaft: **IL520** Key: **IL800** Spur wheel: **IL720** Fibre optic: **IF110L**
	*Backcap for NSK ®* Ti-Max Z25/Z25L Ti-Max Z15/Z15L **P/N IL325** Original C1038050	B	Rotor: **IL125** Kit **IL126** Int. shaft: **IL525** Key: **IL800** Spur wheel: **IL725** Fibre optic: **IF100L**
	*Backcap for NSK ®* FX15/FX25/FX23 **P/N IL305** Original C1052500	B	Rotor: **IL105** Kit **IL106** Int. shaft: **IL505** Key: **IL805**
	*Backcap for NSK ®* Ti-Max Ti95/Ti95L **NOTE:** Model till 03/2008 **P/N IL352** Original C448F050	R	Rotor: **IL152** Kit **IL153** Int. shaft: **IL552** Fibre optic: **IF120L**
	*Backcap for NSK ®* Ti-Max Ti95/Ti95L **NOTE:** Model from 03/2008 **P/N IL355** Original C448F050	R	Rotor: **IL155** Kit **IL156** Int. shaft: **IL555** Fibre optic: **IF120L** Spur wheel: **IL755**
	*Backcap for NSK ®* S-Max M95/M95L **P/N IL360** Original 10000664	R	Rotor: **IL160** Kit **IL161** Int. shaft: **IL560** Key: **IL800** Fibre optic: **IF110L**

	*Backcap for NSK ®* S-Max M95/M95L **NOTE:** Model from SN C__ **P/N IL362** Original C600B050	R	Rotor: **IL163** Kit **IL164** Int. shaft: **IL562** Key: **IL800**
	*Backcap for NSK ®* Ti-Max X95 /X95L **P/N IL361** Original C600B050	R	Rotor: **IL160** Kit: **IL162** Int. shaft: **IL561** Key: **IL800** Fibre optic: **IF110L**
	*Backcap for NSK ®* Ti-Max Z95/Z95L SN > CBH70001 **NOTE:** Does not fit with rotor IL165 **P/N IL364** Original C1034050	R	Key: **IL865**
	*Backcap for NSK ®* Ti-Max Z95/Z95L SN > DBK30001 **NOTE:** Other SN replace with rotor IL165 **P/N IL365** Original C1034052	R	Rotor: **IL165** Kit **IL166** Int. shaft: **IL565** Key: **IL865** Spur wheel: **IL765** Fibre optic: **IF100L**
	*Backcap for NSK ®* MP-F head MPA-Y head MPAS-Y head **P/N IL330** Original C521050	G	Rotor: **IL130** Kit **IL131** Int. shaft: **IL530** Key: **IL830**
	*Backcap for NSK ®* S-Max SG20 Ti-Max X-SG20L Ti-Max X-DSG20L **P/N IL370** Original 10000228	G	Rotor: **IL170** Kit **IL171** Backcap: **IL370** Key: **IL870** Int. shaft: **IL570/IL571/IL572**

> Intermediate shafts compatible with NSK ®

Models		Compatible parts
	*Intermediate Shaft for NSK ®* FPB-Y head FFB-Y head **P/N IL500** Original C875012	B	Rotor: **IL100** Kit **IL101** Backcap: **IL300** Key: **IL800**

Contra-angle parts compatible with NSK ®

	Models		Compatible parts
	*Intermediate Shaft for NSK ®* Ti-Max Ti25/Ti25L **P/N IL501** Original C880022	B	Rotor: **IL100** Kit **IL102** Backcap: **IL300** Fibre optic: **IF120L** Key: **IL800**
	*Intermediate Shaft for NSK ®* S-Max M25/M25L **P/N IL510** Original 10000574	B	Rotor: **IL110** Kit: **IL111** Backcap: **IL310** Key: **IL800** Spur wheel: **IL710** Fibre optic: **IF110L**
	*Intermediate Shaft for NSK ®* S-Max M25/M25L **NOTE:** Model from SN A__ **P/N IL511** Original C1142022	B	Rotor: **IL125** Kit: **IL112** Backcap: **IL311** Key: **IL800**
	*Intermediate Shaft for NSK ®* Ti-Max X25/25L **P/N IL520** Original C601022	B	Rotor: **IL120** Kit: **IL121** Backcap: **IL310** Key: **IL800** Spur wheel: **IL720** Fibre optic: **IF110L**
	*Intermediate Shaft for NSK ®* Ti-Max Z25/Z25L Ti-Max Z15/Z15L **P/N IL525** Original C1038022	B	Rotor: **IL125** Kit: **IL126** Backcap: **IL325** Key: **IL800** Spur wheel: **IL725** Fibre optic: **IF100L**
	*Intermediate Shaft for NSK ®* FX15/FX25/FX23 **P/N IL505** Original C10000946	B	Rotor: **IL105** Kit **IL106** Backcap: **IL305** Key: **IL805**
	*Intermediate Shaft for NSK ®* BB-Y head **P/N IL540** Original C032012	B	Rotort **IL140** Kit **IL141**
	*Intermediate Shaft for NSK ®* NAC-Y head NBBW-Y NM-Y **P/N IL550** Original C032012	B	Rotor **IL150** Kit **IL151**
	*Intermediate Shaft for NSK ®* *Ti*-Max Ti95/Ti95L **NOTE:** Model till 03/2008 **P/N IL552** Original C427022	R	Rotor: **IL152** Kit **IL153** Backcap: **IL352** Fibre optic: **IF120L**
	*Intermediate Shaft for NSK ®* *Ti*-Max Ti95/Ti95L **NOTE:** Model from 03/2008 **P/N IL555** Original C448G022	R	Rotor: **IL155** Kit **IL156** Backcap: **IL355** Spur wheel: **IL755** Fibre optic: **IF120L**

	Models		Compatible parts
	*Intermediate Shaft for NSK ®* S-Max M95/M95L **P/N IL560** Original 10000559	R	Rotor **IL160** Kit **IL161** Backcap: **IL360** Key: **IL800** Spur wheel: **IL760** Fibre optic: **IF110L**
	*Intermediate Shaft for NSK ®* S-Max M95/M95L **NOTE:** Model from SN C__ **P/N IL562** Original C1141022	R	Rotor **IL163** Kit **IL164** Backcap: **IL362** Key: **IL800**
	*Intermediate Shaft for NSK ®* Ti-Max X95/95L **P/N IL561** Original C600C022	R	Rotor: **IL160** Kit **IL162** Backcap: **IL361** Key: **IL800** Fibre optic: **IF110L**
	*Intermediate Shaft for NSK ®* Ti-Max Z95/Z95L **P/N IL565** Original C1034022	R	Rotor **IL165** Kit **IL166** Backcap: **IL365** Key: **IL865** Spur wheel: **IL765** Fibre optic: **IF100L**
	*Intermediate Shaft for NSK ®* MP-F head MPA-Y head MPAS-Y head **P/N IL530** Original C547022	G	Rotor **IL130** Kit **IL131** Backcap: **IL330** Key: **IL830**
	*Intermediate Shaft for NSK ®* S-Max SG-20 **P/N IL570** Original C1010022	G	Rotor **IL170** Kit **IL171** Backcap: **IL370** Key: **IL870**
	*Intermediate Shaft for NSK ®* Ti-Max X-SG20L **P/N IL571** Original C1003022	G	Rotor **IL170** Kit **IL172** Backcap: **IL370** Key: **IL870**
	*Intermediate Shaft for NSK ®* Ti-Max X-DSG20L **P/N IL572** Original C1068912	G	Rotor **IL170** Kit **IL173** Backcap: **IL370** Key: **IL870**
	*Intermediate Shaft for NSK ®* SGM-E16RI SGM-E20RI **P/N IL580** Original C293B031	G	Rotor: **IL180** Kit **IL181**

> Gears, spur wheels and dog cluthes compatible with NSK ®

	Models		Compatible parts
	*Gear for NSK ®* *Intermediate Shaft* **- IL500/IL501 Front** FPB-Y FFB-Y Ti-Max Ti25L **P/N IL620**	B	Rotor: **IL100** Kit **IL101/IL102** Int. shaft: **IL500/IL501** Backcap: **IL300** Key: **IL800**
	*Gear for NSK ®* *Intermediate Shaft* **- IL510 Front** S-Max M25/M25L **P/N IL621**	B	Rotor: **IL110** Kit: **IL111** Int. shaft: **IL510** Backcap: **IL310** Key: **IL800** Spur wheel: **IL710** Fibre optic: **IF110L**
	*Dog clutch for NSK ®* S-Max M25/M25L **P/N IL910** Original 10000577	B	Rotor: **IL110** Kit: **IL111** Int. shaft: **IL500** Backcap: **IL310** Key: **IL800** Fibre optic: **IF110L**
	*Dog clutch for NSK ®* Ti-Max X25/X25L **P/N IL920** Original C601013	B	Rotor: **IL120** Kit: **IL121** Int. shaft: **IL520** Backcap: **IL310** Key: **IL800** Fibre optic: **IF110L**
	*Dog clutch for NSK ®* Ti-Max Z25/Z25L **P/N IL925** Original C1038013	B	Rotor: **IL125** Kit: **IL126** Int. shaft: **IL525** Backcap: **IL325** Key: **IL800** Spur wheel: **IL725** Fibre optic: **IF100L**
	*Front gear for NSK ®* *Intermediate Shaft* Ti-Max X95/X95L **NOTE:** Fits only with original intermediate shaft. It does not work on IL561. **P/N IL660**	R	Rotor **IL160** Kit **IL161** Int. shaft: **IL560** Backcap: **IL360** Key: **IL800** Spur wheel: **IL760** Fibre optic: **IF110L**
	*Spur wheel for NSK ®* Ti-Max X95/X95L S-Max M95/M95L **P/N IL760**	R	Rotor **IL160** Kit **IL161/IL162** Int. shaft: **IL560/IL561** Backcap: **IL360/IL361** Key: **IL800** Spur wheel: **IL760** Fibre optic: **IF110L**
	*Dog clutch for NSK ®* S-Max M95/M95L **P/N IL960** Original 10000560	R	Rotor **IL160** Kit **IL161** Int. shaft: **IL560** Backcap: **IL360** Key: **IL800** Fibre optic: **IF110L**
	*Dog clutch for NSK ®* Ti-Max X95/X95L **P/N IL961** Original C600C013	R	Rotor **IL160** Kit **IL162** Int. shaft: **IL561** Backcap: **IL361** Key: **IL800** Fibre optic: **IF110L**

	Models		Compatible parts
	*Dog clutch for NSK ®* Ti-Max Z95/Z95L **P/N IL965** Original C1034013	R	Rotor **IL165** Kit **IL166** Int. shaft: **IL565** Backcap: **IL365** Key: **IL865** Fibre optic: **IF100L**

> Small parts compatible with NSK ®

	Models		Compatible parts
NEW 	*Drive shaft retainer for NSK ®* S-Max M95/M95L **P/N IL1060** Original 20000692	R	Rotor **IL160** Kit **IL161** Int. shaft: **IL560** Backcap: **IL360** Key: **IL800** Spur wheel: **IL760** Fibre optic: **IF110L**
	Drive shaft retainer for NSK ® Ti-Max X95/X95L **P/N IL1065** Original C600242	R	Rotor **IL160** Kit **IL162** Int. shaft: **IL561** Backcap: **IL361** Key: **IL800** Spur wheel: **IL760** Fibre optic: **IF110L**
	*Spray plate for NSK ®* Ti-Max Z95/Z95L **P/N IL1165** Original C1034104	R	Rotor **IL165** Kit **IL166** Int. shaft: **IL565** Backcap: **IL365** Key: **IL865** Fibre optic: **IF100L**

> Backcap keys compatible with NSK ®

	Models		Compatible parts
	*Key for NSK ®* FPB-Y head Ti-Max Ti25/Ti25L Ti-Max Ti15/Ti15L Ti-Max X15/X15L Ti-Max X25/X25L Ti-Max Z25/Z25L **P/N IL800**	S-Max M25/M25L S-Max M95/M95L Ti-Max X95/X95L S-Max M25/M25L - SN > A__ Ti-Max Ti95/Ti95L - till 03/2008 B R	Rotor: **IL100/IL110/IL120/IL125/IL160/IL152** Kit: **IL101/IL111/IL112/IL121/IL126/IL161/IL153** Int. shaft: **IL500/IL510/IL511/IL520/IL525/IL560/IL561/IL552** Backcap: **IL300/IL310/IL311/ IL325/IL360/IL361/IL352** Spur wheel: **IL760** Fibre optic: **IF100L/IF110L**
	*Key for NSK ®* FX15/FX25 **P/N IL805**	B	Rotor: **IL105** Kit: **IL106** Int. shaft: **IL505** Backcap: **IL305**

Contra-angle parts compatible with NSK ®

	Models		Compatible parts
	*Key for NSK ®* Ti-Max Z95/Z95L **P/N IL865**	R	Rotor **IL165** Kit **IL166** Int. shaft: **IL565** Backcap: **IL365** Spur wheel: **IL765** Fibre optic: **IF100L**
	*Key for NSK ®* MP-F head MPA-Y head MPAS-Y head **P/N IL830**	G	Rotor **IL130** Kit **IL131** Int. shaft: **IL530** Backcap: **IL330**
	*Key for NSK ®* S-Max SG20 Ti-Max X-SG20L Ti-Max X-DSG20L **P/N IL870**	G	Rotor **IL170** Kit **IL171** Int. shaft: **IL570** Backcap: **IL370** Key: **IL870**

> Repair tools compatible with NSK ® *other tools, adhesives, etc look in "General repair tools">>>

	Models		Compatible parts
NEW 	*Special tool for NSK ®* - to disassemble the rear joint assy **P/N IL8000** Original DT-437	B R G	Many models **Tech info** 0120
NEW 	*Back key for NSK ®* - to disassemble the rear retaining screw **P/N IL8100** Original DT-260	B R G	Many models
COMING SOON	*Pliers for NSK ®* - to hold handpieces or unscrew the body sleeves **P/N IL8050** Original T-2	B R G	Many models

> Rotors and drive kits compatible with Castellini ®

	Models		Compatible parts
	*Complete Head Gear for CASTELLINI ®* Goldspeed S1/S1-L **P/N GL100** Original FR400N103	B	⊕ Bearings: **120L/120L** Kit: **GL101** Int. shaft: **GL501** Backcap: **GL300** Key: **GL800**
	*Drive Kit for CASTELLINI ®* *Complete Head Gear + Intermediate Shaft* Goldspeed S1/S1-L **P/N GL101** Original FR400N103 + FR400N104	B	⊕ Rotor: **GL100** ⊕ Int. shaft: **GL501** Backcap: **GL300** Key: **GL800**
	*Complete Head Gear for CASTELLINI ®* Goldspeed EVO S1/S1-L **P/N GL130** Original	B	⊕ Bearings: **120L/120L** Kit: **GL131** Int. shaft: **GL530** Backcap: **GL330** Key: **GL830** Fibre optic: **GL135L**
	*Drive Kit for CASTELLINI ®* *Complete Head Gear + Intermediate Shaft* Goldspeed EVO S1/S1-L **P/N GL131** Original	B	⊕ Rotor: **GL130** ⊕ Int. shaft: **GL530** Backcap: **GL330** Key: **GL830** Fibre optic: **GL135L**
	*Complete Head Gear for CASTELLINI ®* Goldspeed M5/M5-L **P/N GL155** Original	R	⊕ Bearings: **130L/130L** Kit: **GL156** Int. shaft: **GL555** Backcap: **GL355**
	*Drive Kit for CASTELLINI ®* *Complete Head Gear + Intermediate Shaft* Goldspeed M5/M5-L **P/N GL156** Original	R	⊕ Rotor: **GL155** ⊕ Int. shaft: **GL555** Backcap: **GL355**
	*Complete Head Gear for CASTELLINI ®* Goldspeed EVO M5/M5-L **P/N GL135** Original	R	⊕ Bearings: **565L/565L** Kit: **GL136** Int. shaft: **GL535** Backcap: **GL335** Key: **GL835** Fibre optic: **GL135L** Spur wheel: **GL735**
	*Drive Kit for CASTELLINI ®* *Complete Head Gear + Intermediate Shaft* Goldspeed EVO M5/M5-L **P/N GL136** Original	R	⊕ Rotor: **GL135** ⊕ Int. shaft: **GL535** Backcap: **GL335** Key: **GL835** Fibre optic: **GL135L** Spur wheel: **GL735**

> Backcaps compatible with Castellini ®

	Models		Compatible parts
	*Backcap for CASTELLINI ®* Goldspeed S1 Goldspeed S1-L **P/N GL300** Original FR400N101	B	Rotor: **GL100** Kit: **GL101** Int. shaft: **GL501** Key: **GL800**
	*Backcap for CASTELLINI ®* Goldspeed EVO S1/S1-L **P/N GL330** Original	B	Rotor: **GL130** Kit: **GL131** Int. shaft: **GL530** Key: **GL830** Fibre optic: **GL135L**
	*Backcap for CASTELLINI ®* Goldspeed M5/M5-L **P/N GL355** Original FR400N119	R	Rotor: **GL155** Kit: **GL156** Int. shaft: **GL555**
	*Backcap for CASTELLINI ®* Goldspeed EVO M5/M5-L **P/N GL335** Original	R	Rotor: **GL135** Kit: **GL136** Int. shaft: **GL535** Key: **GL835** Fibre optic: **GL135L** Spur wheel: **GL735**

> Intermediate shafts compatible with Castellini ®

	Models		Compatible parts
	*Intermediate Shaft for CASTELLINI ®* Goldspeed S1 Goldspeed S1-L **P/N GL501** Original FR400N104	B	Rotor: **GL100** Kit **GL101** Backcap: **GL300** Key: **GL800**
	*Intermediate Shaft for CASTELLINI ®* Goldspeed EVO S1/S1-L **P/N GL530** Original	B	Rotor: **GL130** Kit **GL131** Backcap: **GL330** Key: **GL830** Fibre optic: **GL135L**
	*Intermediate Shaft for CASTELLINI ®* Goldspeed M5/M5-L **P/N GL555** Original	R	Rotor: **GL155** Kit **GL156** Backcap: **GL355**
	*Intermediate Shaft for CASTELLINI ®* Goldspeed EVO M5/M5-L **P/N GL535** Original	R	Rotor: **GL135** Kit **GL136** Backcap: **GL335** Key: **GL835** Fibre optic: **GL135L** Spur wheel: **GL735**

> Keys compatible with Castellini ®

	Models		Compatible parts
	*Key for CASTELLINI ®* Goldspeed S1 Goldspeed S1-L **P/N GL800**	B	Rotor: **GL100** Kit: **GL101** Int. shaft: **GL501** Backcap: **GL300**
	*Key for CASTELLINI ®* Goldspeed EVO S1/S1-L **P/N GL830**	B	Rotor: **GL130** Kit: **GL131** Int. shaft: **GL530** Backcap: **GL330** Fibre optic: **GL135L**
	*Key for CASTELLINI ®* Goldspeed EVO M5/M5-L **P/N GL835**	R	Rotor: **GL135** Kit: **GL136** Int. shaft: **GL535** Backcap: **GL335** Fibre optic: **GL135L** Spur wheel: **GL735**

> Rotors compatible with B.A. International ®

	Models		Compatible parts
	*Head Gear for B.A. International ®* BA 40 LS Ultimate - not all SN BA 45 LS - not all SN **P/N PL100**	B	⊕ Bearings: **120L/120L** Kit: **PL101** Int. shaft: **PL500** Backcap: **PL300** Key: **PL800**
	*Drive kit for B.A. International ®* BA 40 LS Ultimate - not all SN **P/N PL101**	B	⊕ Rotor: **PL100** ⊕ Int. shaft: **PL500** Backcap: **PL300** Key: **PL800** Bearings: **120L/120L**
	*Head Gear for B.A. International ®* BA 40 LSS Ultimate Power+ - not all SN **P/N PL120**	B	⊕ Bearings: **400L/550L** Kit: **PL121** Int. shaft: **PL520** Backcap: **PL320** Key: **PL820**
	*Drive kit for B.A. International ®* BA 40 LSS Ultimate Power+ - not all SN **P/N PL121**	B	⊕ Rotor: **PL120** ⊕ Int. shaft: **PL520** Backcap: **PL320** Key: **PL820** Bearings: **591L/550L**
	*Head Gear for B.A. International ®* BA 45 LS - not all SN **P/N PL115**	B	⊕ Bearings: **320L/120L** Kit: **PL116** Int. shaft: **PL520** Backcap: **PL315** Key: **PL815**
	*Drive kit for B.A. International ®* BA 45 LS - not all SN **P/N PL116**	B	⊕ Rotor: **PL115** ⊕ Int. shaft: **PL520** Backcap: **PL315** Key: **PL815** Bearings: **320L/120L**
	*Head Gear for B.A. International ®* BA 200 LTS Ultimate - not all SN **P/N PL110**	R	⊕ Bearings: **610L/610L** Kit: **PL111** Int. shaft: **PL510** Backcap: **PL310** Key: **PL815**
	*Drive kit for B.A. International ®* BA 200 LTS Ultimate - not all SN **P/N PL111**	R	⊕ Rotor: **PL110** ⊕ Int. shaft: **PL510** Backcap: **PL310** Key: **PL815** Bearings: **610L/610L**

> Backcaps compatible with B.A. International ®

	Models		Compatible parts
	*Backcap for B.A. International ®* BA 40 LS Ultimate - not all SN **P/N PL300**	B	Rotor: **PL100** Kit: **PL101** Int. shaft: **PL500** Key: **PL800** Bearings: **120L/120L**
	*Backcap for B.A. International ®* BA 40 LSS Ultimate Power+ - not all SN **P/N PL320**	B	Rotor: **PL120** Kit: **PL121** Int. shaft: **PL520** Key: **PL820** Bearings: **400L/550L**
	*Backcap for B.A. International ®* BA 45 LS - not all SN **P/N PL315**	B	Rotor: **PL115** Kit: **PL116** Int. shaft: **PL520** Key: **PL815** Bearings: **320L/120L**
	*Backcap for B.A. International ®* BA 200 LTS Ultimate - not all SN **P/N PL310**	R	Rotor: **PL110** Kit: **PL111** Int. shaft: **PL510** Key: **PL815** Bearings: **610L/610L**

> Intermediate shafts compatible with B.A. International ®

	Models		Compatible parts
	*Intermediate shafts for B.A. International ®* BA 40 LS Ultimate - not all SN **P/N PL500**	B	Rotor: **PL100** Kit: **PL101** Backcap: **PL300** Key: **PL800** Bearings: **120L/120L**
	*Intermediate shafts for B.A. International ®* BA 40 LSS Ultimate Power+ - not all SN BA 45 LS - not all SN **P/N PL520**	B	Rotor: **PL120/PL115** Kit: **PL121/PL116** Backcap: **PL320/PL315** Key: **PL820/PL815** Bearings: **400L/550L/320L/120L**
	*Intermediate shafts for B.A. International ®* BA 200 LTS Ultimate - not all SN **P/N PL510**	R	Rotor: **PL110** Kit: **PL111** Backcap: **PL310** Key: **PL815** Bearings: **610L/610L**

> Keys compatible with B.A. International ®

	Models		Compatible parts
	*Key for B.A. International ®* BA 40 LS Ultimate - not all SN **P/N PL800**	B	Rotor: **PL100** Kit: **PL101** Int. shaft: **PL500** Backcap: **PL300** Bearings: **120L/120L**
	*Key for B.A. International ®* BA 45 LS - not all SN **P/N PL815**	B	Rotor: **PL110/PL115** Kit: **PL111/PL116** Int. shaft: **PL510/PL520** Backcap: **PL310/PL315** Bearings: **320L/120L/610L**
	*Key for B.A. International ®* BA 40 LSS Ultimate Power+ - not all SN BA 200 LTS Ultimate - not all SN **P/N PL820**	B R	Rotor: **PL120** Kit: **PL121** Int. shaft: **PL520** Backcap: **PL320** Bearings: **400L/550L**



NON TURBINE BEARINGS

WARRANTY: Due to the nature of work there is no warranty

09



BEARINGS FOR CONTRANGLES, MOTORS, LAB

We offer a wide wariety of bearings in the following categories:

1. **Low speed** (blue, green contrangles, straight handpieces,..)
    a. **rotors** (bearings to use in handpiece heads or together with rotor)
    b. **others** (bearings to use with other parts like intermediate shafts)
2. **High speed** (red contrangles)
    a. **rotors** (bearings to use in handpiece heads or together with rotor)
    b. **others** (bearings to use with other parts like intermediate shafts)
3. **Electric & air motor** (all functions in motors)
4. **Laboratory** (LAB hanpieces)



	Models	Application
	62GD/66GD/67GD/67GDN 67LDN/67LD/68LDN/68LD 68CDN DURAtec® 2068D **P/N 100L** Original 0.220.0105 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Open** **GRW ®**
	67R/67RC 67LDN/LD/GDN 68LDN/LD/GDN/CDN DURAtec® 2068D SURGmatic® S201L/XL/L Pro/XL Pro/XC/C INTRA®LUX CL04 INTRA® 3624N INTRA® 67RIC **P/N 110L** Original 0.220.0713 3x7x3mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	SMARTmatic® S20/K/S SMARTmatic® S80K EXPERTmatic® LUX E20L/E15L/E20C/E15C INTRAcompact® 2068LHC/CHC/0767LHC/CHC/2967CHC INTRAmatic® 1:1 80E/80ES/14E/20E/20ES/14ES O-drive® OD30 INTRA® HEAD L66b/L68B INTRA® LUX 66LU Endo® HEAD 68LU INTRA® HEAD L68/L67 ENDOadvance® NT120L ENDOstraight® E120/E40 **P/N 120L** Original 0.220.2005 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Seal/Shield** **GRW ®**
	EXPERTmatic® LUX E20L/E15L/E20C/E15C INTRAcompact® 2068LHC&CHC/0767LHC&CH-C/2967CHC SURGmatic® S201L Pro/L/C INTRA® LUX CL3/C3 INTRA® HEAD L66B/L68B/L68/L67 INTRA® LUX 66LU Endo® HEAD 68LU **P/N 140L** Original 0.220.0051 3x7x2,5/3,35mm	**LOW SPEED ROTORS** Type: **Smooth + inner ring** Version: **Shield/Seal** **GRW ®**
	62G/62GN 67G/67GN/67IC/67F/67CN/67C SMARTmatic® PROPHY S31/S31K SMARTmatic® ENDO S81/S321/S33 EXPERTmatic® E31C INTRAcompact® 2931CHC INTRAmatic® PROPHY 31E/31ES SURGICAL SHANK 3630N/3610N3 INTRA® MINI L52 INTRA® LUX MINI 52LDN INTRA® HEAD 68CN/68G/67G INTRA® PROPHY HEAD L31/31LR **P/N 400L** Original 0.220.0104 3x6x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	SURGmatic® S201L/S201C Surgical shank CL09/C09 INTRA® LUX CL3/C3 INTRA® HEAD 67RIC **P/N 670L** Original 0.220.0023 5x8x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Shield**
	SURGmatic® S201XL/XC **P/N 680L** Original 3.000.2594 4x7x2,5mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Seal/Seal**
	SURGmatic® S201L Pro/XL Pro//XL/XC **P/N 690L** Original 3.000.2614 4x8x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Open**
COMING SOON	INTRA® LUX 80LD **P/N 695L** Original 0.220.0735 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **/** **MYONIC ®**

Non turbine bearings compatible with KAVO ®

	Models	Compatible parts
	10B/11B/10C/13B/13C 15G/15 INTRAflex® LUX 2313L/LN **P/N 200L** Original 0.220.0126 5x11x5mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal**
	MASTERmatic® LUX M10L EXPERTmatic® E10C GENTLEpower® LUX 10LP INTRAcompact® 10CHC INTRAmatic® 10E/ES DURAtec® 10D INTRAmatic® LUX3 10LH/10CH SURGmatic® S11L/C INTRA® CL10 Surgicval® 3610N1/N2/N3 **P/N 201L** Original 0.220.1301 4x9x4mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal** **MYONIC ®**
	10/10B/10C/10CH/10CN 10D/10LH/10LN/10LP 10CHC/10E/10ES/11B 13/2313 **P/N 202L** Original 0.220.1302 5x8x3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	6N/10/13A/15 C3548/C3549/C3550 C3554/C3555/C3556 SMARTmatic® S10/K/S **P/N 240L** Original 0.220.0103 4x9x4mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal**
	6N 475A **P/N 241L** Original 0.220.0102 3x7x3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal**
	7A/13A/15C/38A 50A/51A/60A **P/N 310L** Original 0.220.0068 4x13x5mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open** **NSK ®**
	7A/13A/15C/38A 50A/51A/60A **P/N 311L** Original 0.220.0069 4x13x5mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Shield**
	3640L E40-E120 Surgical shank CL09/C09 ENDOadvance® NT120L **P/N 320L** Original 0.220.0020 3x7x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open**
	MASTERmatic® LUX M07L EXPERTmatic® E61C/E31C/E15C EXPERTmatic® LUX E15L GENTLEpower® LUX 7LP INTRAcompact® 0767LHC/CHC DURAtec® 2731 INTRAmatic® LUX3 7LH INTRAmatic® 7CH INTRAflex® LUX2 2307LN/2313LN **P/N 330L** Original 0.220.0139 4x11x4mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open** **MYONIC ®**
	SMARTmatic® PROPHY S19/S19K/S33 SMARTmatic® S53 MASTERmatic® LUX M07L/M29L EXPERTmatic® E61C/E31C/E15C EXPERTmatic® LUX E15L GENTLEpower® LUX 29LP/7LP INTRAcompact® 0767LHC/CHC/2967CHC DURAtec® 2731/2933/2953 INTRAmatic® LUX3 7LH/29LH INTRAmatic® 7CH/29CH INTRAflex® LUX 2313L/2307L/LN/2329L/LN/2313LN PROPHYwiz® 181P Prophy® 7,4:1 19ES/19E O-drive® OD30 **P/N 331L** Original 0.220.0174 4x11x4mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Shield** **MYONIC ®**

	Models	Compatible parts
	MASTERmatic LUX M29L GENTLEpower LUX 29LP INTRAcompact 2967CHC/2931CHC INTRAmatic Prophy 19ES/19E DURAtec 2933/Prophy 2953 INTRAmatic LUX3 29LH INTRAmatic 29CH INTRAflex LUX 2329L INTRAflex LUX2 2329LN/2325LN PROPHYwiz 181P O-drive OD30 **P/N 332L** Original 0.220.0175 3x7x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Shield** **MYONIC ®**
	INTRAflex LUX 2313L/2307L/2320L/2329L/2325L INTRAflex LUX2 2320LN/2307LN/2329LN/2325L-N/2313LN **P/N 333L** Original 0.220.0144 2x6x2,3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Open** **GRW ®**
	INTRAflex® LUX 2325L INTRAflex® LUX2 2313L/2307L/2329L **P/N 334L** Original 0.220.0161 3x7x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open**
	38A-81 **P/N 340L** Original 0.220.0106 5x8x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open** **GRW ®**
	EXPERTmatic® LUX E25L EXPERTmatic® E25C INTRAcompact® 25LHC/CHC/LCA/LCR INTRAmatic® LUX3 25LH/LHA/LHAS/CH/CHA **P/N 350L** Original 0.220.0171 4x9x2,5mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open**
	SMARTmatic® S20/S20K/S20S/S80K MASTERmatic® LUX M20L EXPERTmatic® LUX E20L EXPERTmatic® E20C GENTLEpower® LUX 20LP INTRAcompact® 2068LHC/CHC/2061CHC INTRAmatic® 80E/ES/23ES/14E/20E/ES/31E/ES DURAtec® 2068D/23D INTRAmatic® LUX3 20LH INTRAmatic® 20CH PROPHYwiz® 181P K1 airmotor® 181K SURGICAL® 3620N ENDOadvance® NT120L **P/N 351L** Original 0.220.0098 3x8x3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal**
	SURGICAL 3610N1/N2/N3 **P/N 630L** Original 0.220.1306 5,95x9,525x3,175mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Shield** **MYONIC ®**

Non turbine bearings compatible with KAVO ®

	Models	Application
	INTRAmatic® 25LH/LN/LS/LHC/LHA/LHN/LHS GENTLEpower® 25LP/LPA/LPR back **P/N 130L** Original 1.001.2836 4x7x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Open/Shield** **GRW ®**
	GENTLEpower® 25LP/LPA/LPR front **P/N 131L** Original 1.001.3167 3,175x6,35x1,9/2,76mm	**HIGH SPEED ROTOR** Type: **Smooth + inner ring** Version: **Shield/Open** **GRW ®**
	EXPERTmatic® E25L/C front **P/N 135L** Original 1.008.4038 3,175x6,35x2,778mm	**HIGH SPEED ROTOR** Type: **Smooth + inner ring** Version: **Open/Shield** **GRW ®**
	EXPERTmatic® E25L/C back **P/N 136L** Original 1.008.4039 4x7x1,6/2mm	**HIGH SPEED ROTOR** Type: **Smooth + inner ring** Version: **Open/Seal** **GRW ®**
	MASTERmatic® LUX M25L MASTERmatic® LUX M05L **P/N 141L** Original 1.010.9766 3,18x5,8x1,4/2,3mm	**HIGH SPEED ROTOR** Type: **Smooth + inner ring** Version: **Shield/Shield** **MYONIC ®**
	MASTERmatic® LUX M25L MASTERmatic® LUX M05L **P/N 142L** Original 1.010.9767 3,5x6,5x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Shield/Shield** **MYONIC ®**
	COMFORTdrive ® 200XDR front **P/N 145L** Original 1.005.4939 2x5x1,5/2,3mm	**HIGH SPEED ROTOR** Type: **Smooth + inner ring** Version: **Shield/Shield** **GRW ®**
	COMFORTdrive ® 200XDR rear **P/N 146L** Original 1.005.4940 2,5x7,1x2,779mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Open/Shield** **GRW ®**
	24LN/24LS 2303LD/2303LDS/2325LN **P/N 300L** Original 0.220.0734 4x7x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Open/Shield** **GRW ®**

	Models	Application
	INTRAmatic® 25LH/25LHA/ EXPERTmatic® E25L/C motor side **NOTE:** Replacement bearing on intermediate shaft **P/N 132L** Original 0.220.0730 **2,35x5x1,5mm**	**OTHER HIGH SPEED** Type: **Smooth** Version: **Open/Shield** **GRW ®**
	GENTLEpower® 25LP/LPA/LPR EXPERTmatic® E25L/C head side MASTERmatic® M25L/M05L **NOTE:** Replacement bearing on intermediate shaft **P/N 133L** Original 1.001.2834 **2x5x1,5mm**	**OTHER HIGH SPEED** Type: **Smooth** Version: **Open/Shield** **MYONIC ®**
COMING SOON	GENTLEpower® 25LP/LPA/LPR MASTERmatic® M25L/M05L **NOTE:** Replacement bearing on idler shaft **P/N 134L** Original 1.001.2835 **2x4,7x1,6mm**	**OTHER HIGH SPEED** Type: **Smooth** Version: **Open/Shield** **MYONIC ®**
	186B/187/188 INTRA® K 190/191/197 INTRA® K-LUX 192/193 INTRA® K-LUX 196 **P/N 170L** Original 0.220.0136 **2x6x2,3mm**	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Open/Seal** **GRW ®**
	186B/187/188 INTRA® K 190/191/197 INTRA® K-LUX 192/193 INTRA® K-LUX 196 **P/N 230L** Original 0.220.0089 **4x11x4mm**	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	INTRA® LUX KL701 INTRAmatic® LUX 700KL **P/N 290L** Original 0.220.0218 **3x8x3mm**	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	INTRAmatic® LUX 700KL **P/N 291L** Original 0.220.0219 **5x11x5mm**	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	INTRA® K-LUX 200/201 INTRA® LUX KL701 **P/N 292L** Original 1.000.7185 **5x8x3mm**	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	INTRAmatic® LUX 702KL **P/N 293L** Original 1.003.5818 **3x8x3mm**	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	INTRAmatic® LUX 702KL INTRA® LUX KL703 LED **P/N 294L** Original 1.003.6023 **5x8x3mm**	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal** **GRW ®**

Non turbine bearings compatible with KAVO ®

	Models	Application
	INTRA® LUX KL703 LED INTRA® LUX S600 LED **P/N 295L** Original 1.007.0966 3x7x3mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	INTRA® K-LUX K200/K200F INTRA® K-LUX K201 **P/N 296L** Original 0.220.0209 2x6x2,3mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Open/Seal** **GRW ®**
	121/121A 181L/181M **P/N 360L** Original 0.220.0021 3x7x2mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Open/Shield** **MYONIC ®**
	181/181CB/181DB **P/N 361L** Original 0.220.0097 3x8x3mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	K9 EWL 950 K10 4950 K9 960 K9 EWL 955 **P/N 150L** Original 0.220.0113 8x16x6mm	**LABORATORY** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	K9 4930 K9 EWL 950 K9 960 K9 EWL 955 K9 960 **P/N 180L** Original 0.220.0158 2x6x2,3mm	**LABORATORY** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	K5 EWL4911 K4 4912 K5 EWL 4910 K5 EWL 4911 K4 EWL 4914 **P/N 160L** Original 0.220.0058 7x14,1x7,5mm	**LABORATORY** Type: **Smooth** Version: **Seal/Seal** ⊕ O-ring: **2x 0.200.6199** **GRW ®**
	K9 EWL 4930 **P/N 260L** Original 0.220.0055 7x14,1x7,5mm	**LABORATORY** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	SF 4005 **P/N 190L** Original 0.220.0112 7x14x5mm	**LABORATORY** Type: **Smooth** Version: **Seal/Seal**
	SF 4005 SF EWL 740 **P/N 191L** Original 0.247.6057 8x22x7mm	**LABORATORY** Type: **Smooth** Version: **Seal/Shield**

	Models	Application
	SF EWL 4004 **P/N 192L** Original 0.247.6056 8x22x7mm	LABORATORY Type: **Smooth** Version: **Shield/Seal**
	K9 960 K9 EWL 955 **P/N 210L** Original 0.220.0148 8x14x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	K9 EWL 950 K9 960 **P/N 220L** Original 0.220.0157 4x11x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	K-POWERgrip 4941 K10 4950 K11 HP 4990 K12 EWL 4940 **P/N 250L** Original 0.220.0778 3x8x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
	K-POWERgrip 4941 K10 4950 K11 HP 4990 K12 EWL 4940 **P/N 251L** Original 0.220.0779 4x11x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	K5 EWL4911 K4 4912 K5 EWL4910 K5 EWL4911 K4 EWL 4914 **P/N 261L** Original 0.220.0056 10x19x7mm	LABORAT 3X8X4 ORY Type: **Smooth** Version: **Shield/Seal** **MYONIC ®**
	K9 EWL 4930 K-POWERgrip 4941 K11 HP 4990 K12 EWL 4940 **P/N 270L** Original 0.220.0044 7,85x15,89x5,98mm	LABORATORY Type: **Smooth** Version: **Seal/Seal** **MYONIC ®**
	K11 HP 4990 **P/N 271L** Original 0.220.0045 7,85x15,89x7,5mm	LABORATORY Type: **Smooth** Version: **Shield/Seal** **GRW ®**
	K9 4930 K9 960 **P/N 280L** Original 0.220.0223 5x11x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**

Non turbine bearings compatible with W&H ®

	Models	Application
	Alegra® WE-56/WE-56T **NOTE:** New model Fusion® WG-56LT SN < 014633 front **P/N 100L** Original 01589600 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Open** **GRW ®**
	Alegra® WE-56/WE-56E/WE-56 LED//WE56A Alegra® WE-66 LED G Trend® WD-56 Synea® WA-56/WA-56LT *till 2007 **P/N 120L** Original 01589600 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Shield/Seal** **GRW ®**
	Synea® WA-56/WA-56LT *from 2007 Synea® WA-66/WA-66A/WA-66LT *from 2007 Synea® Vision WK-56 SN < 04013 Synea® Vision WK-66 SN < 01906 Fusion® WG-56LT SN < 014633 rear Fusion® WG-56LT SN > 014634 Vision® WK-56LT SN > 04014 Vision® WK-56S **P/N 550L** Original 05039400 4x7x1,6mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Open** **GRW ®**
	WS-75E/KM WI-75 E/KM WI-75 LED G WS-75 E/KM SN > 030000 WS-75 L G WS-75 LED G WS-75 L G **P/N 580L** Original 04027300 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Seal** **GRW ®**
	Shaft cpl. HD43EM HA/43A S9/S10/S11 **P/N 202L** Original 01672300 5x8x3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	Shaft cpl. WP64 WD66 969/999 Synea® WA56 Synea® WA66 **P/N 320L** Original 01589400 3x7x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open**
	Shaft cpl. HD43 **P/N 340L** Original 01381900 5x8x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open** **GRW ®**
	Synea® WA56LT *from 2007 Synea® WA56LT/62LT/A-66LT/A-67LT/A-86LT WS-75E/WS-75KM/WI75LEDG/WI75EKM **P/N 570L** Original 01579300 / 04733900 2,35x5,5x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open** **GRW ®**
	Shaft cpl. Synea® WA56 WD56 WS75 S9/S10/S11/S12 **P/N 575L** Original 01577000 3x10x4mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal**
	Lower shaft cpl. WI-75 LED G **P/N 591L** Original 04033500 / 05765800 4x7x1,6mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Shield**

	Models	Application
	WS-92E/L G **P/N** **300L** Original 04025900 4x7x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Shield/Open** **GRW ®**
	Synea® WA-99LT *from 2007 front Synea® WA-99A *from 2009 front Fusion® WG-99LT SN > 007802 Vision® WK-99LT SN > 01001 Fusion® WG-99 A SN > 001818 **P/N** **565L** Original 05257200 3,4x6,5x1,6mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Shield/Open** **GRW ®**
	Alegra® WE-99A/WE-99 LED G Synea® WA-99LT *till 2007 Synea® WA-99A *till 2009 Fusion® WG-99LT SN < 007801 Fusion® WG-99 LED G SN < 007801 Fusion® WG-99 A SN < 001818 **P/N** **566L** Original 02649400 / 04486000 4x7x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Shield/Shield**
NEW 	Synea® WA-99LT *from 2007 rear Synea® WA-99A *from 2009 rear **P/N** **770L** Original 05798700 Special size	**HIGH SPEED ROTOR** Type: **Special flange** Version: **Special**
	Lower shaft cpl. Synea® WA99 A/99 Adec 99LT **P/N** **592L** Original 01565800 5x8x2mm	**OTHER HIGH SPEED** Type: **Smooth** Version: **Open/Seal**
	969/999 Synea® WA99 Fusion® WG99 Vision® WK99 Synea® WE99 WS91/WS92 **P/N** **590L** Original 01579600 2,35x5,5x2mm	**OTHER HIGH SPEED** Type: **Smooth** Version: **Open/Seal** **GRW ®**
	EB40A/EB40E/EB40LT **P/N** **370L** Original 04059000 2,38x7,938x3,571mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	EB40A/EB40E/EB40LT **P/N** **371L** Original 04062000 4x11x4mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	A20/LT25/A25/E25 **P/N** **381L** Original 01850600 3,175x7,938x3,571mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**

Non turbine bearings compatible with W&H ®

	Models	Application
	260 Blue & Black LA66 **P/N** **150L** Original 03202300 8x16x6mm	LABORATORY Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	260 Blue & Black LA66 **P/N** **151L** Original 03202200 7x14x5mm	LABORATORY Type: **Smooth** Version: **Shield/Seal**
	MF Tectorqu MF Perfecta **P/N** **200L** Original 02685500 5x11x5mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
	MF Tectorque MF Perfecta **P/N** **250L** Original 01206200 3x8x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**

Non turbine bearings compatible with BIEN AIR ®

	Models	Application
	CA 1:1/1:1 L **P/N 100L** 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Open**
	CA 1:1/1:1 L **P/N 340L** 5x8x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Open**
	CA 20:1 **P/N 660L** 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Seal**
	CA 20:1 **P/N 670L** 5x8x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Shield**
	CA EVO 1:5 L **P/N 611L** 2,38x7,938x3,571mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Open/Shield**
	CA 1:5 L **P/N 620L** Original 701.01.68 4x7x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Open/Shield** **GRW ®**
	CA 1:5 L **P/N 621L** Original 701.01.75 2,35x4,763x2,35mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Seal/Seal**
	MC3 **P/N 370L** Original 701.01.70 2,38x7,938x3,571mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	MC3 **P/N 371L** Original 701.01.71 4x11x4mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	MC2 Isolite 100 MC2 Isolite 300 **P/N 380L** Original 701.01.23 2,38x7,938x3,571mm	**ELECTRIC&AIR MOTOR** Type: **Flanged** Version: **Seal/Seal**

Non turbine bearings compatible with BIEN AIR ®

	Models	Compatible parts
	MC2 Isolite 100 MC2 Isolite 300 **P/N** **381L** Original 701.01.14 3,175x7,938x3,571mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	MX Motor **P/N** **640L** Original 701.01.93 4,763x9,525x3,175mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**
	MX Motor **P/N** **641L** Original 701.01.94 3,967x7,938x3,175mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal**

	Models	Compatible parts
	T1 LINE C40/C40L (ADA) rear T2 LINE A40L rear T3 LINE E40 rear T2 REVO R40 rear T1 LINE ENDO 6L T1 CLASSIC KM 1,6L SN>30 000 rear T1 LINE KM 1,6/1,6L rear T1 LINE C 6/C 6L - head 1:1 ADA rear T1 LINE C 1,6/C 1,6L - head 1:1 ADA rear T2 LINE A 6L rear T3 LINE E6 rear SIROPure P6 SL/P6 IL - head 6:1/6:1 ADA rear X-SMART PLUS 6:1 **P/N 120L** 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Shield/Seal** **GRW ®**
	T1 LINE C40/C40L (ADA) front T2 LINE A40L front T3 LINE E40 front T1 CLASSIC KM 1,6L SN>30 000 front T1 LINE KM 1,6/1,6L front T1 LINE C 6/C 6L - head 1:1 ADA front T1 LINE C 1,6/C 1,6L - head 1:1 ADA front T2 LINE A 6L front T3 LINE E6 front SIROPure P6 SL/P6 IL - head 6:1/6:1 ADA front **P/N 320L** 3x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Open**
	T1 CLASSIC S40L SN>30 000 & >202 000 front T1 LINE C40L SN>65 000 & >202 000 front T1 LINE C40/C40L front T2 REVO R40 mini front T1 LINE C40/C40L mini front T2 S-LINE AS40L front T3 S-LINE ES40 front T3 LINE E40 SN>202 000 front T2 LINE A40L SN>202 000 front T2 REVO R40 front T1 CLASSIC S 6L SN>30 000 & >202 000 front T1 CLASSIC S 1,6L SN>30 000 & >202 000 front T1 LINE C 6L SN>65 000 & >202 000 front T1 LINE C 1,6L SN>65 000 & >202 000 front **P/N 400L** 3x6x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	T1 CLASSIC S40L SN>30 000 & >202 000 rear T1 LINE C40L SN>65 000 & >202 000 rear T1 LINE C40/C40L rear T2 REVO R40 mini rear T1 LINE C40/C40L mini rear T2 S-LINE AS40L rear T3 S-LINE ES40 rear T3 LINE E40 SN>202 000 rear T2 LINE A40L SN>202 000 rear T1 CLASSIC S 6L SN>30 000 & >202 000 rear T1 CLASSIC S 1,6L SN>30 000 & >202 000 rear T1 LINE C 6L SN>65 000 & >202 000 rear T1 LINE C 1,6L SN>65 000 & >202 000 rear T1 LINE C 6/C 6L - head 6:1 rear **P/N 550L** 4x7x1,6mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Open** **GRW ®**
	Implant 20:1 Implant 80:1 **P/N 580L** 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Seal** **GRW ®**
	T1 LINE C6L mini T1 LINE C40L mini **P/N 591L** Original 5887174 4x7x1,6mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Open/Seal**
	T1 LINE C1,6 T1 LINE C1,6 SN>65 000 **P/N 320L** Original 4181157 / 6360577 3x7x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open**
	T2 LINE AH40L T2 LINE AH40L SN>202 000 T3 LINE EH40L T3 LINE EH40L SN>202 000 T1 LINE H40/H40L SN>28 125 T1 LINE H 40 SN<28 126 **P/N 340L** Original 4181108 5x8x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open**
	T1 LINE PROFIN/PROFIN L T1 LINE PROPHY T1 LINE CONDENS T1 LINE ENDO 6L T1 LINE EVA 04/EVA 11 T1 LINE C6/C6L T1 LINE C40L/C6L mini SN>65 000 T1 LINE C200L/C200L mini SN>65 000 T2 LINE A200L/A170L/A40L T2 LINE A6L T3 LINE E200/E40/E6 T3 EVA 11 T2 S-LINE AS200L/AS40L/AS6L T3 S-LINE ES200/ES40/ES6 **P/N 615L** Original 4181132 / 6360551 3x8x3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open**
	T1 CLASSIC ENDO L T1 CLASSIC EVA 04L/11L T1 CLASSIC PROPHY T1 CLASSIC KM 1,6L T1 CLASSIC S200L/S200L mini/S40L/S6L/S1,6L T1 CLASSIC S H40L **P/N 616L** Original 7044688/6360601 6x10,35x2,98mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Dhield**

Non turbine bearings compatible with SIRONA ®

	Models	Application
	T2 LINE Revo R170 T1 LINE C200 T2 LINE A200 T1 CLASSIC S200 T2 LINE A170 **P/N 590L** Original 7044654 2,35x5,5x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Shield** **GRW ®**
	T1 CLASSIC S200 T1 LINE C200 **P/N 610L** Original 5890855/4181173 3,175x7x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Open/Shield** **GRW ®**
	T1 CLASSIC S200 mini T1 LINE C200 mini **P/N 611L** Original 5899863 3,175x6x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Open/Shield**
	Motor SL front **P/N 710L** Original 7040801 4x9x4mm	**ELECTRIC&AIR MOTOR** Type: **Flanged** Version: **Seal/Seal**
	Motor SL rear **P/N 720L** Original 7036130 2x6x2,3mm	**ELECTRIC&AIR MOTOR** Type: **Flanged** Version: **Seal/Seal**

	Models	Application
	FPB-Y head Ti-Max Ti25/Ti25L Ti-Max Ti15/Ti15L S-Max M25/M25L Ti-Max X25/X25L Ti-Max X15/X15L Ti-Max Z25/Z25L **P/N 120L** 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Shield/Seal** **GRW ®**
	S-Max SG20 Ti-Max X-SG20L Ti-Max X-DSG20L **P/N 660L** 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Shield/Seal**
	S-Max SG20 Ti-Max X-SG20L Ti-Max X-DSG20L **P/N 670L** 5x8x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Shield/Seal**
	Contra angle 3640L Surgey C09-CL09 Contra angle E40-E120 SGR2-E/SGT2-E **P/N 320L** Original B10313-0703 2,35x5x1,5mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Open**
	EB40A/EB40E/EB40LT EX203/EX103/EX200/EX100/EX203C IS205/TI205/TI205L PTL950TI **P/N 370L** Original B22227-7923 2,38x7,938x3,571mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal**
	EX5/EX6/EX7/EX8/EX9 IS65/GS65/GS300 **P/N 420L** Original B13213-0804 4x8x3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal** **NSK ®**
	EX5/EX6/EX7/EX8/EX9/EX12 IS65/E10R SGS-E2G/SGS-E2S/SGS-E2M/SGS-E2L GS65/GS300 **P/N 430L** Original B10321-1005 5x10x3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Open/Shield**
	Ti-Max X65 **P/N 460L** Original B11223-1005 5x10x4mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal**
	Ti-SG65L **P/N 650L** Original B12213-0704 3,175x7x2mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Shield/Seal**
	Ti-Max Ti95/Ti95L Ti-Max X95/X95L S-Max M95/M95L Ti-Max Z95/Z95L rear **P/N 130L** 4x7x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Shield/Open** **GRW ®**

Non turbine bearings compatible with NSK ®

	Models	Application
NEW 	Ti-Max Z95/Z95L front **P/N 780L** 3,74x6,58x1,74mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Shield/Shield**
	Ti-Max Ti85 Ti-Max Ti95 Ti-Max X95 **P/N 485L** Original B19157-4723 2,35x4,76x1,57mm	**OTHER HIGH SPEED** Type: **Smooth** Version: **Open/Shield**
	XL-450-UHR **P/N 240L** Original B11253-0904 4x9x4mm	**LABORATORY** Type: **Smooth** Version: **Seal/Seal**
	Ultimate 450/VH/2/3 405-UHR 50T/C/UHR 35 Ultimate XL-VR E/UHR45C/UHRXL T/TP/C **P/N 480L** Original B11243-1306 & B11223-1306 6x13x5mm	**LABORATORY** Type: **Smooth** Version: **Seal/Seal**
	Ultimate 450/VH/2/3 405-UHR 50T/C/UHR 35 Ultimate XL-VR E/UHR45C/UHRXL T/TP/C **P/N 500L** Original B20215-2763 & B20245-2763 6,35x12,7x4,762mm	**LABORATORY** Type: **Smooth** Version: **Seal/Seal** **GRW ®**

	Models	Application
	Head Gear LS9011/LS9021 **P/N 120L** Original BE5012 4x7x2mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Shield/Seal** **GRW ®**
	Head Gear LS9011/LS9021 **P/N 140L** Original BE5011 3x7x2,5/3,35mm	**LOW SPEED ROTORS** Type: **Smooth** Version: **Seal/Shield** **GRW ®**
	LS1011 **P/N 202L** Original BE5015 5x8x3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	LS1011 **P/N 240L** Original BE5014 4x9x4mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal**
	LS2011 **P/N 290L** Original BE5013 3x8x3mm	**OTHER LOW SPEED** Type: **Smooth** Version: **Seal/Seal**
	Head Gear LS2115 **P/N 130L** Original BE5021 4x7x2mm	**HIGH SPEED ROTOR** Type: **Smooth** Version: **Shield/Open** **GRW ®**
	Intermediate Shaft LS2115 **P/N 485L** Original BE5022 2,35x4,76x1,57mm	**OTHER HIGH SPEED** Type: **Smooth** Version: **Open/Shield**
	Motor AM1014 **P/N 320L** Original BE9023 3x7x2mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Open/Open**
	RO1190/RO1192/RO1193 **P/N 170L** Original BE9025 2x6x2,3mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Open/Seal** **GRW ®**
	RO1190/RO1192/RO1193 **P/N 230L** Original BE9026 4x11x4mm	**ELECTRIC&AIR MOTOR** Type: **Smooth** Version: **Seal/Seal** **GRW ®**

Non turbine bearings compatible with Schick ®

	Models	Compatible parts
NEW 	C1/C2/C3 7050CN Q Profi Qube Long Version **P/N 730L** Original 4120 8x16x6mm	LABORATORY Type: **Smooth** Version: **Shield/Shield**
NEW 	C1/C2/CN Q Profi Qube Long Version **P/N 735L** Original 5212 4x9x4mm	LABORATORY Type: **Smooth** Version: **Shield/Shield**
NEW 	C1/C2/CN Q Profi Qube Long Version **P/N 740L** Original 611/1+2 7x14x5mm	LABORATORY Type: **Smooth** Version: **Shield/Shield**
NEW 	C3 **P/N 745L** Original 7111 3x8x4mm	LABORATORY Type: **Smooth** Version: **Shield/Shield**
NEW 	C3 **P/N 755L** Original 7120 10,15x19x7mm	LABORATORY Type: **Smooth** Version: **Shield/Shield**
NEW 	C3 **P/N 765L** Original 7212 5x9,525x3,75(4)mm	LABORATORY Type: **Smooth** Version: **Shield/Shield**
NEW 	Qube **P/N 750L** Original 9160 5x11x5mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
NEW 	Qube **P/N 760L** Original 9162 6x13x5mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**



Non turbine bearings compatible with SAESHIN ® & MARATHON ®

	Models	Application
	Spindle DC Type Spindle ETC Type **P/N 210L** Original 1480ZZ 8x14x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal** **GRW ®**
	Spindle DC Type Spindle ETC Type **P/N 390L** Original 1260ZZ 6x12x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
	Motor ETC Type Motor DC Type **P/N 480L** Original 1360ZZ 6x13x5mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
	Motor E Type Motor DC Type **P/N 250L** Original 830ZZ 3x8x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
	Motor E Type Motor DC Type **P/N 440L** Original 1030ZZ 3x10x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
	**P/N 240L** Original 940ZZ 4x9x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
	**P/N 410L** Original 1370ZZ 7x13x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
	**P/N 460L** Original 1050ZZ 5x10x4mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**
	**P/N 500L** Original 188ZZ 6,35x12,7x4,762mm	LABORATORY Type: **Smooth** Version: **Seal/Seal**

	Models	Application
	MVK-LINE LTA-4 **P/N 700L** 3,967x7,938x3,175mm	Type: **Flanged** Version: **Seal/Shield**
	**P/N 312L** 4x13x5mm	Type: **Smooth** Version: **Seal/Seal** **NSK ®**
	**P/N 450L** 4x10x4mm	Type: **Smooth** Version: **Seal/Seal**
	**P/N 470L** 5x13x4mm	Type: **Smooth** Version: **Seal/Seal** **NSK ®**
	**P/N 510L** 8x16x5mm	Type: **Smooth** Version: **Seal/Seal** **NSK ®**
	**P/N 520L** 3,175x9,525x3,967mm	Type: **Smooth** Version: **Seal/Seal** **NSK ®**
	**P/N 530L** 7,938x12,7x3,96mm	Type: **Smooth** Version: **Open/Shield** **NSK ®**
	**P/N 560L** 3,175x7,938x3,571mm	Type: **Flanged** Version: **Seal/Seal** **NSK ®**

PARTS FOR MICRO MOTORS

WARRANTY: 12 months on all functions of the product

10



Parts for micromotors compatible with KAVO ®

	Models	Compatible parts
	Rotor for KAVO ® K9 EWL950 K9 EWL955 **P/N RMK9** Original 0.674.1261	⊕ Bearings: **220L/180L** ⊕ Driver:: **RMK9D** ⊕ Pin: **RMK9D** Carbon brush: **CBRK9** Chuck: **CHK9**
	Driver for KAVO ® K9 EWL950 K9 EWL955 **P/N RMK9D** Original 0.674.4282	Rotor: **RMK9** Bearings: **220L, 180L** Pin: **RMK9P** Carbon brush: **CBRK9** Chuck: **CHK9**
	Pin for KAVO ® K9 EWL950 K9 EWL955 **P/N RMK9P** Original 0.202.0018	Rotor: **RMK9** Bearings: **220L, 180L** Driver: **RMK9D** Carbon brush: **CBRK9** Chuck: **CHK9**
	Rotor for KAVO ® K10 4950 **P/N RMK10** Original 0.674.3321	⊕ Bearings: **251L/250L** ⊕ Driver:: **RMK10D** ⊕ Pin: **RMK10P** Carbon brush: **CBRK10** Chuck: **CHK9**
	Driver for KAVO ® K10 4950 **P/N RMK10D** Original 0.674.4282	Rotor: **RMK10** Bearings: **251L, 250L** Pin: **RMK10P** Carbon brush: **CBRK10**
	Pin for KAVO ® K10 4950 **P/N RMK10P** Original 0.202.0018	Rotor: **RMK10** Bearings: **251L, 250L** Driver: **RMK10D** Carbon brush: **CBRK10**
	Rotor for KAVO ® K190/F K196 **P/N RMK190/196** Original 0.676.0871	⊕ Bearings: **170L/230L** ⊕ Driver:: **RMK190D** ⊕ Pin: **RMK190P** Carbon brush: **CBRK190** O-rings: **O2100**
	Driver for KAVO ® K190/F K196 **P/N RMK190D**	Rotor: **RMK190/196** Bearings: **170L, 230L** Pin: **RMK190P** Carbon brush: **CBRK190** O-rings: **O2100**
	Pin for KAVO ® K190/F K196 **P/N RMK190P**	Rotor: **RMK190/196** Bearings: **170L, 230L** Driver: **RMK190D** Carbon brush: **CBRK190** O-rings: **O2100**
	Rotor for KAVO ® K192 **P/N RMK192** Original 0.676.0971	⊕ Bearings: **170L/230L** ⊕ Driver:: **RMK190D** ⊕ Pin: **RMK192P** Carbon brush: **CBRK190** O-rings: **O2100**

	Models	Compatible parts
	Driver for KAVO ® K192 **P/N RMK192D**	Rotor: **RMK192** Bearings: **170L, 230L** Driver: **RMK192D** Carbon brush: **CBRK190** O-rings: **O2100**
	Pin for KAVO ® K192 **P/N RMK192P**	Rotor: **RMK192** Bearings: **170L, 230L** Pin: **RMK192P** Carbon brush: **CBRK190** O-rings: **O2100**
	Rotor for KAVO ® K200 **P/N RMK200** Original 1.000.6859	⊕ Bearings: **292L/170L** ⊕ Driver:: **RMK200D** ⊕ Pin: **RMK200P** Carbon brush: **CBRK190** O-rings: **O2100**
	Driver for KAVO ® K200 **P/N RMK200D**	Rotor: **RMK200** Bearings: **292L, 170L** Pin: **RMK200P** Carbon brush: **CBRK190** O-rings: **O2100**
	Pin for KAVO ® K200 **P/N RMK200P**	Rotor: **RMK200** Bearings: **292L, 170L** Driver: **RMK200D** Carbon brush: **CBRK190** O-rings: **O2100**

Parts for micromotors compatible with BIEN AIR ®

	Models	Compatible parts
	Rotor for BIEN AIR® MC3-40LKE MC3 LED **P/N** **RMC3** Original 211.75.29 (1500042/1501036)	⊕ Bearings: **370L, 371L** Driver: **RMC3D** Pin: **RMC3P** V-seal: **RMC3V** Carbon brush: **CBRMC3** Bulb: **D911/D912**
	Driver for BIEN AIR® MC3-40LKE MC3 LED **P/N** **RMC3D** Original 1300120	Rotor: **RMC3** Bearings: **370L, 371L** Pin: **RMC3P** V-seal: **RMC3V** Carbon brush: **CBRMC3** Bulb: **D911/D912**
	Pin for BIEN AIR® MC3-40LKE MC3 LED **P/N** **RMC3P** Original 1300011	Rotor: **RMC3** Bearings: **370L, 371L** Driver: **RMC3D** V-seal: **RMC3V** Carbon brush: **CBRMC3** Bulb: **D911/D912**
	V-seal for BIEN AIR® MC3-40LKE MC3 LED **P/N** **RMC3V** Original 705.03.15 (1300138)	Rotor: **RMC3** Bearings: **370L, 371L** Driver: **RMC3D** Pin: **RMC3P** Carbon brush: **CBRMC3** Bulb: **D911/D912**
	Rotor for BIEN AIR® MC2-40LKE **P/N** **RMC2** Original 211.61.16 (1501963)	⊕ **641.16.04/011.35.44/ 1302472/011.35.37** Bearings: **380L, 381L** Driver: **RMC2D** Pin: **RMC2P** V-seal: **RMC3V** Carbon brush: **CBRMC2** Bulb: **D911/D912**
	Driver for BIEN AIR® MC2-40LKE **P/N** **RMC2D** Original 1300986	Rotor: **RMC2** Bearings: **380L, 381L** Driver: **RMC2D** Pin: **RMC2P** V-seal: **RMC3V** Carbon brush: **CBRMC2** Bulb: **D911/D912**
	Pin for BIEN AIR® MC2-40LKE **P/N** **RMC2P** Original 1300664	Rotor: **RMC2** Bearings: **380L, 381L** Driver: **RMC2D** Pin: **RMC2P** V-seal: **RMC3V** Carbon brush: **CBRMC2** Bulb: **D911/D912**
	V-seal for BIEN AIR® MC2-40LKE **P/N** **RMC3V** Original 705.03.15 (1300138)	Rotor: **RMC2** Bearings: **380L, 381L** Driver: **RMC2D** Pin: **RMC2P** V-seal: **RMC3V** Carbon brush: **CBRMC2** Bulb: **D911/D912**

	Models	Compatible parts
	Rotor for SIRONA® Motor SL **P/N** **RMSSL** Original 4176678	⊙ Bearings: **710L, 720L** Driver: **RMSSLD** Pin: **RMSSLP** V-seal: **RMSSLV** Carbon brush: **CBRSL** Bulb: **A910**
	Driver for SIRONA® Motor SL **P/N** **RMSSLD** Original 5942214	Rotor: **RMSSL** Bearings: **710L, 720L** Pin: **RMSSLP** V-seal: **RMSSLV** Carbon brush: **CBRSL** Bulb: **A910**
	Pin for SIRONA® Motor SL **P/N** **RMSSLP** Original 5954755	Rotor: **RMSSL** Bearings: **710L, 720L** Driver: **RMSSLD** V-seal: **RMSSLV** Carbon brush: **CBRSL** Bulb: **A910**
	V-seal for SIRONA® Motor SL **P/N** **RMSSLV** Original 5456046	Rotor: **RMSSL** Bearings: **710L, 720L** Driver: **RMSSLD** Pin: **RMSSLP** Carbon brush: **CBRSL** Bulb: **A910**



Carbon brushes for micromotors

	Models	Compatible parts
	Carbon brush for KAVO ® K9 950 **P/N CBRK9** Original 0.676.0241	Rotor: **RMK9** Bearings: **180L,220L** Driver: **RMK9D** Pin: **RMK9P** Chuck: **CHK9** Sold: 1 piece
	Carbon brush for KAVO ® K10 4950 **P/N CBRK10** Original 0.674.2481	Rotor: **RMK10** Bearings: **251L,250L** Driver: **RMK10D** Pin: **RMK10P** Chuck: **CHK9** Sold: 1 piece
	Carbon brush for KAVO ® K190/192/193 K196/197 K200/201 **P/N CBRK190** Original 0.676.0881	Rotor: **RMK190/192/200** Bearings: **251L,250L,150L** Driver: **RMK190D/200D** Pin: **RMK190P/200P** O-rings: **O2100** Sold: 1 piece
	Carbon brush for BIEN AIR ® MC2 **P/N CBRMC2** Original 1500241	Rotor: **RMC2** Bearings: **380L, 381L** V-seal: **RMC3V** Bulb: **D911/D912** Sold: 1 piece
	Carbon brush for BIEN AIR ® MC3 **P/N CBRMC3** Original 1500037	Rotor: **RMC3** Bearings: **370L, 371L** Driver: **RMC3D** Pin: **RMC3P** V-seal: **RMC3V** Bulb: **D911/D912** Sold: 1 piece
	Carbon brush for SIEMENS ® / SIRONA ® S-motor **P/N CBRS** Original 2491066	Sold: 1 piece
	Brush holder with carbon brush for SIRONA ® SL-motor **P/N CBRSL** Original 6002237	Rotor: **RMSSL** Bearings: **710L, 720L** Driver: **RMSSLD** Pin: **RMSSLP** V-seal: **RMSSLV** Bulb: **A910** Sold: 1 holder + 2 brushes.
	Carbon brush for NSK ® Viva-Mate 3 motor Volvere i7 Volvere Vmax **P/N CBRNV** Original E023011S	Chuck: **CHNV** Sold: Set of 2 pieces.

	Models	Compatible parts
	Chuck for KAVO ® K4/K5/K9 EWL4930/EWL4932 K12 **P/N CHK4** Original 0.674.4871	Rotor: **RMK9** Bearings: **180L,220L** Driver: **RMK9D** Pin: **RMK9P** Carbon b.: **CBRK9**
	Chuck for KAVO ® K9 EWL950/955 K10/K11 **P/N CHK9** Original 0.674.7752	Rotor: **RMK9/RMK10** Bearings: **180L,220L/251L,250L** Driver: **RMK9D** Pin: **RMK9P** Carbon b.: **CBRK9/CBRK10**
	Chuck for KAVO ® SF 4004-4005 **P/N CHK4004** Original 0.671.1562	
	Chuck for NSK ® Presto Aqua LUX Aqua II **P/N CHNP** Original T815019	Rotor: **IL190**
	Chuck for NSK ® Ultimate XL-G/XL-D/XL-K/XL-F Ultimate 500/500D/500K/500F Ultimate 450/450K/450F Volvere i7 Volvere Vmax MIO **P/N CHNV** Original H203180	Carbon brushes: **CBRNV**
	Chuck for Marathon ® Collector motor **P/N CHMB**	
	Chuck for Marathon ® Brushless motor **P/N CHMBL**	

BULBS

WARRANTY: 6 months on all functions of the LED bulb

11



Technical information

LED bulbs

- Input voltage range: 3.0-3.2V DC
- Current: 40-100mA
- Luminosity: >25,000lux
- Input voltage range: 3.0-3.2V DC
- Color temperature: 5.500-6.000K
- Power: max 0,5W
- Max. temperature: 125°C
- Storage temperature: -40°C - 125°C

XENON bulbs

- Input voltage range: 3.0-3.6V DC
- Recommend voltage: 3.5V DC
- Current: 750mA
- Luminosity: 40,2 Lumens
- Color temperature: 3200K
- Life span: more than 70 hours

> Bulbs compatible with Sirona ®

	Models	Type / polarity
	*XENON Bulb for SIRONA ®* Turbines **P/N A900** Original 5940291	
	*XENON Bulb for SIRONA ®* Motors **P/N A901** Original 5940291	
	*LED Bulb for SIRONA ®* Turbines & Motors **P/N A910**	LED

> Bulbs compatible with Kavo ®

	Models	
	*XENON Bulb for KAVO ® & MK-DENT ®* Turbines & Motors **P/N B900**	
	LED Bulb for KAVO ® & MK-DENT ® Turbines & Motors **P/N B910**	LED

> Bulbs compatible with W&H ®

	Models	
	*XENON Bulb for W&H ®* Turbines **P/N C900**	
	*XENON Bulb for W&H ®* EA-40LT EA-50LT FA-51LT **P/N C901**	
	*XENON Bulb for W&H ®* Ra-24 coupling **P/N C902**	
	*LED Bulb for W&H ®* Turbines **NOTE:** Take note of the polarity. **P/N C910**	LED 
	*LED Bulb for W&H ®* Turbines **NOTE:** Inverted polarity **P/N C911**	LED 
	*LED Bulb for W&H ®* Motor LT25 **P/N C912**	LED
	*LED Bulb for W&H ®* EA-40LT EA-50LT FA-51LT **P/N C913**	LED

> Bulbs compatible with Bien Air ®

	Models	
	*XENON Bulb for BIEN AIR ®* Turbines **P/N D900**	

	Models	
	*XENON Bulb for BIEN AIR ®* Motors **P/N D901**	
	*LED Bulb for BIEN AIR ®* Turbines **P/N D910**	LED
	*LED Bulb for BIEN AIR ®* Motors **NOTE:** Take note of the polarity. **P/N D911**	LED 
	*LED Bulb for BIEN AIR ®* Motors **NOTE:** Inverted polarity **P/N D912**	LED 

> Bulbs compatible with NSK ®

	Models	
	*XENON Bulb for NSK ®* Y900529 **P/N I900**	
	*XENON Bulb for NSK ®* Y900132 **P/N I904**	
	*XENON Bulb for NSK ®* Y900529 **P/N I910**	LED
	*LED Bulb for NSK ®* Turbines SL/KL **P/N I911**	LED
	*LED Bulb for NSK ®* KCL/SCL/PTL **P/N I912**	LED

	Models	Compatible parts
	*LED Bulb for NSK ®* Motor TIM40/Ti205L LED **P/N I913**	
	*LED Bulb for NSK ®* Y900132 LED **P/N I914**	



FIBRE OPTICS

WARRANTY: 6 months n all functions of the product

12



Fibre optic rods compatible with SIRONA ®

	Models	Compatible parts
	T1 CLASSIC S200L/ S200L mini SN>30 000 & SN>202 000 T1 CLASSIC S40L SN>30 000 & SN>202 000 T1 CLASSIC S6L SN>30 000 & SN>202 000 T1 CLASSIC S1,6L SN>30 000 & SN>202 000 T1 CLASSIC ENDO SN>30 000 T1 CLASSIC KM1,6L SN>30 000 T1 CLASSIC EVA 04L/EVA 11 SN>30 000 T1 CLASSIC PROPHY SN>30 000 SIROPure P200 SL SIROPure P40 SL SIROPure P6 SL **P/N AF100L** Original 5898924	Many models
	T1 LINE C200L SN>43 000 T1 LINE C40L T1 LINE C6L T1 LINE C1,6L T1 LINE KM1,6L T1 LINE KM L T1 LINE ENDO L T1 LINE PROFIN L SIROPure P200IL SIROPure P40IL SIROPure P6IL **P/N AF110L** Original 3328890	Many models



Fibre optic rods compatible with KAVO ®

	Models	Compatible parts
	SUPERtorque® 640B **P/N BF100** Original 0.553.6601	Rotor: **B100C** Backcap: **B300/B310** Key: **B800** Coupling: **CK100-300** O-ring: **O700**
	SUPERtorque® 650B SUPERtorque® 655B POWERtorque® 646B **P/N BF130** Original 0.553.8482	Rotor: **B130C/B160C/B191C** Backcap: **B330/B360** Key: **B830** Coupling: **CK100-300** O-ring: **O700/O710** Washer: **OW110**
	GENTLEforce® 7000B GENTLEsilence® 8000B GENTLEsilence® 6500B SMARTtorque mini® S615L SMARTtorque® S619L **P/N BF170** Original 1.000.0782	Rotor: **B162C/B163C/B170C/B171C** Backcap: **B360/B362/B363/B370/B371** Key: **B830/B894** Coupling: **CK100-300** O-ring: **O700/O710** Washer: **OW110/OW120/OW140**
	KaVo BELLAtorque® 642 BELLAtorque® MINI 637 B MIRA® LUX 635 B **P/N BF190** Original 0.553.6821/0.553.8601	Rotor: **B120C/B140C/B190C** Backcap: **B320/B340** Key: **B800/B840** Coupling: **CK100-300** O-ring: **O700**
	INTRAmatic® LUX 7LH INTRAmatic® LUX3 20LH INTRAmatic® LUX3 29LH INTRAcompact® LUX 2080LHC **P/N BF100L** Original 0.534.0092	-
	GENTLEpower® LUX 7LP GENTLEpower® LUX 20LP GENTLEpower® LUX 29LP EXPERTmatic® LUX E20L **P/N BF105L** Original 1.001.7851	-
	INTRAmatic® LUX 24LN INTRAmatic® LUX 24LS **P/N BF130L** Original 0.553.6421	-
	INTRAmatic® 25LHS INTRAmatic® 25LH INTRAmatic® 25LHA INTRAmatic® 25LHC INTRAmatic® 25LCR **P/N BF131L** Original 0.553.0283	Rotor: **BL130** Kit: **BL131** Int. shaft: **BL530** Backcapt: **BL330** Idler shaft: **BL530i** Spur wheel: **BL730** Key: **BL830** Bearings: **130L/130L**
	EXPERTmatic® E25L **P/N BF135L** Original 1.009.4943	Rotor: **BL135** Kit: **BL136** Int. shaft: **BL535** Backcapt: **BL335** Spur wheel: **BL735** Key: **BL835** Bearings: **135L/136L**
	GENTLEpower® LUX 25LP GENTLEpower® LUX 25LPA GENTLEpower® LUX 25LPR COMFORTdrive® 200XDR COMFORTdrive® 200DR MASTERmatic® LUX M25L **P/N BF140L** Original 1.001.3320	Rotor: **BL140/BL160** Kit: **BL141/BL161** Int. shaft: **BL540** Backcapt: **BL340/BL360** Idler shaft: **BL540i** Spur wheel: **BL740** Key: **BL840/BL841** Bearings: **131L/130L**

Fibre optic rods compatible with KAVO ®

	Models	Compatible parts
	SONICflex® LUX 2003L/2008L **P/N** **BF100S** Original 1.000.4242	-



Fibre optic rods compatible with W&H ®

	Models	Compatible parts
	Synea® TA-96 Synea® TA-98 **P/N CF150** Original 04058300	Rotor: **C140C/C150C** Backcap: **C340/C350** Key: **C820/C850** O-ring: **O600** Washer: **OW130**
	Synea® ZA-55LM **P/N CF100S** Original 04143700	-
	Synea® WA-56LT Synea® WA-99LT Synea® WA-66LT Fusion® WG-66LT SN < 002950 **P/N CF150L** Original 04058500	Rotor: **CL120/CL125** Kit: **CL121/CL126** Int. shaft: **CL520/CL525** Backcap: **CL320/CL325** Key: **CL820/CL825** Spur wheel: **CL725** O-rings: **O604** Bearings: **550L/555L/770L**
	Synea® TA-97CLM **P/N CF165** Original 05288700	Rotor: **C165C** Backcap: **C365** Key: **C865** O-ring: **O600** Washer: **OW130**
	Synea® Vision® WK-93 Synea® Vision® WK-99LT Synea® Fusion® WG-99LT Synea® Fusion WG-56LT Fusion® WG-66LT SN > 002951 **P/N CF135L** Original 06584600	Rotor: **CL120/CL122/CL135** Kit: **CL121/CL123/CL136** Int. shaft: **CL520/CL522/CL535** Backcap: **CL320/CL335** Key: **CL82o/CL825** Spur wheel: **CL735** Bearings: **550L/565L/565L**



Fibre optic rods compatible with NSK ®

	Models	Compatible parts
	Ti-Max Z25 Ti-Max Z95 **P/N** **IF100L** Original C1034166 + C1034026	Rotor: **IL125/IL165** Kit **IL126/IL166** Backcap: **IL325/IL365** Int. shaft: **IL525/IL565** Key: **IL800/IL865** Spur wheel: **IL725/IL765**
	Ti-Max X25 Ti-Max X95 S-Max M15 S-Max M25 S-Max M95 **P/N** **IF110L** Original C600266	Rotor: **IL110/IL120/160** Kit **IL111/IL121/IL161/IL162** Backcap: **IL310/IL360/IL361** Int. shaft: **IL510/IL520/IL561** Key: **IL800/IL860** Spur wheel: **IL710/IL960**
	Ti-Max Ti25L Ti-Max Ti95L **P/N** **IF120L** Original C448B166	Rotor: **IL100/IL152/155** Kit **IL102/IL153/IL156** Backcap: **IL300/IL352/IL355** Int. shaft: **IL501/IL552/IL555** Key: **IL800** Spur wheel: **IL755**



General repair accesories & materials compatible with all brands

	Models	Compatible parts
NEW	Handpiece oil spray ® Mineral oil for handpiece lubrication P/N RPHO	
NEW 	Adapter for handpiece lubrication spray - fits to spindle chuck P/N RPOASP	
NEW 	Adapter for handpiece lubrication spray - fits to Kavo ® couplings P/N RPOAK	
NEW 	Adapter for handpiece lubrication spray - fits to W&H ® couplings P/N RPOAW	
NEW 	Adapter for handpiece lubrication spray - fits to Sirona ® couplings P/N RPOAS	
NEW 	Adapter for handpiece lubrication spray - fits to NSK ® couplings P/N RPOAN	
NEW 	Adapter for handpiece lubrication spray - fits to NSK ® QD couplings P/N RPOANQ	
NEW 	Adapter for handpiece lubrication spray - fits to Bien Air ® couplings P/N RPOAB	
NEW 	Adapter for handpiece lubrication spray - fits to Midwest ® couplings P/N RPOAM	
NEW 	Adapter for handpiece lubrication spray - fits to contra angles P/N RPOACA	

	Models	Compatible parts
NEW 	Loctite 222 10ml - low-strength threadlocking - prevents loosening on vibrating assemblies - especially suited to small thread sizes P/N RPL222	
NEW 	Loctite 243 10ml - medium-strength threadlocking - prevents loosening on vibrating assemblies - works on all metals P/N RPL243	
NEW 	Loctite 603 10ml - high-strength retaining compound - especially suitable for bearings on spindles - high oil tolerance P/N RPL603	
NEW 	Loctite 638 10ml - high-strength retaining compound - suitable on all metals - high temperature resistance - ideal for shafts, gears, pulleys P/N RPL638	
NEW 	Loctite 648 5ml - high-strength retaining compound - bonding cylindrical fitting parts - holding gears and sprockets onto gearbox shafts and rotors on electric motor shafts P/N RPL648	
NEW 	Loctite 542 50ml - thread sealant for use in hydraulic, pneumatics - suitable for metal threads only - resistant oil, coolants and hydraulic fluids - locks connection against vibration loosening P/N RPL542	
NEW 	Loctite LB 8104 75ml - silicone grease - wide temperature range up to +200°C - lubricates most plastic/elastomeric parts P/N RPL8104	
NEW 	Loctite SF 7061 400ml - removes dirt, resins, lacquer, oils and greases - very fast evaporation - solvent-based (acetone) general parts cleaner P/N RPL7061	
NEW 	Addinol universal cleaning spray 600ml - loosens fats, oils, tar, metallic deposits and dirt - leaves no residuals - does not attack seals and rubber P/N RPA600	

HOSES

WARRANTY: 12 months on all fnctions of the product

14



HOSES, SUCTION TUBES, SYRINGES & ACCESSORIES

Assortment of hoses

1. Hoses for turbines with unit free end
2. Hoses for micromotors with unit free end
3. Hoses for scalers with unit free end
4. Detachable hoses for turbines
5. Detachable hoses for micromotors
6. Detachable hoses for scalers
7. Hoses for syringes with unit free end
8. Detachable hoses for syringes
9. Components for hoses repair
10. Parts for Luzzani ®
11. Aspiration tubes and handles

Hoses suitable for

- Kavo ®
- Sirona ®
- Cefla ®
- Planmeca ®
- Luzzani ®

More than 100 models available in different colors with 1 year warranty



Available in classic, detachable version and with 400° swivel connection

Connectors comply to standard EN29168 (ISO9168) type A, B, C

HOW TO ORDER HOSES

We are here to help you ordering the right hose

1. Choose the instrument/handpiece and its model
    a. turbine
    b. motor
    c. scaler
    d. syringe
2. Choose the unit brand and model
    a. no unit/hose without connector on unit side
    b. unit brand (i.e. Kavo ®, Sirona ®, etc...)
    c. unit model
3. Choose the correct color and use the 2-letter code instead of XX in the hose P/N
    a. LG - light grey RAL 9002
    b. MG - middle grey RAL 7035
    c. GR - grey RAL 7038
    d. BR - brown ADEC
    e. BL - black
    f. WH - white
    g. for example: 4H.STD.**XX**.1 in grey color - 4H.STD.**GR**.1
4. Check the special features of the hose
    a. light/no light
    b. nut shape
    c. water regulation/no water regulation
    d. swivel connection
    e. hose length (standard sizes are mentioned below each model)

Based on chosen hose characteristics you could choose easier the appropriate model.

Part of P/N	*Description*
200	Length of hose sheeth 200cm
3H	3 hole borden connector
3R	3 hole borden connector plus water regulation
4H	4 hole midwest connector
4R	4 hole midwest connector plus water regulation
5H	5 hole midwest connector plus LED light
6H	6 hole midwest connector
6R	6 hole midwest connector plus water regulation
8H.STD	Connector for Bien Air® MC3
8H.NSK	Connector for Bien Air® MC3, NSK® M40, turbine
8P	Connector for NSK® M40
8R.STD	Connector for Bien Air® MC3 plus water regulation
8R.NSK	Connector for NSK® M40 plus water regulation
8S.STD	Connector for Bien Air® MC3 400° swivel connection
8S.NSK	Connector for NSK® M40 400° swivel connection
A1	Connector for Sirona® SL
AB	Connector for Sirona® BL Apex
AEX	Etyl-vinyl-acetate, extra-flexible suction hose
AN	Connector for Sirona® BL ISO C-Apex
APV	Double walled PVC suction tube
AS	Angled Luzzani® syringe handpiece
AV	Connector for Sirona® BL ISO Apex
B2	Connector for Bien Air® MC2 Isolite 300
B3	Connector for Bien Air® MC2 IR & Isolite 300
B4	Connector for Bien Air® MC2 IR & Isolite 300 plus water regulation
B5	Connector for Bien Air® MC2 IR
B7	Connector for Bien Air® MC2 Isolite 300
BL	Hose sheath in black color
BR	Hose sheath in brown color
BR	Connector for Bien Air® MC2 IR & Isolite 300 plus water regulation and 400° swivel connection
C1	Connector for Chirana® P2ED 460
D1	Connector for Stern Weber® iXS4, Anthos® iMMs, Castellini® Implantor LED
D2	Connector for Stern Weber® iXR3L, Anthos® iMMrL, Castellini® Handy Power LED
D3	Connector for Stern Weber® iXR3, Anthos® iMMr,
D4	Castellini® Handy Power
DUO	Connector for EMS® EM-028, EM-060
E1	Connector for EMS® scaler Ø 7mm
E2	Connector for EMS® scaler Ø 9mm
E5	Connector for EMS® scaler with light Ø 7mm
E6	Connector for EMS® scaler with light Ø 9mm
GR	Hose sheath in grey color
K1	Connector for KAVO® K190, K196, K200 and Chirana ® CH660L

Part of P/N	*Description*
K2	Connector for KAVO® K190, K196, K200 and Chirana ® CH660L plus 400° swivel connection
K5	Connector for KAVO® K192, K201 and Chirana ® CH660L plus 400° swivel connection
K6	Connector for KAVO® K192, K201 and Chirana ® CH660L plus 400° swivel connection and water regulation
K7	Connector for KAVO® K192, K201plus 400° swivel connection
K8	Connector for KAVO® K192, K201plus 400° swivel connection and water regulation
K9	Connector for KAVO® KL 700 series plus 400° swivel connection and water regulation
L1	Syringe Luzzani® Minimate 3F
L2	Syringe Luzzani® Minilight 3F
L3	Syringe Luzzani® Minilight 6F
LG	Hose sheath in light grey color
M1	Connector for Mectron® scaler Ø 7mm
M2	Connector for Mectron® scaler Ø 9mm
M3	Connector for Bien Air Powercare ® scaler Ø 7mm
M4	Connector for Bien Air Powercare ® scaler Ø 9mm
M5	Connector for Mectron® LED Starlight S Ø 7mm
M6	Connector for Mectron® LED Starlight S Ø 9mm
MG	Hose sheath in middle grey color
N1	Connector for NSK® TIM40 (EL400)
N2	Connector for NSK® TIM40 (EL400) plus 400° swivel connection
PCT	Double walled PVC suction tube 1,7m plus handle
PLM	Suitable for Planmeca units®
R	Water regulation
S1	Connector for Satelec® (Newtron) scaler Ø 7mm
S2	Connector for Satelec® (Newtron) scaler Ø 9mm
S5	Connector for Satelec® LED scaler Ø 7mm
S6	Connector for Satelec® LED scaler Ø 9mm
SCF	Suitable for CEFLA® units
SKK	Suitable for KAVO® units
SKV	Suitable for KAVO® units
SS	Straight Luzzani® syringe handpiece
SSK	Suitable for Sirona® units
SSR	Suitable for Sirona® units
STD	Open end hose on unit side
SY	Connector for syringe hose water + air
SYR	Connector for syringe hose water + air
WH	Hose sheath in white color
XCT	EVA extra-flexible suction hose plus handle

Hoses for turbines with **borden connector**

> Turbine hoses with unit free end - borden connector



Ø 10mm
L:1600mm / R:2500mm



3-hole borden
1. Type of hose: turbine

P/N 3H.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



Ø 10mm
L:1600mm / R:2500mm



3-hole borden + water regulation
1. Type of hose: turbine
2. Water regulation: Yes

P/N 3R.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black

> Compatible turbine hoses for Cefla ® - borden connector



Ø 10mm
L:1200mm / R:1400mm



3-hole borden
1. Type of hose: turbine

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N 3H.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038

> Compatible turbine hoses with unit free end - midwest connector no light



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest
1. Type of hose: turbine

P/N 4H.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest
1. Type of hose: turbine

P/N 4H.STD.XX.2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest
1. Type of hose: turbine

P/N 4H.STD.XX.3

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest
1. Type of hose: turbine

P/N 4H.STD.XX.4

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest
1. Type of hose: turbine

P/N 4H.STD.XX.5

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest + water regulation
1. Type of hose: turbine
2. Water regulation: Yes

P/N 4R.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



5-hole midwest + LED
1. Type of hose: turbine
2. Light: Integrated LED

P/N 5H.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White

> Compatible turbine hoses for Cefla ® - midwest connector no light



Ø 11mm
L:1200mm / R:1400mm



3-hole borden
1. Type of hose: turbine

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N 4H.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038

Hoses for turbines with **midwest connector no light**

> Compatible turbine hoses for Kavo ® - midwest connector no light



Ø 11mm
L:1250mm / R:1400mm



4-hole midwest & 3F syringe

1. Type of hose: turbine

KAVO ® units 1057,1058,1060,1062,1063,1065,1080

P/N 4H.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 11mm
L:1250mm / R:1400mm



4-hole midwest & 3F syringe

1. Type of hose: turbine

Suitable for KAVO ® units 1057,1058,1060,1062,1063,1065,1080

P/N 4H.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 11mm
L:1250mm / R:1400mm



4-hole midwest & 3F syringe

1. Type of hose: turbine

Suitable for KAVO ® units E50, E70, E80 (NO MAGNETIC SENSOR)

P/N 4H.SKV.XX.3 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 11mm
L:1250mm / R:1400mm



4-hole midwest & 3F syringe

1. Type of hose: turbine

Suitable for KAVO ® units E50, E70, E80 (NO MAGNETIC SENSOR)

P/N 4H.SKV.XX.4 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible turbine hoses with unit free end - midwest connector + light



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

P/N 6H.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

P/N 6H.STD.XX.2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

P/N 6H.STD.XX.3

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

P/N 6H.STD.XX.4

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

P/N 6H.STD.XX.5

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



4-hole midwest + light + water regulation
1. Type of hose: turbine
2. Light: Yes
3. Water regulation: Yes

P/N 6R.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White

> Compatible turbine hoses for Kavo ® - midwest connector + light



Ø 11mm
L:1250mm / R:1400mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

KAVO ® units 1057,1058,1060,1062,1063,1065,1080

P/N 6H.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 11mm
L:1250mm / R:1400mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

KAVO ® units 1057,1058,1060,1062,1063,1065,1080

P/N 6H.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Hoses for turbines with **midwest connector + light**

Models



Ø 11mm
L:1300mm / R:1400mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

Suitable for KAVO ® units E50, E70, E80 (NO MAGNETIC SENSOR)

LG: Light Grey RAL 9002

P/N 6H.SKV.XX.3 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 11mm
L:1250mm / R:1400mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

Suitable for KAVO ® units E50, E70, E80 (NO MAGNETIC SENSOR)

P/N 6H.SKV.XX.4 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible turbine hoses for Cefla ® - midwest connector + light



Ø 11mm
L:1200mm / R:1400mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N 6H.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038

> Compatible turbine hoses for Sirona ® + midwest connector + light



Ø 11mm
L:1370mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

SIRONA ® A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, C8, C8+, C9+, E1, E2, E4, E5, EC, M1, M1+, Profeel®, INTEGO, INTEGO PRO, TENEO, SINIUS

P/N 6H.SSR.XX.1 **for SIRONA ® units** Original 6216274

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 11mm
L:1030mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

SIRONA ® C3, C3+, C6, E3

P/N 6H.SSR.XX.2 **for SIRONA ® units** Original 6212274

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible turbine hoses for Planmeca ® - midwest connector + light


Ø 11mm
L:1030mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

Suitable for PLANMECA ®

P/N 6H.PLM.XX.1 **for PLANMECA ® units** Original 2600265-11

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:900mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

Suitable for PLANMECA ®

P/N 6H.PLM.XX.2 **for PLANMECA ® units** Original 2600203-8

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:930mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

Suitable for PLANMECA ® RESISTANCE 430 Ω

P/N 6H.PLM.XX.3 **for PLANMECA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:1000mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

Suitable for PLANMECA ® RESISTANCE 820 Ω

P/N 6H.PLM.XX.4 **for PLANMECA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:1530mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes
3. Pending hoses

Suitable for PLANMECA ®

P/N 6H.PLM.XX.5 **for PLANMECA ® units** Original 2600250-6

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:1000mm



4-hole midwest + light
1. Type of hose: turbine
2. Return air: separate tube
3. Light: Yes

Suitable for PLANMECA ®

P/N 6H.PLM.XX.6 **for PLANMECA ® units** Original 2600280-6

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:1030mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes
Suitable for PLANMECA ®

P/N 6H.PLM.XX.7 **for PLANMECA ® units** Original 2600296-7

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:1530mm



4-hole midwest + light
1. Type of hose: turbine
2. Light: Yes

Suitable for PLANMECA ®

P/N 6H.PLM.XX.8 **for PLANMECA ® units** Original 2600264-11

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Compatible **hoses for Sirona ®** micromotors

> Compatible hoses for Sirona ® motors - unit free end

 Ø 10mm L:1600mm / R:2500mm		**Compatible SIRONA ® SL** 1. Type of hose: motor **P/N** A1.STD.XX.1	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035 GR: Grey RAL 7038 BR: Brown ADEC BL: Black
 Ø 10mm L:1600mm / R:2500mm		**Compatible SIRONA ® BL ISO C-APEX + water spray regulation** 1. Type of hose: motor 2. Light: Yes 3. Water spray regulation. Yes **P/N** AV.STD.XX.1	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035
 Ø 10mm L:1600mm / R:2500mm		**Compatible SIRONA ® BL ISO C-APEX** 1. Type of hose: motor 2. Light: Yes **P/N** AV.STD.XX.2	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035
 Ø 10mm L:1600mm / R:2500mm		**Compatible SIRONA ® BL-APEX** 1. Type of hose: motor 2. Light: Yes 3. Water spray regulation. Yes **P/N** AB.STD.XX.1	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035
 Ø 10mm L:1600mm / R:2500mm		**Compatible SIRONA ® BL-APEX** 1. Type of hose: motor 2. Light: Yes **P/N** AB.STD.XX.2	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035
 Ø 10mm L:1600mm / R:2500mm		**Compatible SIRONA ® BL ISO-APEX** 1. Type of hose: motor 2. Light: Yes 3. Water spray regulation. Yes **P/N** AN.STD.XX.1	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035
 Ø 10mm L:1600mm / R:2500mm		**Compatible SIRONA ® BL ISO-APEX** 1. Type of hose: motor 2. Light: Yes **P/N** AN.STD.XX.2	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035

> Compatible hoses for Sirona ® motors on Kavo ® units



Ø 10mm
L:1250mm / R:1400mm



Compatible SIRONA ® SL
1. Type of hose: motor

Suitable for KAVO ® units 1057,1060

P/N A1.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible SIRONA ® SL
1. Type of hose: motor

Suitable for KAVO ® units 1058,1062,1063,1065,1066,1078,1080

P/N A1.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for Sirona ® motors on Sirona ® units



Ø 10mm
L:1030mm / R:1350mm



Compatible SIRONA ® SL
1. Type of hose: motor

Suitable for SIRONA ® units A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2

P/N A1.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1030mm / R:1350mm



Compatible SIRONA ® SL
1. Type of hose: motor

Suitable for SIRONA ® units C3, C3+, C6, E3

P/N A1.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1370mm / R:1350mm



Compatible SIRONA ® SL
1. Type of hose: motor

Suitable for SIRONA ® units C8+

P/N A1.SSR.XX.3 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1370mm / R:2500mm



Compatible SIRONA ® BL ISO C-APEX
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation. Yes

Suitable for SIRONA® TENEO, SINIUS, INTEGO, INTEGO PRO

P/N AV.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1370mm / R:2500mm



Compatible SIRONA ® BL ISO C-APEX
1. Type of hose: motor
2. Light: Yes

Suitable for SIRONA® TENEO, SINIUS, INTEGO, INTEGO PRO

P/N AV.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1370mm / R:2500mm



Compatible SIRONA ® BL-APEX
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation. Yes

Suitable for SIRONA® TENEO, SINIUS

P/N AB.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Compatible **hoses for Sirona ®** micromotors

Models



Ø 10mm
L:1370mm / R:2500mm



Compatible SIRONA ® BL-APEX
1. Type of hose: motor
2. Light: Yes

Suitable for SIRONA® TENEO, SINIUS

P/N AB.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1370mm / R:2500mm



Compatible SIRONA ® BL ISO-APEX
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes

Suitable for SIRONA® TENEO

P/N AN.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1370mm / R:2500mm



Compatible SIRONA ® BL ISO-APEX
1. Type of hose: motor
2. Light: Yes

Suitable for SIRONA® TENEO

P/N AN.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for Sirona ® motors on Planmeca ® units



Ø 10mm
L:1000mm



Compatible SIRONA ® SL
1. Type of hose: motor

Suitable for PLANMECA ® RESISTANCE 200Ω

P/N A1.PLM.XX.1 **for PLANMECA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for Kavo ® motors - unit free end



Ø 10mm
L:1600mm / R:2500mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

P/N K1.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

P/N K1.STD.XX.2



Ø 10mm
L:1600mm / R:2500mm



Compatible KAVO ® K190/196/200/ Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

P/N K2.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

P/N K2.STD.XX.2



Ø 10mm
L:1600mm / R:2500mm



Compatible KAVO ® K192/201
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

P/N K7.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm



Compatible KAVO ® K192/201
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

P/N K8.STD.XX.1



Ø 10mm
L:1600mm / R:2500mm



Compatible KAVO ® KL700 series
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

P/N K9.STD.XX.1

Compatible **hoses for Kavo ®** micromotors

> Compatible hoses for Kavo ® motors on Kavo ® units


Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

Suitable for KAVO ® units 1058, 1062, 1063, 1065, 1066, 1080

P/N K1.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

Suitable for KAVO ® units 1058, 1062, 1063, 1065, 1066, 1080

P/N K1.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

Suitable for KAVO ® units 1058, 1062, 1063, 1065, 1066, 1080

P/N K2.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

Suitable for KAVO ® units 1058, 1062, 1063, 1065, 1066, 1080

P/N K2.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

Suitable for KAVO ® units 1057, 1060

P/N K7.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

Suitable for KAVO ® units 1057, 1060

P/N K7.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K192/K201
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

Suitable for KAVO ® units 1063,1065,1080

P/N K5.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K192/K201
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

Suitable for KAVO ® units 1057, 1060

P/N K5.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K192/K201
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

Suitable for KAVO ® units 1057,1060

P/N K6.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Models



Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® K192/K201
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

Suitable for KAVO ® units 1063,1065,1080

P/N K6.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® KL 700 series
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

Suitable for KAVO ® units 1058,1062,1063,1065, 1066, 1078, 1080

P/N K9.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® KL 700 series
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

Suitable for KAVO ® units E30S, E30T, E50S, E70S(NO MAGNETIC SENSOR)

P/N K9.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible KAVO ® KL 700 series
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

Suitable for KAVO ® units 1057, 1060

P/N K9.SKV.XX.3 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for Kavo ® motors on Sirona ® units



Ø 10mm
L:1370mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

SIRONA ® units A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2

P/N K1.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1030mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

SIRONA ® units A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2

P/N K1.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1370mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

SIRONA ® units A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2

P/N K1.SSR.XX.3 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1030mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

SIRONA ® units C3, C3+, C6, E3

P/N K1.SSR.XX.4 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1370mm



Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

SIRONA ® units A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2

P/N K2.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Compatible **hoses for Kavo ®** micromotors

Models




Ø 10mm
L:1030mm

Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

SIRONA ® units C3, C3+, C6, E3

P/N K2.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035




Ø 10mm
L:1370mm

Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

SIRONA ® units A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2

P/N K2.SSR.XX.3 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035




Ø 10mm
L:1030mm

Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

SIRONA ® units C3, C3+, C6, E3

P/N K2.SSR.XX.4 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for Kavo ® motors on Planmeca ® units




Ø 10mm
L:1010mm

Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

PLANMECA ® replace 10007954-4

P/N K1.PLM.XX.1 **for PLANMECA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035




Ø 10mm
L:1000mm

Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

PLANMECA ® NO RESISTANCE - Ω

P/N K1.PLM.XX.2 **for PLANMECA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035




Ø 10mm
L:1000mm

Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes

PLANMECA ® replace 2600281-4

P/N K1.PLM.XX.3 **for PLANMECA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035




Ø 10mm
L:1010mm

Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

PLANMECA ® replace 10007954-4

P/N K2.PLM.XX.1 **for PLANMECA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035




Ø 10mm
L:1000mm

Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

PLANMECA ® NO RESISTANCE- Ω

P/N K2.PLM.XX.2 **for PLANMECA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035




Ø 10mm
L:1000mm

Compatible KAVO ® K190/196/200 / Chirana medical ® CH660
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

PLANMECA ® replace 2600281-4

P/N K2.PLM.XX.3 **for PLANMECA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for Bien Air ® motors - unit free end



Ø 11mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC3

1. Type of hose: motor
2. Light: Yes

P/N 8H.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC3 long nut

1. Type of hose: motor
2. Light: Yes

P/N 8H.STD.XX.2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 11mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC3, NSK ® M40, midwest type turbines

1. Type of hose: motor
2. Light: Yes

P/N 8P.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC3

1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

P/N 8R.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC3, NSK ® M40

1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

P/N 8R.NSK.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC3

1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

P/N 8S.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC2 IR

1. Type of hose: motor

P/N B5.STD.XX.1 / **B5.STD.XX.E (plastic nut)**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC2 Isolite 300

1. Type of hose: motor
2. Light: Yes

P/N B7.STD.XX.1 / **B7.STD.XX.E (plastic nut)**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White



Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC2 IR/Isolite 300 (dual use)

1. Type of hose: motor
2. Light: Yes

P/N B3.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White

Compatible **hoses for Bien Air ®** micromotors

Models


Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes

P/N B2.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White


Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC2 IR/Isolite 300 (dual use)
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

P/N B4.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White


Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

P/N BR.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White


Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC2 IR
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

P/N BR.STD.XX.2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White


Ø 10mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® MC2 IR/Isolite 300 (dual use)
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

P/N BR.STD.XX.3

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White


Ø 10mm
L:1600mm / R:2500mm



Compatible Chirana medical ® P2ED 460 micromotor

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black

P/N C1.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White

> Compatible hoses for Bien Air ® motors on Kavo ® units


Ø 11mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC3
1. Type of hose: motor
2. Light: Yes

KAVO ® 1057, 1060

P/N 8H.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC3
1. Type of hose: motor
2. Light: Yes

KAVO ® 1058, 1062, 1063, 1065, 1066, 1080

P/N 8H.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC3
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

KAVO ® 1057,1060

P/N 8R.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Models



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC3
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

KAVO ® 1058,1062, 1063, 1065, 1066, 1080

P/N 8R.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC2 IR
1. Type of hose: motor

KAVO ® 1057, 1060

P/N B5.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC2 IR
1. Type of hose: motor

KAVO ® 1058, 1062, 1063, 1065, 1066, 1080

P/N B5.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes

KAVO ® 1057, 1060

P/N B7.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes

KAVO ® 1058, 1062, 1063, 1065, 1066, 1080

P/N B7.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC2 IR and Isolite 300

1. Type of hose: motor
2. Light: Yes

KAVO ® 1057, 1060

P/N B3.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC2 IR/Isolite 300

1. Type of hose: motor
2. Light: Yes

KAVO ® 1058, 1062, 1063, 1065, 1066, 1080

P/N B3.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

KAVO ® 1057, 1060

P/N B2.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

KAVO® 1058, 1062, 1063, 1065, 1066, 1080

P/N B2.SKV.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR ® MC2 IR/Isolite 300 (dual use)
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

KAVO® 1057, 1060

P/N BR.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Compatible **hoses for Bien Air** ® micromotors

Models



Ø 10mm
L:1250mm / R:1400mm



Compatible BIEN AIR® MC2 IR/Isolite 300 (dual use)

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

KAVO® 1058, 1062, 1063, 1065, 1066, 1080

P/N BR.SKV.XX.2 **for KAVO ® units**



> Compatible hoses for Bien Air ® motors on Cefla ® units



Ø 11mm
L:1200mm / R:1400mm



Compatible BIEN AIR ® MC3
1. Type of hose: motor
2. Light: Yes

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038

P/N 8H.SCF.XX.1 **for CEFLA ® units**



Ø 10mm
L:1200mm / R:1400mm



Compatible BIEN AIR ® MC3, NSK ® M40, midwest type turbine
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes
ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038

GR: Grey RAL 7038

P/N 8P.SCF.XX.1 **for CEFLA ® units**



Ø 11mm
L:1200mm / R:1400mm



Compatible BIEN AIR ® MC3
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes
ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038

P/N 8S.SCF.XX.1 **for CEFLA ® units**



Ø 10mm
L:1200mm / R:1400mm



Compatible BIEN AIR ® MC2 IR
1. Type of hose: motor

SANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038

P/N B5.SCF.XX.1 **for CEFLA ® units**



Ø 10mm
L:1200mm / R:1400mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038

P/N B7.SCF.XX.1 **for CEFLA ® units**



Ø 10mm
L:1200mm / R:1400mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes
ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038

P/N B2.SCF.XX.1 **for CEFLA ® units**



Ø 10mm
L:1200mm / R:1400mm



Compatible BIEN AIR ® MC2 IR/Isolite 300 (dual use)
1. Type of hose: motor
2. Light: Yes

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8

GR: Grey RAL 7038

P/N B3.SCF.XX.1 **for CEFLA ® units**

Compatible **hoses for Bien Air ®** micromotors

> Compatible hoses for Bien Air ® motors on Sirona ® units


Ø 11mm
L:1370mm



Compatible BIEN AIR ® MC3

1. Type of hose: motor
2. Light: Yes

SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8+

P/N 8H.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:1030mm



Compatible BIEN AIR ® MC3

1. Type of hose: motor
2. Light: Yes

SIRONA ®: C3, C3+, C6, E3

P/N 8H.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1370mm



Compatible BIEN AIR ® MC3

1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, M1 , C8+

P/N 8R.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm



Compatible BIEN AIR ® MC3

1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

Suitable for SIRONA ®: C3, C3+, C6, E3

P/N 8R.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1370mm



Compatible BIEN AIR ® MC2 IR

1. Type of hose: motor

Suitable for SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4

P/N B5.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm



Compatible BIEN AIR ® MC2 IR

1. Type of hose: motor

Suitable for SIRONA ®: C3, C3+, C6, E3

P/N B5.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1370mm



Compatible BIEN AIR ® MC2 Isolite 300

1. Type of hose: motor
2. Light: Yes

Suitable for SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4

P/N B7.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm



Hose for BIEN AIR ® MC2 Isolite 300

1. Type of hose: motor
2. Light: Yes

Suitable for SIRONA ®: C3, C3+, C6, E3

P/N B7.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm



Hose for BIEN AIR ® MC2 Isolite 300

1. Type of hose: motor
2. Light: Yes

Suitable for SIRONA ®: C8+

P/N B7.SSR.XX.3 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Models


Ø 10mm
L:1030mm



Compatible BIEN AIR ® MC2 IR/Isolite 300
1. Type of hose: motor
2. Light: Yes

Suitable for SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4

P/N B3.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm



Compatible BIEN AIR ® MC2 IR/Isolite 300
1. Type of hose: motor
2. Light: Yes

Suitable for SIRONA ®: C3, C3+, C6, E3

P/N B3.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1370mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

Suitable for SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4

P/N B2.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm



Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

Suitable for SIRONA ®: C3, C3+, C6, E3

P/N B2.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1370mm



Compatible BIEN AIR ® MC2 IR/Isolite 300
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

Suitable for SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4

P/N BR.SSR.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm



Compatible BIEN AIR ® MC2 IR/Isolite 300
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

Suitable for SIRONA ®: C3, C3+, C6, E3

P/N BR.SSR.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm



Compatible BIEN AIR ® MC2 IR/Isolite 300
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

Suitable for SIRONA ®: C8+

P/N BR.SSR.XX.3 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Compatible **hoses for Bien Air ®** micromotors

> Compatible hoses for Bien Air ® motors on Planmeca ® units


Ø 11mm
L:1000mm

Compatible BIEN AIR ® MC3
1. Type of hose: motor
2. Light: Yes

Suitable for PLANMECA ®

P/N 8H.PLM.XX.1 **for PLANMECA ® units** Original 10044908-1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1000mm

Compatible BIEN AIR ® MC3
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

Suitable for PLANMECA ®

P/N 8S.PLM.XX.1 **for PLANMECA ® units** Original 10044908-1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:980mm

Compatible BIEN AIR ® MC3/NSK M40
1. Type of hose: motor
2. Light: Yes

Suitable for PLANMECA ®

P/N 8P.PLM.XX.1 **for PLANMECA ® units** Original 10044909-1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:900mm

Compatible BIEN AIR ® MC3/NSK M40
1. Type of hose: motor
2. Light: Yes

Suitable for PLANMECA ® 82Ω

P/N 8P.PLM.XX.2 **for PLANMECA ® units** Original 10044909-1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm

Compatible BIEN AIR ® MC2 IR
1. Type of hose: motor

Suitable for PLANMECA ®

P/N B5.PLM.XX.1 **for PLANMECA ® units** Original 2600282-2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm

Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes

Suitable for PLANMECA ®

P/N B7.PLM.XX.1 **for PLANMECA ® units** Original 2600282-2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm

Compatible BIEN AIR ® MC2 IR/Isolite 300
1. Type of hose: motor
2. Light: Yes

Suitable for PLANMECA ®

P/N B3.PLM.XX.1 **for PLANMECA ® units** Original 2600282-2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 10mm
L:1030mm

Compatible BIEN AIR ® MC2 Isolite 300
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

Suitable for PLANMECA ®

P/N B2.PLM.XX.1 **for PLANMECA ® units** Original 2600282-2

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for Cefla ® motors - unit free end

 Ø 10mm L:1600mm / R:2500mm		**Compatible STERN WEBER ® iXS4, ANTHOS ® iMMs, CASTELLINI ® Implantor LED** 1. Type of hose: motor 2. Light: Yes **P/N** D1.STD.XX.1	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035 GR: Grey RAL 7038 **NOTE:** models up to 2015 **Black connector on motor side**
 Ø 10mm L:1600mm / R:2500mm		**Compatible STERN WEBER ® iXS4, ANTHOS ® iMMs, CASTELLINI ® Implantor LED** 1. Type of hose: motor 2. Light: Yes 3. 400° swivel:: Yes **P/N** D1.STD.XX.S	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035 GR: Grey RAL 7038 **NOTE:** models up to 2015 **Black connector on motor**
 Ø 10mm L:1600mm / R:2500mm		**Compatible STERN WEBER ® iXR3L, ANTHOS ® iMMrL, CASTELLINI ® Handy Power LED** 1. Type of hose: motor 2. Light: Yes **P/N** D2.STD.XX.1	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035 GR: Grey RAL 7038
 Ø 10mm L:1600mm / R:2500mm		**Compatible STERN WEBER ® iXR3L, ANTHOS ® iMMrL, CASTELLINI ® Handy Power LED** 1. Type of hose: motor 2. Light: Yes 3. 400° swivel:: Yes **P/N** D2.STD.XX.S	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035 GR: Grey RAL 7038
 Ø 10mm L:1600mm / R:2500mm		**Compatible STERN WEBER ® iXR3, ANTHOS ® iMMr, CASTELLINI ® Handy Power** 1. Type of hose: motor **P/N** D3.STD.XX.1	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035 GR: Grey RAL 7038
 Ø 10mm L:1600mm / R:2500mm		**Compatible STERN WEBER ® iXR3, ANTHOS ® iMMr, CASTELLINI ® Handy Power** 1. Type of hose: motor 2. 400° swivel:: Yes **P/N** D3.STD.XX.S	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035 GR: Grey RAL 7038
 Ø 10mm L:1600mm / R:2500mm		**Compatible STERN WEBER ® iXS4, ANTHOS ® iMMs, CASTELLINI ® Implantor LED** 1. Type of hose: motor 2. Light: Yes **P/N** D4.STD.XX.1	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035 GR: Grey RAL 7038 **NOTE:** models from 2016 **White connector on motor**
 Ø 10mm L:1600mm / R:2500mm		**Compatible STERN WEBER ® iXS4, ANTHOS ® iMMs, CASTELLINI ® Implantor LED** 1. Type of hose: motor 2. Light: Yes 3. 400° swivel:: Yes **P/N** D4.STD.XX.S	LG: Light Grey RAL 9002 MG: Middle Grey RAL7035 GR: Grey RAL 7038 **NOTE:** models from 2016 **White connector on motor**

Compatible **hoses for Stern Weber ®, Anthos ®, Castellini ®** micromotors

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for Cefla ® motors on Cefla ® units

Black connector on motor side



Ø 10mm
L:1200mm / R:1400mm



Compatible STERN WEBER ® iXS4, ANTHOS ® iMMs, CASTELLINI ® Implantor LED
1. Type of hose: motor
2. Light: Yes
ANTHOS ®: A7+, L9, R7
STERN WEBER®: S320TR S280TRC, S300, S380TRC
CASTELLINI®: Skema 5, Skema 6, Skema 8

P/N D1.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038

NOTE: models up to 2015

Black connector on motor side

Black connector on motor side



Ø 10mm
L:1200mm / R:1400mm



Compatible STERN WEBER ® iXS4, ANTHOS ® iMMs, CASTELLINI ® Implantor LED
1. Type of hose: motor
2. Light: Yes / 3. 400° swivel:: Yes
ANTHOS ®: A7+, L9, R7
STERN WEBER®: S320TR S280TRC, S300, S380TRC
CASTELLINI®: Skema 5, Skema 6, Skema 8

P/N D1.SCF.XX.S **for CEFLA ® units**

GR: Grey RAL 7038

NOTE: models up to 2015

Black connector on motor side



Ø 10mm
L:1200mm / R:1400mm



Compatible STERN WEBER ® iXR3L, ANTHOS ® iMMrL, CASTELLINI ® Handy Power LED micromotors
1. Type of hose: motor
2. Light: Yes
ANTHOS ®: A3+, A5, A6+, L6, R7
STERN WEBER®: S200, S220TR, S280TRC, S300
CASTELLINI®: Skema 5, Skema 6 cart

P/N D2.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038



Ø 10mm
L:1200mm / R:1400mm



Compatible STERN WEBER ® iXR3L, ANTHOS ® iMMrL, CASTELLINI ® Handy Power LED
1. Type of hose: motor
2. Light: Yes / 3. 400° swivel:: Yes
ANTHOS ®: A3+, A5, A6+, L6, R7
STERN WEBER®: S200, S220TR, S280TRC, S300
CASTELLINI®: Skema 5, Skema 6 cart

P/N D2.SCF.XX.S **for CEFLA ® units**

GR: Grey RAL 7038



Ø 10mm
L:1200mm / R:1400mm



Compatible STERN WEBER ® iXR3, ANTHOS ® iMMr, CASTELLINI ® Handy Power
1. Type of hose: motor
ANTHOS ®: A3+, A5, A6+, L6, R7
STERN WEBER®: S200, S220TR, S280TRC, S300
CASTELLINI®: Skema 5, Skema 6 cart

P/N D3.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038



Ø 10mm
L:1200mm / R:1400mm



Compatible STERN WEBER ® iXR3, ANTHOS ® iMMr, CASTELLINI ® Handy Power
1. Type of hose: motor
2. 400° swivel:: Yes
ANTHOS ®: A3+, A5, A6+, L6, R7
STERN WEBER®: S200, S220TR, S280TRC, S300
CASTELLINI®: Skema 5, Skema 6 cart

P/N D3.SCF.XX.S **for CEFLA ® units**

GR: Grey RAL 7038

White connector on motor side



Ø 10mm
L:1200mm / R:1400mm



Compatible STERN WEBER ® iXS4, ANTHOS ® iMMs, CASTELLINI ® Implantor LED
1. Type of hose: motor
2. Light: Yes
ANTHOS ®: A7+, L9, R7
STERN WEBER®: S320TR, S280TRC, S300, S380TRC
CASTELLINI®: Skema 5, Skema 6, Skema 8

P/N D4.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038

NOTE: models from 2016

White connector on motor side

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for NSK ® motors - unit free end


Ø 11mm
L:1600mm / R:2500mm



Compatible NSK ® M40
1. Type of hose: motor
2. Light: Yes

P/N 8H.NSK.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White


Ø 10mm
L:1600mm / R:2500mm



Compatible NSK ® M40
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

P/N 8S.NSK.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black


Ø 11mm
L:1600mm / R:2500mm



Compatible NSK ® M40, BIEN AIR ® MC3, midwest type turbines
1. Type of hose: motor
2. Light: Yes

P/N 8P.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black
WH: White


Ø 10mm
L:1600mm / R:2500mm



Compatible NSK ® M40, BIEN AIR ® MC3
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

P/N 8R.NSK.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black


Ø 10mm
L:1600mm / R:2500mm



Compatible NSK ® TIM40 (EL 400)
1. Type of hose: motor
2. Light: Yes

P/N N1.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black


Ø 10mm
L:1600mm / R:2500mm



Compatible NSK ® TIM40 (EL 400)
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

P/N N2.STD.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black

> Compatible hoses for NSK ® motors on Kavo ® units


Ø 11mm
L:1250mm / R:1400mm



Compatible NSK ® M40 micromotor
1. Type of hose: motor
2. Light: Yes

KAVO ® 1057, 1060

P/N 8H.SKK.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035


Ø 11mm
L:1250mm / R:1400mm



Compatible NSK ® M40 micromotor
1. Type of hose: motor
2. Light: Yes

KAVO ® 1058. 1062, 1063,1065, 1066, 1080

P/N 8H.SKK.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

Compatible **hoses for NSK ®** micromotors

Models



Ø 10mm
L:1250mm / R:1400mm



Compatible NSK ® M40
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

KAVO ® 1057. 1060

P/N 8R.SKK.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1250mm / R:1400mm



Compatible NSK ® M40
1. Type of hose: motor
2. Light: Yes
3. Water spray regulation: Yes
4. 400° swivel:: Yes

KAVO ® 1058. 1062, 1063,1065, 1066, 1080

P/N 8R.SKK.XX.2 **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for NSK ® motors on Cefla ® units



Ø 11mm
L:1200mm / R:1400mm



Compatible NSK ® M40
1. Type of hose: motor
2. Light: Yes

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N 8H.SC.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038



Ø 10mm
L:1200mm / R:1400mm



Compatible NSK ® M40, Bien Air ® MC3, midwest type turbine
1. Type of hose: motor
2. Light: Yes
3. 400° swivel:: Yes

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8

P/N 8P.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038

> Compatible hoses for NSK ® motors on Sirona ® units



Ø 11mm
L:1370mm



Compatible NSK ® M40
1. Type of hose: motor
2. Light: Yes

SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2

P/N 8H.SSK.XX.1 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035



Ø 10mm
L:1370mm



Compatible NSK ® M40
1. Type of hose: motor
2. Light: Yes

SIRONA ®: A1, A2, A4, A5, AC, C1, C1+, C2, C2+, C4, C4+, C5+, E1, E2, E4, E5, EC, M1, M196, M1+, SPIRIT S1, S2

P/N 8R.SSK.XX.2 **for SIRONA ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035





-

> Compatible hoses for EMS ® scalers - unit free end

 Ø 7mm L:1600mm / R:2500mm		**Compatible EMS ®** 1. Type of hose: scaler **P/N** E1.STD.XX.1	LG: Light Grey RAL 9002 GR: Grey RAL 7038 BR: Brown ADEC
 Ø 7mm L:2000mm		**Compatible EMS ®** 1. Type of hose: scaler **P/N** E1.200.XX.1	LG: Light Grey RAL 9002 GR: Grey RAL 7038
 Ø 9mm L:1600mm / R:2500mm		**Compatible EMS ®** 1. Type of hose: scaler **P/N** E2.STD.XX.1	LG: Light Grey RAL 9002 GR: Grey RAL 7038 BR: Brown ADEC
 Ø 7mm L:1600mm / R:2500mm		**Compatible EMS ® EM-028, EM-060** 1. Type of hose: scaler **P/N** E1.DUO.XX.1	LG: Light Grey RAL 9002 GR: Grey RAL 7038 BR: Brown ADEC
 Ø 7mm L:1600mm / R:2500mm		**Compatible EMS ®** 1. Type of hose: scaler 2. Light: Yes **P/N** E5.STD.XX.1	LG: Light Grey RAL 9002 GR: Grey RAL 7038 BR: Brown ADEC
 Ø 7mm L:2000mm		**Compatible EMS ®** 1. Type of hose: scaler 2. Light: Yes **P/N** E5.200.XX.1	LG: Light Grey RAL 9002 GR: Grey RAL 7038
 Ø 7mm L:2000mm		**Compatible EMS ®** 1. Type of hose: scaler 2. Light: Yes 3. Water spray regulation: Yes **P/N** E5.STD.XX.R	LG: Light Grey RAL 9002 GR: Grey RAL 7038
 Ø 7mm L:2000mm		**Compatible EMS ®** 1. Type of hose: scaler 2. Light: Yes 3. Water spray regulation: Yes **P/N** E5.200.XX.R	LG: Light Grey RAL 9002 GR: Grey RAL 7038
 Ø 9mm L:1600mm / R:2500mm		**Compatible EMS ®** 1. Type of hose: scaler 2. Light: Yes **P/N** E6.STD.XX.1	LG: Light Grey RAL 9002 GR: Grey RAL 7038 BR: Brown ADEC

Compatible **hoses for EMS ®** scalers

Models



Ø 9mm
L:1600mm / R:2500mm



Compatible EMS ®
1. Type of hose: scaler
2. Light: Yes
3. Water spray regulation: Yes

P/N E6.STD.XX.R

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for EMS ® scalers on Kavo ® units



Ø 7mm
L:1250mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N E1.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



Ø 9mm
L:1250mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N E2.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



Ø 7mm
L:1250mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler
2. Light: Yes

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N E5.SKV.XX.1 **for KAVO ® units**

LLG: Light Grey RAL 9002
GR: Grey RAL 7038



Ø 7mm
L:1250mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler
2. Light: Yes
3. Water spray regulation: Yes

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N E5.SKV.XX.R **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



Ø 9mm
L:1250mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler
2. Light: Yes

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N E6.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



Ø 9mm
L:1250mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler
2. Light: Yes
3. Water spray regulation: Yes

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N E6.SKV.XX.R **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038

> Compatible hoses for EMS ® scalers on Cefla ® units


Ø 7mm
L:1200mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N E1.SCF.XX.1 **for CEFLA ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 9mm
L:1200mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N E2.SCF.XX.1 **for CEFLA ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 7mm
L:1200mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler
2. Light: Yes

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N E5.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038


Ø 9mm
L:1200mm / R:1400mm



Compatible EMS ®
1. Type of hose: scaler
2. Light: Yes

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N E6.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038

> Compatible hoses for EMS ® scalers on Planmeca ® units


Ø 7mm
L:1030mm



Compatible EMS ®
1. Type of hose: scaler

PLANMECA ® 2900263-16

P/N E1.PLM.XX.1 **for PLANMECA® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 9mm
L:1030mm



Compatible EMS ®
1. Type of hose: scaler

PLANMECA ® 2900263-16

P/N E2.PLM.XX.1 **for PLANMECA® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 7mm
L:1030mm



Compatible EMS ®
1. Type of hose: scaler
2. Light: Yes

PLANMECA ® 2900263-16

P/N E5.PLM.XX.1 **for PLANMECA® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 9mm
L:1030mm



Compatible EMS ®
1. Type of hose: scaler
2. Light: Yes

PLANMECA ® 2900263-16

P/N E6.PLM.XX.1 **for PLANMECA® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038

Compatible **hoses for Satelec ®** scalers

> Compatible hoses for SATELEC ® scalers - unit free end



Ø 7mm
L:1600mm / R:2500mm

Compatible SATELEC ®
1. Type of hose: scaler

P/N S1.STD.XX.1

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC



Ø 7mm
L:2000mm

Compatible SATELEC ®
1. Type of hose: scaler

P/N S1.200.XX.1

LG: Light Grey RAL 9002
GR: Grey RAL 7038



Ø 9mm
L:1600mm / R:2500mm

Compatible SATELEC ®
1. Type of hose: scaler

P/N S2.STD.XX.1

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC




Ø 7mm
L:1600mm / R:2500mm

Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes

P/N S5.STD.XX.1

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC




Ø 7mm
L:2000mm

Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes

P/N S5.200.XX.1

LG: Light Grey RAL 9002
GR: Grey RAL 7038




Ø 7mm
L:1600mm / R:2500mm

Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes
3. Water spray regulation: Yes

P/N S5.STD.XX.R

LG: Light Grey RAL 9002
GR: Grey RAL 7038




Ø 7mm
L:2000mm

Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes
3. Water spray regulation: Yes

P/N S5.200.XX.R

LG: Light Grey RAL 9002
GR: Grey RAL 7038




Ø 9mm
L:1600mm / R:2500mm

Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes

P/N S6.STD.XX.1

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC




Ø 9mm
L:1600mm / R:2500mm

Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes
3. Water spray regulation: Yes

P/N S6.STD.XX.R

LG: Light Grey RAL 9002
GR: Grey RAL 7038

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for SATELEC ® scalers on Kavo ® units


Ø 7mm
L:1250mm / R:1400mm



Compatible SATELEC ®
1. Type of hose: scaler

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N S1.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 9mm
L:1250mm / R:1400mm



Compatible SATELEC ®
1. Type of hose: scaler

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N S2.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 7mm
L:1250mm / R:1400mm



Compatible SATELEC ®
1. Type of hose: scaler

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N S5.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 7mm
L:1250mm / R:1400mm



Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes
3. Water spray regulation: Yes

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N S5.SKV.XX.R **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 9mm
L:1250mm / R:1400mm



Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N S6.SKV.XX.1 **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038


Ø 9mm
L:1250mm / R:1400mm



Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes
3. Water spray regulation: Yes

KAVO ® 1057, 1058, 1060, 1062, 1063, 1065, 1066, 1078, 1080

P/N S6.SKV.XX.R **for KAVO ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038

> Compatible hoses for SATELEC ® scalers on Cefla ® units


Ø 7mm
L:1200mm / R:1400mm



Compatible SATELEC ®
1. Type of hose: scaler

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N S1.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038


Ø 9mm
L: 1200mm / R: 1400mm



Compatible SATELEC ®
1. Type of hose: scaler

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N S2.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038

Compatible **hoses for Satelec ®** scalers

Models



Ø 7mm
L:1200mm / R:1400mm



Compatible SATELEC ®
1. Type of hose: scaler

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N S5.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038



Ø 9mm
L:1200mm / R:1400mm



Compatible SATELEC ®
1. Type of hose: scaler

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N S6.SCF.XX.1 **for CEFLA ® units**

GR: Grey RAL 7038

> Compatible hoses for SATELEC ® scalers on Planmeca ® units



Ø 9mm
L: 1030mm



Compatible SATELEC ®
1. Type of hose: scaler

PLANMECA ® RESISTANCE 1200Ω

P/N S1.PLM.XX.1 **for PLANMECA® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



Ø 9mm
L:1020mm



Compatible SATELEC ®
1. Type of hose: scaler

PLANMECA ® RESISTANCE 1200Ω

P/N S2.PLM.XX.1 **for PLANMECA® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



Ø 7mm
L:1020mm



Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes

PLANMECA ® RESISTANCE 1200Ω

P/N S5.PLM.XX.1 **for PLANMECA ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038



Ø 9mm
L:1020mm



Compatible SATELEC ®
1. Type of hose: scaler
2. Light: Yes

PLANMECA ® RESISTANCE 1200Ω

P/N S6.PLM.XX.1 **for PLANMECA ® units**

LG: Light Grey RAL 9002
GR: Grey RAL 7038

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for MECTRON ® and BIEN AIR ® scalers - unit free end



Ø 7mm
L:1600mm / R:2500mm



Compatible MECTRON ®
1. Type of hose: scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038

P/N M1.STD.XX.1



Ø 7mm
L:1600mm / R:2500mm



Compatible MECTRON ®
1. Type of hose: scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC

P/N M2.STD.XX.1



Ø 7mm
L:1600mm / R:2500mm



Compatible MECTRON ® Starlight S LED
1. Type of hose: scaler
2. Light: Yes

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC

P/N M5.STD.XX.1



Ø 9mm
L:1600mm / R:2500mm



Compatible MECTRON ® Starlight S LED
1. Type of hose: scaler
2. Light: Yes

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC

P/N M6.STD.XX.1



Ø 9mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® Power Care
1. Type of hose: scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC

P/N M3.STD.XX.1



Ø 9mm
L:1600mm / R:2500mm



Compatible BIEN AIR ® Power Care
1. Type of hose: scaler

LG: Light Grey RAL 9002
GR: Grey RAL 7038
BR: Brown ADEC

P/N M4.STD.XX.1

> Compatible hoses for MECTRON ® scalers on Planmeca ® units



Ø 7mm
L:980mm



Compatible SATELEC ®
1. Type of hose: scaler

PLANMECA ® RESISTANCE 10007619-5

LG: Light Grey RAL 9002
GR: Grey RAL 7038

P/N M5.PLM.XX.1 **for PLANMECA ® units**



Ø 9mm
L:980mm



Compatible SATELEC ®
1. Type of hose: scaler

PLANMECA ® RESISTANCE 10007619-5

LG: Light Grey RAL 9002
GR: Grey RAL 7038

P/N M6.PLM.XX.1 **for PLANMECA ® units**

Hoses for **syringes**

> Compatible hoses for syringes with Luzzani ® handles



Ø10mm
L:1600mm

Hose for syringe 3F with air and water tubing

1. Type of hose: 3F syringe
2. Handpiece: No

P/N SYR.XX.1

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035
GR: Grey RAL 7038
BR: Brown ADEC
BL: Black



Ø10mm
L:1600mm

Straight Inox Syringe Luzzani ® Minilight 6F

1. Type of hose: 6F syringe
2. Handpiece: Yes
3. Hose: Yes

P/N L3.STD.SS.2

LG: Light Grey RAL 9002



Ø10mm
L:1600mm

Angled Inox Syringe Luzzani ® Minimate 6F

1. Type of hose: 6F syringe
2. Handpiece: Yes
3. Hose: Yes

P/N L3.STD.AS.2

MG: Middle Grey RAL7035



Ø10mm
L:1600mm

Straight Inox Syringe Luzzani ® Minimate 3F

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

P/N L1.STD.SS.1

MG: Middle Grey RAL7035



Ø10mm
L:1600mm

Angled Inox Syringe Luzzani ® Minimate 3F

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

P/N L1.STD.AS.1

MG: Middle Grey RAL7035



Ø10mm
L:1600mm

Straight Inox Syringe Luzzani ® Minilight 3F

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

P/N L2.STD.SS.1

MG: Middle Grey RAL7035



Ø10mm
L: 1600mm

Straight Inox Syringe Luzzani ® Minilight 3F

1. Type of hose: 3F syringe
2. Handpiece: Yes

P/N L2.STD.SS.2

LG: Light Grey RAL 9002



Ø10mm
L:1600mm

Angled Inox Syringe Luzzani ® Minilight 3F

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

P/N L2.STD.AS.1

MG: Middle Grey RAL7035

> Compatible hoses for syringes with Luzzani ® handles on Kavo ® units


Ø 10mm
L:1250mm / R:1400mm



Hose for 3F air/water syringe

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

1. Type of hose: 3F syringe
2. Handpiece: No
3. Hose: Yes

KAVO ® units 1057,1058,1060,1062, 1063,1065,1080, E30S, E30T

P/N SY.SKV.XX.2 **for KAVO ® units**


Ø 10mm
L:1250mm / R:1400mm



Straight Inox Syringe Luzzani ® Minimate 3F

MG: Middle Grey RAL7035

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

KAVO ® units 1057,1058,1060,1062,1063, 1066, 1078, 1080, E30S, E30T

P/N L1.SKV.SS.1 **for KAVO ® units**


Ø 10mm
L:1250mm / R:1400mm



Angled Inox Syringe Luzzani ® Minimate 3F

MG: Middle Grey RAL7035

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

KAVO ® units 1057,1058,1060,1062,1063, 1066, 1078, 1080, E30S, E30T

P/N L1.SKV.AS.1 **for KAVO ® units**


Ø 10mm
L:1250mm / R:1400mm



Straight Inox Syringe Luzzani ® Minilight 3F

MG: Middle Grey RAL7035

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

KAVO ® UNITS 1057,1058,1060,1062,1063, 1065,1066, 1078, 1080, E30S, E30T

P/N L2.SKV.SS.1 **for KAVO ® units**


Ø 10mm
L:1250mm / R:1400mm



Straight Inox Syringe Luzzani ® Minilight 3F

LG: Light Grey RAL 9002

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

KAVO ® UNITS 1057,1058,1060,1062,1063, 1065,1066, 1078, 1080, E30S, E30T

P/N L2.SKV.SS.2 **for KAVO ® units**


Ø 10mm
L:1250mm / R:1400mm



Angled Inox Syringe Luzzani ® Minilight 3F

MG: Middle Grey RAL7035

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

KAVO ® UNITS 1057,1058,1060,1062,1063, 1065,1066, 1078, 1080, E30S, E30T

P/N L2.SKV.AS.1 **for KAVO ® units**


Ø 10mm
L:1250mm / R:1400mm



Straight Inox Syringe Luzzani ® Minilight 3F

MG: Middle Grey RAL7035

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

Suitable for KAVO ® UNITS E50S

P/N L2.SKV.SS.E **for KAVO ® units**

LG: Light Grey RAL 9002
MG: Middle Grey RAL7035

> Compatible hoses for syringes with Luzzani ® handles on Cefla ® units


Ø 10mm
L:1200mm / R:1400mm



Straight Inox Syringe Luzzani ® Minimate 3F

MG: Middle Grey RAL7035

1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI

P/N L1.SCF.SS.1 **for CEFLA® units**

Compatible **hoses for Luzzani ®** syringes

Models


Ø 10mm
L:1200mm / R:1400mm



Angled Inox Syringe Luzzani ® Minimate 3F
1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes
ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI
P/N L1.SCF.AS.1 **for CEFLA® units**

MG: Middle Grey RAL7035


Ø 10mm
L:1200mm / R:1400mm



Straight Inox Syringe Luzzani ® Minilight 3F
1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes
ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI
P/N L2.SCF.SS.1 **for CEFLA® units**

MG: Middle Grey RAL7035


Ø10mm
L:1200mm / R:1400mm



Angled Inox Syringe Luzzani ® Minilight 3F
1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes
ANTHOS ®: A3, A5, A6, A7, A9, R7, L6, L9
STERN ®: S200, S250, S280TRc, S300, S220TR, S320TR, S380TR, S320TR
CASTELLINI ®: Skema 5, Skema 6, Skema 8, Puma ELI
P/N L2.SCF.AS.1 **for CEFLA® units**

MG: Middle Grey RAL7035

> Compatible hoses for syringes with Luzzani ® handles on Planmeca ® units


Ø10mm
L:1100mm



Straight Inox Syringe Luzzani ® Minimate 3F
1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

PLANMECA ® RESISTANCE 1780Ω

P/N L1.PLM.SS.1 **for PLANMECA® units**

MG: Middle Grey RAL7035


Ø10mm
L:1100mm



Angled Inox Syringe Luzzani ® Minimate 3F
1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

PLANMECA ® RESISTANCE 1780Ω

P/N L1.PLM.AS.1 **for PLANMECA® units**

MG: Middle Grey RAL7035


Ø10mm
L:1100mm



Straight Inox Syringe Luzzani ® Minilight 3F
1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

PLANMECA ® RESISTANCE 1780Ω

P/N L2.PLM.SS.1 **for PLANMECA® units**

MG: Middle Grey RAL7035


Ø10mm
L:1100mm



Straight Inox Syringe Luzzani ® Minilight 3F
1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

PLANMECA ® RESISTANCE 1780Ω

P/N L2.PLM.SS.2 **for PLANMECA® units**

LG: Light Grey RAL 9002


Ø10mm
L:1100mm



Angled Inox Syringe Luzzani ® Minilight 3F
1. Type of hose: 3F syringe
2. Handpiece: Yes
3. Hose: Yes

PLANMECA ® RESISTANCE 1780Ω

P/N L2.PLM.AS.1 **for PLANMECA® units**

MG: Middle Grey RAL7035


Ø10mm
L:1250mm / R:1400mm



Straight Inox Syringe Luzzani ® Minilight 6F
1. Type of hose: 6F syringe
2. Handpiece: Yes
3. Hose: Yes

PLANMECA ® 2600287-20

P/N L3.PLM.SS.2 **for PLANMECA® units** Original 2600287-20

LG: Light Grey RAL 9002

> Luzzani ® syringes & accessories

	**Tip for Luzzani ® 3F minimate & minilight syringe** **P/N** LU01 Original RL348G	Sold: 1 piece
	**Nut for Tips for Luzzani ® 3F minimate syringe** **P/N** LU02 Original RT223	Sold: 1 piece
	**Nut for Tips for Luzzani ® 3F minilight syringe** **P/N** LU03 Original RT441	Sold: 1 piece
	**Complete straight inox cover for Luzzani ® minilight syringe** **P/N** LU04 Original RT443C	Sold: 1 piece
	**Complete angled inox cover for Luzzani ® minilight syringe** **P/N** LU08 Original RT451C	Sold: 1 piece
	**Complete straight inox cover for Luzzani ® minimate syringe** **P/N** LU05 Original RT243C	Sold: 1 piece
	**Complete angled inox cover for Luzzani ® minimate syringe** **P/N** LU09 Original RT251C	Sold: 1 piece
	**Complete taper for Luzzani ® minilight syringe** **P/N** LU06 Original RL404C3	Sold: 1 piece
	**Complete taper for Luzzani ® minimate syringe** **P/N** LU07 Original RT202C	Sold: 1 piece

Components for hoses repair

> Silicone sheath and tubings for hose repair



Chip air and water spray tubing

P/N TP.D25.XX.1

GR: Green
BL: Blue

Internal Ø 1,3mm

Length: 30m



Drive air tubing

P/N TP.D40.CL.1

CL: Transparent

Internal Ø 2,5mm

Length: 30m



Exhaust air tubing

P/N TP.D45.RD.1

RD: Red

Internal Ø 3,2mm

Length: 30m



White silicone sheath

Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.WH.1

P/N look at diameter

WH: White

Length: 25m



Light grey silicone sheath

Ø 7 mm (I.D. 5mm) Ref. GU.D07.LG.1
Ø 9 mm (I.D. 7mm) Ref. GU.D09.LG.1
Ø 10 mm (I.D. 7,5mm) Ref. GU.D10.LG.1
Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.LG.1

P/N look at diameter

LG: Light Grey RAL 9002

Length: 25m

Middle grey silicone sheath

Ø 10 mm (I.D. 7,5mm) Ref. GU.D10.MG.1
Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.MG.1

P/N look at diameter

MG: Middle Grey RAL 7035

Length: 25m



Grey silicone sheath

Ø 7 mm (I.D. 5mm) Ref. GU.D07.GR.1
Ø 9 mm (I.D. 7mm) Ref. GU.D09.GR.1
Ø 10 mm (I.D. 7,5mm) Ref. GU.D10.GR.1
Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.GR.1

P/N look at diameter

GR: Grey RAL 7038

Length: 25m



Brown silicone sheath

Ø 7 mm (I.D. 5mm) Ref. GU.D07.BR.1
Ø 9 mm (I.D. 7mm) Ref. GU.D09.BR.1
Ø 10 mm (I.D. 7,5mm) Ref. GU.D10.BR.1
Ø 11 mm (I.D. 8,5mm) Ref. GU.D11.BR.1

P/N look at diameter

BR: Brown ADEC

Length: 25m

> Adapter & o-rings

	**Adapter for BIEN AIR ® MC3 micromotor » turbine & NSK ® M40 micromotor - for multipurpose hoses ref. 8P** **P/N** CM021.F1.0	
	**Adapter for BIEN AIR ® MC2 micromotor » dual use BIEN AIR ® MC2 IR - for multipurpose hoses ref. B2** **P/N** CM076.F1.0	
	**Adapter for BIEN AIR ® MC2 micromotor » dual use BIEN AIR ® MC2 ISOLITE 300 - for multipurpose hoses ref. B3** **P/N** CM077.F1.0	
	Spare o-rings for KAVO ® hose K190, K196, K200 micromotors **P/N** ORK1	Sold: Set of 3 pieces
	Spare o-rings for KAVO ® hose KL700 series micromotors **P/N** ORK9	Sold: Set of 3 pieces

> Aspiration tubes and handles



Light grey Etyl-vinyl-acetate, extra-flexible suction hose inside and outside corrugated

Ref. AEX.LG.11 ID Ø 11 mm - per 1m
Ref. AEX.LG.17 ID Ø 17 mm - per 1m
Ref. AEX.LG.11R ID Ø 11 mm - roll 25m
Ref. AEX.LG.17R ID Ø 17 mm - roll 25m

P/N look at diameter

Length: 1m, 25m



Light grey Double-walled, flexible soft PVC suction hose reinforced with rigid PVC helix - inside and outside smooth

Ref. APV.LG.08 - ID Ø 8 mm
Ref. APV.LG.10 - ID Ø 10 mm
Ref. APV.LG.11 - ID Ø 11 mm
Ref. APV.LG.15 - ID Ø 15 mm
Ref. APV.LG.16 - ID Ø 16 mm
Ref. APV.LG.165 - ID Ø 16,5 mm
Ref. APV.LG.17 - ID Ø 17 mm
Ref. APV.LG.20 - ID Ø 20 mm
Ref. APV.LG.22 - ID Ø 22 mm

P/N look at diameter

Reference diameters:
1. SIRONA® 8/15mm
2. KAVO® 8/20mm
3. CATTANI® 11/17mm
4. DURR® 16,5mm
5. PLANMECA® 16,5mm

Length: 1,7m



Light grey Double-walled, flexible soft PVC suction hose reinforced with rigid PVC helix - inside and outside smooth

Ref. APV.LG.08R - ID Ø 8 mm
Ref. APV.LG.10R - ID Ø 10 mm
Ref. APV.LG.11R - ID Ø 11 mm
Ref. APV.LG.15R - ID Ø 15 mm
Ref. APV.LG.16R - ID Ø 16 mm
Ref. APV.LG.16R - ID Ø 16,5 mm
Ref. APV.LG.17R - ID Ø 17 mm
Ref. APV.LG.20R - ID Ø 20 mm
Ref. APV.LG.22R - ID Ø 22 mm

P/N look at diameter

Reference diameters:
1. SIRONA® 8/15mm
2. KAVO® 8/20mm
3. CATTANI® 11/17mm
4. DURR® 16,5mm
5. PLANMECA® 16,5mm

Length: 10m



Light grey tube for aspiration with extra-flexible corrugated EVA hose for CATTANI ®

Ref. XCT.LG.11 ID Ø 11 mm
Ref. XCT.LG.17 ID Ø 17 mm

P/N look at diameter

Length: 1,7m



Light grey tube for aspiration with double-walled, flexible soft PVC hose for CATTANI ®

Ref. PCT.LG.11 ID Ø 11 mm
Ref. PCT.LG.17 ID Ø 17 mm

P/N look at diameter

Length: 1,7m



Suction handle Ø 16 mm

Compatible with APV.LG.17

P/N TER.GR.16

Sold: Set of 3 pieces



Suction handle Ø 11 mm

Compatible with APV.LG.11

P/N TER.GR.11

Sold: Set of 3 pieces


MINImate
LUZZANI DENTAL
134°C
1370
LOT 20200269

DENTAL-MEDIKA

КОНТАКТ И НАРАЧКИ

За турбини, колењаци и насадници

Продажба и сервис на стоматолошка опрема

+389 70 219 560

dentalmedika@gmail.com

www.dentalmedika.com.mk

Компатибилноста и достапноста се потврдуваат пред нарачка.

Технички каталог: издание 2021.3 / ноември 2021.

Дистрибутерски каталог на компатибилни резервни делови.

Исправноста на Вашата опрема е наша грижа.